

Certificate of Product Approval

Certificate Number: 1000b

Issue: 03



Burton Safes Limited

Units 20 – 28 Brockholes Business Park Rock Mill Road Brockholes Holmfirth HD9 7BN

s authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix naving complied with the requirements of the standard(s) detailed below:

Products

Talos SE

modular security enclosure systems

Standard

LPS 1175: Issue 6

Requirements and testing procedures for the LPCB approval and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillo

Signed for LPCB

Paul Dillon

14 December 2017

Date of Issue

19 May 2017

Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

LPCB is part of BRE Global Ltd, Garston, Watford, WD25 9XX T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: enquiries@breglobal.com





Modular Security Enclosure System¹

Product Name	Product Type	Minimum Height (m)	Maximum Height (m)	Minimum Width (m)	Maximum Width (m)	Minimum Depth (m)	Maximum Depth (m)	Security Rating	LPCB Ref. No.
Talos	Enclosure with horizontally laid panels	2.5	Unlimited	2.5	Unlimited	2.5	Unlimited	2	1000b/01
	Enclosure with vertically laid panels	2.5	5.5	0.25	Unlimited	0.25	Unlimited	2	
	Enclosure with horizontally laid panels	2.5	Unlimited	2.5	Unlimited	2.5	Unlimited	3	1000b/02
	Enclosure with vertically laid panels	2.5	5.5	0.25	Unlimited	0.25	Unlimited	3	
	Enclosure with horizontally laid panels	2.5	Unlimited	2.5	Unlimited	2.5	Unlimited	4	1000b/03
	Enclosure with vertically laid panels	2.5	5.5	0.25	Unlimited	0.25	Unlimited	4	
Talos SE	Enclosure with vertically laid panels	2.2	2.5	1.112	1.402	1.142	1.432	2	1000b/04
	Enclosure with vertically laid panels	2.2	2.5	1.112	1.402	1.142	1.432	3	1000b/05
	Enclosure with vertically laid panels	2.2	2.5	1.112	1.402	1.142	1.432	4	1000b/06

System Components for the Talos System

Component Type	Minimum Width (m)	Maximum Width (m)	Minimum Length (m)	Maximum Length (m)	Par	el Thickness	(m)
SR2 panel (mineral wool or PIR)	0.25	1.19	2.0	5.5	0.1	0.125	0.15
SR2 ceiling panel (mineral wool or PIR)	0.25	1.19	2.0	5.5	0.1	0.125	0.15
SR3/SR4 panel (mineral wool or PIR)	0.25	1.19	2.0	5.5	0.1	0.125	0.15
SR3/SR4 reinforced panel (mineral wool or PIR)	0.25	1.19	2.0	5.5	0.1	0.125	0.15
SR3/SR4 ceiling panel (mineral wool or PIR) (for spans less than 3m)	0.25	1.19	2.0	3.0	0.1	0.125	0.15

This certificate and appendix is maintained and held in force through regular surveillance activities

Poillon 14 December 2017
Signed for LPCB Verifier Date of Issue

19 May 2017

Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR Tag or contact us.

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX.
T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: Enquiries@breglobal.com







Component Type	Minimum Width (m)	Maximum Width (m)	Minimum Length (m)	Maximum Length (m)	Par	nel Thickness	(m)
SR3/SR4 ceiling panel (mineral wool or PIR) (for spans greater than 3m)	0.25	1.19	3.0	5.5	0.1	0.125	0.15
SR3/SR4 reinforced ceiling panel (mineral wool or PIR) (for spans less than 3m)	0.25	1.19	2.0	3.0	0.1	0.125	0.15
SR3/SR4 reinforced ceiling panel (mineral wool or PIR) (for spans greater than 3m)	0.25	1.19	3.0	5.5	0.1	0.125	0.15
SR4 double skin panel (mineral wool or PIR)	0.25	1.19	2.0	4.5	0.	05 (0.1 over	all)
SR4 double skin ceiling panel (mineral wool or PIR) (for spans less than 3m)	0.25	1.19	2.0	3.0	0.	05 (0.1 over	all)

System Components for the Talos SE System

Component Type	Minimum Width (m)	Maximum Width (m)	Minimum Length (m)	Maximum Length (m)	Pan	el Thickness	(m)
SR2/SR3/SR4 panel (mineral wool or PIR)	0.9	1.19	2.0	2.4	0.1	0.125	0.15
SR2/SR3/SR4 ceiling panel (mineral wool or PIR)	0.9	1.19	0.9	1.19	0.1	0.125	0.15

Compatible Doorsets for the Talos System^{2,3}

Manufacturer	Product Name	Product Type	LPCB Ref. No.	Security Rating	Compatible Locking Systems as Listed on the associated LPCB Certificate
Ascot Doors Limited	Centurion A363S	Single leaf outward opening doorset	131d/04 Issue 4	3	All compatible locking systems
	Centurion A363D	Double leaf outward opening doorset	131d/05 Issue 4	3	All compatible locking systems
	Centurion A355	Single leaf outward opening doorset	131d/01 Issue 4	4	Exit by key or thumbturn only
	Centurion 364S	Single leaf outward opening doorset	131d/02 Issue 4	4	Exit by key or thumbturn only
	Centurion 364D	Double leaf outward opening doorset	131d/03 Issue 4	4	Exit by key or thumbturn only

This certificate and appendix is maintained and held in force through regular surveillance activities

Paul Dillon 14 December 2017 19 May 2017
Signed for LPCB Verifier Date of Issue Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR Tag or contact us.

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX. T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: Enquiries@breglobal.com







Manufacturer	Product Name	Product Type	LPCB Ref. No.	Security Rating	Compatible Locking Systems as Listed on the associated LPCB Certificate
Assa Abloy Security Doors	Powershield Clandeboye	Single leaf outward opening doorset	852c/03 Issue 1	2	All compatible locking systems
		Double leaf outward opening doorset	852c/03 Issue 1	2	All compatible locking systems
	Powershield Glen	Single leaf outward opening doorset	852a/01 Issue 2	3	All compatible locking systems
		Double leaf outward opening doorset	852a/02 Issue 2	3	All compatible locking systems
	Powershield Strangford	Single leaf outward opening doorset	852a/03 Issue 2	4	Exit by key or thumbturn only
		Double leaf outward opening doorset	852a/04 Issue 2	4	Exit by key or thumbturn only
	Safeguard Ultimum	Single leaf outward opening doorset	852c/02 Issue 1	4	Exit by key or thumbturn only
		Double leaf outward opening doorset	852c/02 Issue 1	4	Exit by key or thumbturn only
BenweldSecure Limited	Upton 3	Single leaf outward opening doorset	1165c/01 Issue 1	3	All compatible locking systems
		Double leaf outward opening doorset	1165c/01 Issue 1	3	All compatible locking systems
	Upton 4	Single leaf outward opening doorset	1165c/02 Issue 1	4	Exit by key or thumbturn only
		Double leaf outward opening doorset	1165c/02 Issue 1	4	Exit by key or thumbturn only
Booth Industries	Dunscar	Single leaf outward opening doorset	816a/02 Issue 4	2	All compatible locking systems
Limited		Double leaf outward opening doorset	816a/02 Issue 4	2	All compatible locking systems
	Belmont	Single leaf outward opening doorset	816a/01 Issue 4	3	All compatible locking systems
		Double leaf outward opening doorset	816a/01 Issue 4	3	All compatible locking systems

This certificate and appendix is maintained and held in force through regular surveillance activities

Poll Paul Dillon 14 December 2017 19 May 2017
Signed for LPCB Verifier Date of Issue Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR Tag or contact us.

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX.

T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: Enquiries@breglobal.com

bre

Issue: 03

BF1281A Rev 0.5 Page 4 of 10 © BRE Global Ltd, 2014



Manufacturer	Product Name	Product Type	LPCB Ref. No.	Security Rating	Compatible Locking Systems as Listed on the associated LPCB Certificate
Bradbury Security	M2M ²	Single leaf outward opening doorset	312f/01 Issue 3	2	All compatible locking systems
		Double leaf outward opening doorset	312f/01 Issue 3	2	All compatible locking systems
	M2M ³	Single leaf outward opening doorset	312e/01 Issue 7	3	All compatible locking systems
		Double leaf outward opening doorset	312e/01 Issue 7	3	All compatible locking systems
	M2M ⁴	Single leaf outward opening doorset	312e/02 Issue 7	4	Exit by key or thumbturn only
		Double leaf outward opening doorset	312e/02 Issue 7	4	Exit by key or thumbturn only
Design & Supply Limited	Desray 2	Single leaf outward opening doorset	694b/01 Issue 9	2	All compatible locking systems
		Double leaf outward opening doorset	694b/02 Issue 9	2	All compatible locking systems
	DS3	Single leaf outward opening doorset	694b/09 Issue 9	3	All compatible locking systems
		Double leaf outward opening doorset	694b/09 Issue 9	3	All compatible locking systems
Fortress Glass Technology LLP	BBS 2	Single leaf outward opening doorset	1236a/05 Issue 2	2	All compatible locking systems
		Double leaf outward opening doorset	1236a/05 Issue 2	2	All compatible locking systems
	BBS 3	Single leaf outward opening doorset	1236a/01 Issue 2	3	All compatible locking systems
		Double leaf outward opening doorset	1236a/01 Issue 2	3	All compatible locking systems
	BBS 4	Single leaf outward opening doorset	1236a/02 Issue 2	4	Exit by key or thumbturn only
		Double leaf outward opening doorset	1236a/02 Issue 2	4	Exit by key or thumbturn only

This certificate and appendix is maintained and held in force through regular surveillance activities

Poul Paul Dillon 14 December 2017 19 May 2017
Signed for LPCB Verifier Date of Issue Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR Tag or contact us.

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX.

T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: Enquiries@breglobal.com







Manufacturer	Product Name	Product Type	LPCB Ref. No.	Security Rating	Compatible Locking Systems as Listed on the associated LPCB Certificate
Liddle Doors Limited	LD2	Single leaf outward opening doorset	442g/02 Issue 2	2	All compatible locking systems
		Double leaf outward opening doorset	442g/02 Issue 2	2	All compatible locking systems
	LD3	Single leaf outward opening doorset	442g/03 Issue 2	3	All compatible locking systems
		Double leaf outward opening doorset	442g/03 Issue 2	3	All compatible locking systems
PSF Wales Limited	Hercules SAF 2	Single leaf outward opening doorset	953d/01 Issue 13	2	All compatible locking systems
		Double leaf outward opening doorset	953d/01 Issue 13	2	All compatible locking systems
	Hercules Lite SR2	Single leaf outward opening doorset	953d/06 Issue 13	2	All compatible locking systems
		Double leaf outward opening doorset	953d/06 Issue 13	2	All compatible locking systems
	Hercules Lite SR3	Single leaf outward opening doorset	953d/07 Issue 13	3	All compatible locking systems
		Double leaf outward opening doorset	953d/07 Issue 13	3	All compatible locking systems
	Mk.II Hercules SAF 3	Single leaf outward opening doorset	953d/02 Issue 13	3	All compatible locking systems
		Double leaf outward opening doorset	953d/02 Issue 13	3	All compatible locking systems
	Mk.II Hercules SAF 4	Single leaf outward opening doorset	953d/03 Issue 13	4	Exit by key or thumbturn only
		Double leaf outward opening doorset	953d/03 Issue 13	4	Exit by key or thumbturn only
	Taurus SAF 3	Single leaf outward opening doorset	953d/04 Issue 13	3	All compatible locking systems
		Double leaf outward opening doorset	953d/04 Issue 13	3	All compatible locking systems
	Taurus SAF 4	Single leaf outward opening doorset	953d/05 Issue 13	4	All compatible locking systems

This certificate and appendix is maintained and held in force through regular surveillance activities

Poul Dillon 14 December 2017 19 May 2017
Signed for LPCB Verifier Date of Issue Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR Tag or contact us.

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX.

T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: Enquiries@breglobal.com



Issue: 03

BF1281A Rev 0.5 Page 6 of 10 © BRE Global Ltd, 2014



Manufacturer	Product Name	Product Type	LPCB Ref. No.	Security Rating	Compatible Locking Systems as Listed on the associated LPCB Certificate
PSF Wales Limited	Taurus SAF 4	Double leaf outward opening doorset	953d/05 Issue 13	4	All compatible locking systems
R & D Sheetmetal	Security Evo III	Single leaf outward opening doorset	1034b/04 Issue 3	3	All compatible locking systems
Limited		Double leaf outward opening doorset	1034b/04 Issue 3	3	All compatible locking systems
	Security Evo IV	Single leaf outward opening doorset	1034b/01 Issue 3	4	Exit by key or thumbturn only
		Double leaf outward opening doorset	1034b/01 Issue 3	4	Exit by key or thumbturn only
Stafford Bridge Doors Limited	Hendon	Single leaf outward or inward opening doorset	516c/01 Issue 4	2	All compatible locking systems
		Double leaf outward or inward opening doorset	516c/01 Issue 4	2	All compatible locking systems
	Sandhurst	Single leaf outward or inward opening doorset	516c/02 Issue 4	3	All compatible locking systems
		Double leaf outward or inward opening doorset	516c/02 Issue 4	3	All compatible locking systems
	Wilton	Single leaf outward or inward opening doorset	516c/03 Issue 4	4	Exit by key or thumbturn only
		Double leaf inward opening doorset	516c/03 Issue 4	4	Exit by key or thumbturn only
	Halton	Single leaf outward or inward opening doorset	516c/03 Issue 4	4	Exit by key or thumbturn only
		Double leaf inward opening doorset	516c/03 Issue 4	4	Exit by key or thumbturn only
Steelway Fensecure	Steelway Level 2 Single Leaf Mesh Security Doorset	Single leaf outward opening doorset	1071a/03 Issue 1	2	All compatible locking systems
Limited	Steelway Level 2 Double Leaf Mesh Security Doorset	Double leaf outward opening doorset	1071a/04 Issue 1	2	All compatible locking systems
	Steelway Level 3 Single Leaf Mesh Security Doorset	Single leaf outward opening doorset	1071a/05 Issue 1	3	All compatible locking systems
	Steelway Level 3 Double Leaf Mesh Security Doorset	Double leaf outward opening doorset	1071a/06 Issue 1	3	All compatible locking systems

This certificate and appendix is maintained and held in force through regular surveillance activities

Paul Dillon 14 December 2017 19 May 2017
Signed for LPCB Verifier Date of Issue Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR Tag or contact us. LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX. T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: Enquiries@breglobal.com



Issue: 03

BF1281A Rev 0.5 Page 7 of 10 © BRE Global Ltd, 2014



Manufacturer	Product Name	Product Type	LPCB Ref. No.	Security Rating	Compatible Locking Systems as Listed on the associated LPCB Certificate
Steelway Fensecure	Steelway Level 4 Single Leaf Security Doorset	Single leaf outward opening doorset	1071d/01 Issue 1	4	All compatible locking systems
Limited	Steelway Level 4 Double Leaf Security Doorset	Double leaf outward opening doorset	1071d/02 Issue 1	4	All compatible locking systems
Sunray Engineering	ExecDoor 2	Single leaf outward opening doorset	234d/03 Issue 6	2	All compatible locking systems
Limited		Double leaf outward opening doorset	234d/03 Issue 6	2	All compatible locking systems
	ExcluDoor 3 Mk2	Single leaf outward or inward opening doorset	234d/01 Issue 8	3	All compatible locking systems
		Double leaf outward or inward opening doorset	234d/01 Issue 8	3	All compatible locking systems
	ExcluDoor 3 Mk3 F.R.	Single leaf outward opening doorset	234d/13 Issue 6	3	All compatible locking systems
		Double leaf outward opening doorset	234d/13 Issue 6	3	All compatible locking systems
	ExcluDoor 4 Mk2	Single leaf outward or inward opening doorset	234d/05 Issue 12	4	Exit by key or thumbturn only
		Double leaf outward or inward opening doorset	234d/05 Issue 12	4	Exit by key or thumbturn only
	ExcluDoor 4 Mk2 F.R.	Single leaf outward opening doorset	234d/07 Issue 12	4	Exit by key or thumbturn only
		Double leaf outward opening doorset	234d/07 Issue 12	4	Exit by key or thumbturn only
	ExcluDoor 4 Mk3	Single leaf outward opening doorset	234d/11 Issue 12	4	Exit by key or thumbturn only
		Double leaf outward opening doorset	234d/11 Issue 12	4	Exit by key or thumbturn only
Technocover Limited	DS1	Single leaf outward opening doorset	450f/11 Issue 6	4	Exit by key or thumbturn only
	DS2	Double leaf outward opening doorset	450f/12 4 Exit by key o		Exit by key or thumbturn only
	Sentinel UltraSecure	Single leaf outward opening doorset	450f/01 Issue 6	3	All compatible locking systems

This certificate and appendix is maintained and held in force through regular surveillance activities

Paul Dillon 14 December 2017 19 May 2017
Signed for LPCB Verifier Date of Issue Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR Tag or contact us. LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX. T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: Enquiries@breglobal.com



Issue: 03

BF1281A Rev 0.5 Page 8 of 10 © BRE Global Ltd, 2014



Manufacturer	Product Name	Product Type	LPCB Ref. No.	Security Rating	Compatible Locking Systems as Listed on the associated LPCB Certificate
Technocover Limited	Sentinel UltraSecure	Single leaf outward opening doorset	450f/07 Issue 6	3	All compatible locking systems
		Double leaf outward opening doorset	450f/02 Issue 6	3	All compatible locking systems
		Double leaf outward opening doorset	450f/08 Issue 6	3	All compatible locking systems
		Single leaf outward opening doorset	450f/03 Issue 6	4	Exit by key or thumbturn only
		Single leaf outward opening doorset	450f/09 Issue 6	4	Exit by key or thumbturn only
		Double leaf outward opening doorset	450f/04 Issue 6	4	Exit by key or thumbturn only
		Double leaf outward opening doorset	450f/10 Issue 6	4	Exit by key or thumbturn only
Warrior	4SP-SL	Single leaf outward opening doorset	1045a/01 Issue 4	4	Exit by key or thumbturn only
	4-SL	Single leaf outward opening doorset	1045a/02 Issue 4	4	Exit by key or thumbturn only
	4-SLi	Single leaf inward opening doorset	1045a/03 Issue 4	4	Exit by key or thumbturn only
	4-DD	Double leaf outward opening doorset	1045a/04 Issue 4	4	Exit by key or thumbturn only
	C4-SLS	Single leaf outward or inward opening doorset incorporating side screens	1045a/05 Issue 4	4	Exit by key or thumbturn only
	C4-DDS	Double leaf outward opening doorset incorporating side screens	1045a/06 Issue 4	4	Exit by key or thumbturn only

Compatible Doorsets for the Talos SE System^{2,3}

Manufacturer	Product Name	Product Type	LPCB Ref. No.		Compatible Locking Systems As Listed On The Associated LPCB Certificate
Ascot Doors Limited	Centurion 364S	Single leaf outward opening doorset	131d/02 Issue 4	4	Mico Abryll AD3/USCH4 with internal key

This certificate and appendix is maintained and held in force through regular surveillance activities

Paul Dillon 14 December 2017 19 May 2017
Signed for LPCB Verifier Date of Issue Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR Tag or contact us.

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX. T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: Enquiries@breglobal.com







Compatible Accessories for the Talos System³

Accessory	Description	LPCB Ref. No. 1000b/		
		01	02	03
Penetrations through wall panels	Single and multiple reinforced penetrations through the walls	✓	✓	✓
Louvre vent ⁴	Surelock McGill Max-Air-XA2 louvre vent	✓	-	-
	Surelock McGill Max-Air-XA3 louvre vent	-	✓	-
	Surelock McGill Max-Air-XA4 louvre vent	-	-	✓

Notes:

- 1. The Talos and Talos SE panel systems must be installed in accordance with the approved construction guide Version 1.2 dated 9 February 2017.
- 2. The Security Rating attributed to the compatible doorset must be at least that of the enclosure in which it is to be fitted. For example, a Security Rating 3 doorset shall not be used to form part of a Security Rating 4 enclosure.
- 3. Refer to notes contained within the relevant certificate/Red Book entries for these products for details of restrictions on their use.
- 4. The louvre vents compatible with the Talos panel system fall within the scope of LPCB certificate 516-1a Issue 2. The MAX-AIR XA#-H variant must be used and the Security Rating attributed to the louvre vent must be at least that of the enclosure in which it is to be fitted.

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillo

Paul Dillon

14 December 2017

19 May 2017

Signed for LPCB

Verifier

Date of Issue

Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR Tag or contact us.

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX. T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: Enquiries@breglobal.com



