

## Certificate of Product Approval

Certificate Number: 1000d

Issue: 01

### Burton Safes Limited

Units 20 – 28  
Brockholes Business Park  
Rock Mill Road  
Brockholes  
Holmfirth  
HD9 7BN

is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

#### Products

**Ajax SR2**  
security grilles

#### Standard

**LPS 1175: Issue 7**  
Requirements and testing procedures for the LPCB approval and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for LPCB

Paul Dillon  
Verifier

23 May 2017  
Date of Issue

23 May 2017  
Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit [www.redbooklive.com/terms](http://www.redbooklive.com/terms)).

To check the validity of this certificate and appendix please visit [www.redbooklive.com/check](http://www.redbooklive.com/check), scan the QR tag or contact us.

LPCB is part of BRE Global Ltd, Garston, Watford, WD25 9XX  
T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: [enquiries@breglobal.com](mailto:enquiries@breglobal.com)



## Appendix to Certificate No: 1000d Burton Safes Limited

Issue: 01

### Security Grilles

Product Name	Type	Minimum Height (m)	Maximum Height (m)	Minimum Width (m)	Maximum Width (m)	Security Rating <sup>1</sup>	LPCB. Ref. No.
Ajax SR2	Fixed security grille	0.450	3.88	0.30	5.75	2	1000d/01
	Single sash collapsible security grille	0.625	2.7	0.39	5.75	2+	
	Double sash collapsible security grille	0.625	2.7	0.44	11.52	2+	
	Single sash flexi collapsible security grille	0.625	2.7	0.39	5.75	2+	
	Double sash flexi collapsible security grille	0.625	2.7	0.44	Unlimited <sup>2</sup>	2+	

### Compatible Locking Devices

Product Name	Lock	Single Europrofile Cylinder <sup>3</sup>		
		Assa Twin Combi DP 4400 <sup>1</sup>	Cisa AP3	Kaba GeGe pExtra
Ajax SR2	CL03	✓	✓	✓
	TBNH01	✓	✓	✓

### Approved Installation Configurations

Configuration	Substrate <sup>4</sup>					
	Brickwork	Concrete Blockwork	Concrete	Structural Timber	Structural Steel	Aluminium
Reveal fixed	✓	✓	✓	✓	✓	✓
Internal face fixed	✓	✓	✓	✓	✓	✓

### Notes:

1. The security rating achieved by the grilles depends on the cylinder fitted. The Ajax SR2 grilles achieve a Security Rating 2 classification when the Assa Twin Combi DP 4400 single europrofile cylinders are fitted.
2. The maximum width of any sash used to form the grilles is 5.75 m.
3. The grilles may be configured so that the cylinders are located in either the attack face or the protected face of the lock stiles.
4. The grilles are approved when installed to these substrates in accordance with the instructions provided on document 760144 (Revision 3). However, the resistance to forced entry provided by the substrate itself is outside the scope of the approval.

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for LPCB

Paul Dillon  
Verifier

23 May 2017  
Date of Issue

23 May 2017  
Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit [www.redbooklive.com/terms](http://www.redbooklive.com/terms)).

To check the validity of this certificate and appendix please visit [www.redbooklive.com/check](http://www.redbooklive.com/check), scan the QR Tag or contact us.

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX.  
T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: [Enquiries@breglobal.com](mailto:Enquiries@breglobal.com)


