

Certificate of Product Approval

Certificate Number: 1000e

Issue: 01

Burton Safes Limited

Units 20 – 28
Brockholes Business Park
Rock Mill Road
Brockholes
Holmfirth
HD9 7BN

is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Product

Ajax SR2
modular security cage

Standard

LPS 1175: Issue 7
Requirements and testing procedures for the LPCB approval and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for LPCB

Paul Dillon
Verifier

23 May 2017
Date of Issue

23 May 2017
Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

LPCB is part of BRE Global Ltd, Garston, Watford, WD25 9XX
T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: enquiries@breglobal.com



Appendix to Certificate No: 1000e Burton Safes Limited

Issue: 01

Modular Security Cage

Product Name	Type	Minimum Height (m)	Maximum Height (m)	Minimum Width (m)	Maximum Width (m)	Minimum Length (m)	Maximum Length (m)	Security Rating ¹	LPCB Ref. No.
Ajax SR2	Modular cage formed from Ajax SR2 fixed and opening grilles ²	0.54 ³	3.97 ^{4,5,6}	0.48	Unlimited ^{4,6,7}	1.0	Unlimited ^{4,6,7}	2+	1000e/01

System Components

Component Type	Minimum Height (m)	Maximum Height (m)	Minimum Width (m)	Maximum Width (m)	Minimum Length (m)	Maximum Length (m)
Wall panel ⁵	0.45	3.88	0.30	4.0	N/A	N/A
Roof panel	-	-	0.30	4.0	0.45	3.88
Doorset	0.625	2.7	0.39	3.505	-	-

Compatible Locking Devices

Product Name	Lock	Single Europrofile Cylinder ⁸		
		Assa Twin Combi DP 4400 ¹	Cisa AP3	Kaba GeGe pExtra
Ajax SR2	CL03	✓	✓	✓
	TBNH01	✓	✓	✓

Notes:

- The security rating achieved by the grilles depends on the cylinder fitted. The cages achieve a Security Rating 2 classification when the Assa Twin Combi DP 4400 single europrofile cylinders are fitted.
- Cages are rectilinear in plan and not limited to a simple rectangle. That is approval covers cages with acute and obtuse vertical corners.
- This is based on fixed grilles being used to form the walls, rather than openable grilles (otherwise referred to as doorsets in the 'system components' table).
- The maximum size of the cage is subject to specific assessment of physical restrictions and operational conditions.
- The maximum height of any opening sash within the cage is 2.7 m. Cages above this height incorporate a fixed grille.
- Wall panels may be coupled together in the horizontal and vertical directions to achieve the maximum cage dimensions.
- The maximum clear span is 4 m. Spans greater than this require support column(s).
- The cages may be configured so that the cylinders are located in either the attack face or the protected face of the lock stiles.
- The certification covers the cages when installed directly onto a concrete floor in accordance with the instructions contained on document 760144 (Revision 3).
- The cages may be secured onto raised floors in accordance with the instructions contained on document 760144 (Revision 3). This is providing the cage extends under the raised floor to a concrete floor beneath it. The wall panels located under the raised floor shall be bolted to the underside of the wall panels located above the floor, sandwiching the floor panels between them. The wall panels located under the raised floor shall also be directly fixed to the concrete floor beneath the cage.

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for LPCB

Paul Dillon
Verifier

23 May 2017
Date of Issue

23 May 2017
Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR Tag or contact us.

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX.
T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: Enquiries@breglobal.com

