

Certificate of Product Approval

Certificate Number: 1000c Issue: 01

TPC LANGE OF CERTIFICATION CON BOOK OF THE PROPERTY OF THE PRO

Burton Safes Limited

Units 20 – 28 Brockholes Business Park Rock Mill Road Brockholes Holmfirth HD9 7BN

is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Product

Talos

secure partition walling system

Standard

LPS 1175: Issue 6

Requirements and testing procedures for the LPCB approval and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillon

Signed for LPCB

Paul Dillon

19 May 2017 Date of Issue 19 May 2017

Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

LPCB is part of BRE Global Ltd, Garston, Watford, WD25 9XX T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: enquiries@breglobal.com





Secure Partition Walling System¹

| Product Name | Product Type | Minimum Height (m) | Maximum Height (m) | Minimum Width (m) | Maximum Width (m) | Security Rating | LPCB Ref. No. |
|-----------------|-------------------------------------|-----------------------|-----------------------|----------------------|----------------------|--------------------|------------------|
| Talos | Walls with horizontally laid panels | 2.5 | Unlimited | 2.50 | Unlimited | 2 | 1000c/01 |
| | Walls with vertically laid panels | 2.5 | 5.5 | 0.25 | Unlimited | 2 | |
| | Walls with horizontally laid panels | 2.5 | Unlimited | 2.50 | Unlimited | 3 | 1000c/02 |
| | Walls with vertically laid panels | 2.5 | 5.5 | 0.25 | Unlimited | 3 | |
| | Walls with horizontally laid panels | 2.5 | Unlimited | 2.50 | Unlimited | 4 | 1000c/03 |
| | Walls with vertically laid panels | 2.5 | 5.5 | 0.25 | Unlimited | 4 | |

System Components

| Component Type | Minimum Width (m) | Maximum Width (m) | Minimum Length (m) | Maximum Length (m) | Par | Panel Thickness (m) | |
|--|----------------------|----------------------|-----------------------|-----------------------|--------------------|---------------------|------|
| SR2 panel (mineral wool or PIR) | 0.25 | 1.19 | 2.0 | 5.5 | 0.1 | 0.125 | 0.15 |
| SR2 ceiling panel (mineral wool or PIR) | 0.25 | 1.19 | 2.0 | 5.5 | 0.1 | 0.125 | 0.15 |
| SR3/SR4 panel (mineral wool or PIR) | 0.25 | 1.19 | 2.0 | 5.5 | 0.1 | 0.125 | 0.15 |
| SR3/SR4 reinforced panel (mineral wool or PIR) | 0.25 | 1.19 | 2.0 | 5.5 | 0.1 | 0.125 | 0.15 |
| SR3/SR4 ceiling panel (mineral wool or PIR) (for spans less than 3m) | 0.25 | 1.19 | 2.0 | 3.0 | 0.1 | 0.125 | 0.15 |
| SR3/SR4 ceiling panel (mineral wool or PIR) (for spans greater than 3m) | 0.25 | 1.19 | 3.0 | 5.5 | 0.1 | 0.125 | 0.15 |
| SR3/SR4 reinforced ceiling panel (mineral wool or PIR) (for spans less than 3m) | 0.25 | 1.19 | 2.0 | 3.0 | 0.1 | 0.125 | 0.15 |
| SR3/SR4 reinforced ceiling panel (mineral wool or PIR) (for spans greater than 3m) | 0.25 | 1.19 | 3.0 | 5.5 | 0.1 | 0.125 | 0.15 |
| SR4 double skin panel (mineral wool or PIR) | 0.25 | 1.19 | 2.0 | 4.5 | 0.05 (0.1 overall) | | all) |
| SR4 double skin ceiling panel (mineral wool or PIR) (for spans less than 3m) | 0.25 | 1.19 | 2.0 | 3.0 | 0. | 0.05 (0.1 overall) | |

This certificate and appendix is maintained and held in force through regular surveillance activities

P. Dillo

Paul Dillon

19 May 2017

19 May 2017

Signed for LPCB

Verifier

Date of Issue

Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR Tag or contact us.

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX. T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: <u>Enquiries@breglobal.com</u>







Appendix to Certificate No: 1000c

Burton Safes Limited

Compatible Doorsets^{2,3}

| Manufacturer | Product Name | Product Type | LPCB Ref. No. | Security Rating | Compatible Locking Systems as listed on the Associated LPCB Certificate |
|------------------------------|---------------------------|-------------------------------------|---------------------|--------------------|---|
| Ascot Doors Limited | Centurion A363S | Single leaf outward opening doorset | 131d/04 Issue 4 | 3 | All compatible locking systems |
| | Centurion A363D | Double leaf outward opening doorset | 131d/05 Issue 4 | 3 | All compatible locking systems |
| | Centurion A355 | Single leaf outward opening doorset | 131d/01 Issue 4 | 4 | Exit by key or thumbturn only |
| | Centurion 364S | Single leaf outward opening doorset | 131d/02 Issue 4 | 4 | Exit by key or thumbturn only |
| | Centurion 364D | Double leaf outward opening doorset | 131d/03 Issue 4 | 4 | Exit by key or thumbturn only |
| Assa Abloy Security Doors | Powershield Clandeboye | Single leaf outward opening doorset | 852c/03 Issue 1 | 2 | All compatible locking systems |
| | | Double leaf outward opening doorset | 852c/03 Issue 1 | 2 | All compatible locking systems |
| | Powershield Glen | Single leaf outward opening doorset | 852a/01 Issue 2 | 3 | All compatible locking systems |
| | | Double leaf outward opening doorset | 852a/02 Issue 2 | 3 | All compatible locking systems |
| | Powershield Strangford | Single leaf outward opening doorset | 852a/03 Issue 2 | 4 | Exit by key or thumbturn only |
| | | Double leaf outward opening doorset | 852a/04 Issue 2 | 4 | Exit by key or thumbturn only |
| | Safeguard Ultimum | Single leaf outward opening doorset | 852c/02 Issue 1 | 4 | Exit by key or thumbturn only |
| | | Double leaf outward opening doorset | 852c/02 Issue 1 | 4 | Exit by key or thumbturn only |
| BenweldSecure Limited | Upton 3 | Single leaf outward opening doorset | 1165c/01 Issue 1 | 3 | All compatible locking systems |
| | | Double leaf outward opening doorset | 1165c/01 Issue 1 | 3 | All compatible locking systems |
| | Upton 4 | Single leaf outward opening doorset | 1165c/02 Issue 1 | 4 | Exit by key or thumbturn only |
| | | Double leaf outward opening doorset | 1165c/02 Issue 1 | 4 | Exit by key or thumbturn only |

This certificate and appendix is maintained and held in force through regular surveillance activities

Paul Dillon 19 May 2017 19 May 2017
Signed for LPCB Verifier Date of Issue Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR Tag or contact us.

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX.

T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: Enquiries@breglobal.com







| Manufacturer | Product Name | Product Type | LPCB Ref. No. | Security Rating | Compatible Locking Systems as listed on the Associated LPCB Certificate |
|----------------------------------|------------------|-------------------------------------|---------------------|--------------------|---|
| Booth Industries Limited | Dunscar | Single leaf outward opening doorset | 816a/02 Issue 4 | 2 | All compatible locking systems |
| | | Double leaf outward opening doorset | 816a/02 Issue 4 | 2 | All compatible locking systems |
| | Belmont | Single leaf outward opening doorset | 816a/01 Issue 4 | 3 | All compatible locking systems |
| | | Double leaf outward opening doorset | 816a/01 Issue 4 | 3 | All compatible locking systems |
| Bradbury Security | M2M ² | Single leaf outward opening doorset | 312f/01 Issue 3 | 2 | All compatible locking systems |
| | | Double leaf outward opening doorset | 312f/01 Issue 3 | 2 | All compatible locking systems |
| | M2M ³ | Single leaf outward opening doorset | 312e/01 Issue 7 | 3 | All compatible locking systems |
| | | Double leaf outward opening doorset | 312e/01 Issue 7 | 3 | All compatible locking systems |
| | M2M ⁴ | Single leaf outward opening doorset | 312e/02 Issue 7 | 4 | Exit by key or thumbturn only |
| | | Double leaf outward opening doorset | 312e/02 Issue 7 | 4 | Exit by key or thumbturn only |
| Design & Supply Limited | Desray 2 | Single leaf outward opening doorset | 694b/01 Issue 9 | 2 | All compatible locking systems |
| | | Double leaf outward opening doorset | 694b/02 Issue 9 | 2 | All compatible locking systems |
| | DS3 | Single leaf outward opening doorset | 694b/09 Issue 9 | 3 | All compatible locking systems |
| | | Double leaf outward opening doorset | 694b/09 Issue 9 | 3 | All compatible locking systems |
| Fortress Glass Technology LLP | BBS 2 | Single leaf outward opening doorset | 1236a/05 Issue 2 | 2 | All compatible locking systems |
| | | Double leaf outward opening doorset | 1236a/05 Issue 2 | 2 | All compatible locking systems |
| | BBS 3 | Single leaf outward opening doorset | 1236a/01 Issue 2 | 3 | All compatible locking systems |
| | | Double leaf outward opening doorset | 1236a/01 Issue 2 | 3 | All compatible locking systems |

This certificate and appendix is maintained and held in force through regular surveillance activities

Poul Paul Dillon 19 May 2017 19 May 2017
Signed for LPCB Verifier Date of Issue Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR Tag or contact us.

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX.

T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: Enquiries@breglobal.com





| Manufacturer | Product Name | Product Type | LPCB Ref. No. | Security Rating | Compatible Locking Systems as listed on the Associated LPCB Certificate |
|----------------------------------|--------------------------|-------------------------------------|---------------------|--------------------|---|
| Fortress Glass Technology LLP | BBS 4 | Single leaf outward opening doorset | 1236a/02 Issue 2 | 4 | Exit by key or thumbturn only |
| | | Double leaf outward opening doorset | 1236a/02 Issue 2 | 4 | Exit by key or thumbturn only |
| Liddle Doors Limited | Liddle Series 3 | Single leaf outward opening doorset | 442b/01 Issue 8 | 3 | All compatible locking systems |
| 2 | | Double leaf outward opening doorset | 442b/02 Issue 8 | 3 | All compatible locking systems |
| | LD2 | Single leaf outward opening doorset | 442g/02 Issue 2 | 2 | All compatible locking systems |
| | | Double leaf outward opening doorset | 442g/02 Issue 2 | 2 | All compatible locking systems |
| | LD3 | Single leaf outward opening doorset | 442g/03 Issue 2 | 3 | All compatible locking systems |
| | | Double leaf outward opening doorset | 442g/03 Issue 2 | 3 | All compatible locking systems |
| | Liddle Series 4 | Single leaf outward opening doorset | 442g/01 Issue 2 | 4 | Exit by key or thumbturn only |
| | | Double leaf outward opening doorset | 442g/01 Issue 2 | 4 | Exit by key or thumbturn only |
| Prima Doors Limited | Prima Secureguard SR2 | Single leaf outward opening doorset | 1160a/02 Issue 4 | 2 | All compatible locking systems |
| | | Double leaf outward opening doorset | 1160a/02 Issue 4 | 2 | All compatible locking systems |
| | Prima Secureguard SR3 | Single leaf outward opening doorset | 1160a/03 Issue 4 | 3 | All compatible locking systems |
| | | Double leaf outward opening doorset | 1160a/03 Issue 4 | 3 | All compatible locking systems |
| | Prima Secureguard SR4 | Single leaf outward opening doorset | 1160a/04 Issue 4 | 4 | Exit by key or thumbturn only |
| | | Double leaf outward opening doorset | 1160a/04 Issue 4 | 4 | Exit by key or thumbturn only |
| PSF Wales Limited | Hercules SAF 2 | Single leaf outward opening doorset | 953d/01 Issue 13 | 2 | All compatible locking systems |
| | | Double leaf outward | 953d/01 Issue 13 | 2 | All compatible locking systems |

This certificate and appendix is maintained and held in force through regular surveillance activities

Paul Dillon 19 May 2017 19 May 2017
Signed for LPCB Verifier Date of Issue Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR Tag or contact us.

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX.

T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: Enquiries@breglobal.com



Issue: 01

BF1281A Rev 0.5 Page 5 of 10 © BRE Global Ltd, 2014



| Manufacturer | Product Name | Product Type | LPCB Ref. No. | Security Rating | Compatible Locking Systems as listed on the Associated LPCB Certificate |
|----------------------------------|----------------------|---|---------------------|--------------------|---|
| PSF Wales Limited | Hercules Lite SR2 | Single leaf outward opening doorset | 953d/06 Issue 13 | 2 | All compatible locking systems |
| | | Double leaf outward opening doorset | 953d/06 Issue 13 | 2 | All compatible locking systems |
| | Hercules Lite SR3 | Single leaf outward opening doorset | 953d/07 Issue 13 | 3 | All compatible locking systems |
| | | Double leaf outward opening doorset | 953d/07 Issue 13 | 3 | All compatible locking systems |
| | Mk.II Hercules SAF 3 | Single leaf outward opening doorset | 953d/02 Issue 13 | 3 | All compatible locking systems |
| | | Double leaf outward opening doorset | 953d/02 Issue 13 | 3 | All compatible locking systems |
| | Mk.II Hercules SAF 4 | Single leaf outward opening doorset | 953d/03 Issue 13 | 4 | Exit by key or thumbturn only |
| | | Double leaf outward opening doorset | 953d/03 Issue 13 | 4 | Exit by key or thumbturn only |
| | Taurus SAF 3 | Single leaf outward opening doorset | 953d/04 Issue 13 | 3 | All compatible locking systems |
| | | Double leaf outward opening doorset | 953d/04 Issue 13 | 3 | All compatible locking systems |
| | Taurus SAF 4 | Single leaf outward opening doorset | 953d/05 Issue 13 | 4 | All compatible locking systems |
| | | Double leaf outward opening doorset | 953d/05 Issue 13 | 4 | All compatible locking systems |
| R & D Sheetmetal Limited | Security Evo III | Single leaf outward opening doorset | 1034b/04 Issue 3 | 3 | All compatible locking systems |
| | | Double leaf outward opening doorset | 1034b/04 Issue 3 | 3 | All compatible locking systems |
| | Security Evo IV | Single leaf outward opening doorset | 1034b/01 Issue 3 | 4 | Exit by key or thumbturn only |
| | | Double leaf outward opening doorset | 1034b/01 Issue 3 | 4 | Exit by key or thumbturn only |
| Stafford Bridge Doors Limited | Hendon | Single leaf outward or inward opening doorset | 516c/01 Issue 4 | 2 | All compatible locking systems |
| | | Double leaf outward or inward opening doorset | 516c/01 Issue 4 | 2 | All compatible locking systems |

This certificate and appendix is maintained and held in force through regular surveillance activities

Paul Dillon 19 May 2017 19 May 2017
Signed for LPCB Verifier Date of Issue Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR Tag or contact us.

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX.

T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: Enquiries@breglobal.com







| Manufacturer | Product Name | Product Type | LPCB Ref. No. | Security Rating | Compatible Locking Systems as listed on the Associated LPCB Certificate |
|----------------------------------|--|---|---------------------|--------------------|--|
| Stafford Bridge Doors Limited | Sandhurst | Single leaf outward or inward opening doorset | 516c/02 Issue 4 | 3 | All compatible locking systems |
| | | Double leaf outward or inward opening doorset | 516c/02 Issue 4 | 3 | All compatible locking systems |
| | Wilton | Single leaf outward or inward opening doorset | 516c/03 Issue 4 | 4 | Exit by key or thumbturn only |
| | | Double leaf inward opening doorset | 516c/03 Issue 4 | 4 | Exit by key or thumbturn only |
| | Halton | Single leaf outward or inward opening doorset | 516c/03 Issue 4 | 4 | Exit by key or thumbturn only |
| | | Double leaf inward opening doorset | 516c/03 Issue 4 | 4 | Exit by key or thumbturn only |
| Steelway Fensecure Limited | Steelway Level 2 Single Leaf Mesh Security Doorset | Single leaf outward opening doorset | 1071a/03 Issue 1 | 2 | All compatible locking systems |
| | Steelway Level 2 Double Leaf Mesh Security Doorset | Double leaf outward opening doorset | 1071a/04 Issue 1 | 2 | All compatible locking systems |
| | Steelway Level 3 Single Leaf Mesh Security Doorset | Single leaf outward opening doorset | 1071a/05 Issue 1 | 3 | All compatible locking systems |
| | Steelway Level 3 Double Leaf Mesh Security Doorset | Double leaf outward opening doorset | 1071a/06 Issue 1 | 3 | All compatible locking systems |
| | Steelway Level 4 Single Leaf Security Doorset | Single leaf outward opening doorset | 1071d/01 Issue 1 | 4 | All compatible locking systems |
| | Steelway Level 4 Single Leaf Security Doorset | Double leaf outward opening doorset | 1071d/01 Issue 1 | 4 | All compatible locking systems |
| Sunray Engineering Limited | ExecDoor 2 | Single leaf outward opening doorset | 234d/03 Issue 6 | 2 | All compatible locking systems |
| | | Double leaf outward opening doorset | 234d/03 Issue 6 | 2 | All compatible locking systems |

This certificate and appendix is maintained and held in force through regular surveillance activities

Poul Paul Dillon 19 May 2017 19 May 2017
Signed for LPCB Verifier Date of Issue Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR Tag or contact us.

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX.

T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: Enquiries@breglobal.com







| Manufacturer | Product Name | Product Type | LPCB Ref. No. | Security Rating | Compatible Locking Systems as listed on the Associated LPCB Certificate |
|-------------------------------|----------------------|---|---------------------|--------------------|---|
| Sunray Engineering Limited | ExcluDoor 3 Mk2 | Single leaf outward or inward opening doorset | 234d/01 Issue 8 | 3 | All compatible locking systems |
| | | Double leaf outward or inward opening doorset | 234d/01 Issue 8 | 3 | All compatible locking systems |
| | ExcluDoor 3 Mk3 F.R. | Single leaf outward opening doorset | 234d/13 Issue 6 | 3 | All compatible locking systems |
| | | Double leaf outward opening doorset | 234d/13 Issue 6 | 3 | All compatible locking systems |
| | ExcluDoor 4 Mk2 | Single leaf outward or inward opening doorset | 234d/05 Issue 12 | 4 | Exit by key or thumbturn only |
| | | Double leaf outward or inward opening doorset | 234d/05 Issue 12 | 4 | Exit by key or thumbturn only |
| | ExcluDoor 4 Mk2 F.R. | Single leaf outward opening doorset | 234d/07 Issue 12 | 4 | Exit by key or thumbturn only |
| | | Double leaf outward opening doorset | 234d/07 Issue 12 | 4 | Exit by key or thumbturn only |
| | ExcluDoor 4 Mk3 | Single leaf outward opening doorset | 234d/11 Issue 12 | 4 | Exit by key or thumbturn only |
| | | Double leaf outward opening doorset | 234d/11 Issue 12 | 4 | Exit by key or thumbturn only |
| Technocover Limited | DS1 | Single leaf outward opening doorset | 450f/11 Issue 6 | 4 | Exit by key or thumbturn only |
| | DS2 | Double leaf outward opening doorset | 450f/12 Issue 6 | 4 | Exit by key or thumbturn only |
| | Sentinel UltraSecure | Single leaf outward opening doorset | 450f/01 Issue 6 | 3 | All compatible locking systems |
| | | Single leaf outward opening doorset | 450f/07 Issue 6 | 3 | All compatible locking systems |
| | | Double leaf outward opening doorset | 450f/02 Issue 6 | 3 | All compatible locking systems |
| | | Double leaf outward opening doorset | 450f/08 Issue 6 | 3 | All compatible locking systems |
| | | Single leaf outward opening doorset | 450f/03 Issue 6 | 4 | Exit by key or thumbturn only |

This certificate and appendix is maintained and held in force through regular surveillance activities

Paul Dillon 19 May 2017 19 May 2017
Signed for LPCB Verifier Date of Issue Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR Tag or contact us.

LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX.

T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: Enquiries@breglobal.com



Issue: 01

BF1281A Rev 0.5 Page 8 of 10 © BRE Global Ltd, 2014



| Manufacturer | Product Name | Product Type | LPCB Ref. No. | Security Rating | Compatible Locking Systems as listed on the Associated LPCB Certificate |
|--------------|----------------------|---|------------------|--------------------|---|
| Technocover | Sentinel UltraSecure | Single leaf outward | 450f/09 | 4 | Exit by key or thumbturn only |
| Limited | | opening doorset | Issue 6 | | |
| | | Double leaf outward | 450f/04 | 4 | Exit by key or thumbturn only |
| | | opening doorset | Issue 6 | | |
| | | Double leaf outward | 450f/10 | 4 | Exit by key or thumbturn only |
| | | opening doorset | Issue 6 | | |
| Warrior | 4SP-SL | Single leaf outward | 1045a/01 | 4 | Exit by key or thumbturn only |
| | | opening doorset | Issue 4 | | |
| | 4-SL | Single leaf outward | 1045a/02 | 4 | Exit by key or thumbturn only |
| | | opening doorset | Issue 4 | | |
| | 4-SLi | Single leaf inward | 1045a/03 | 4 | Exit by key or thumbturn only |
| | | opening doorset | Issue 4 | | |
| | 4-DD | Double leaf outward | 1045a/04 | 4 | Exit by key or thumbturn only |
| | | opening doorset | Issue 4 | | |
| | C4-SLS | Single leaf outward or | 1045a/05 | 4 | Exit by key or thumbturn only |
| | | inward opening doorset incorporating side screens | Issue 4 | | |
| | C4-DDS | Double leaf outward | 1045a/06 | 4 | Exit by key or thumbturn only |
| | | opening doorset incorporating side screens | Issue 4 | | |

Compatible Accessories³

| Accessory | Description | LPCB Ref. No. 1000c/ | | | |
|----------------------------------|---|----------------------|----|----|--|
| | | 01 | 02 | 03 | |
| Penetrations through wall panels | Single and multiple reinforced penetrations through the walls | ✓ | ✓ | ✓ | |
| Louvre vent ⁴ | Surelock McGill Max-Air-XA2 louvre vent | ✓ | - | - | |
| | Surelock McGill Max-Air-XA3 louvre vent | - | ✓ | - | |
| | Surelock McGill Max-Air-XA4 louvre vent | - | - | ✓ | |

Notes:

1. The Talos panel system must be installed in accordance with the approved construction guide Version 1.2 dated 9 February 2017.

This certificate and appendix is maintained and held in force through regular surveillance activities

Paul Dillon 19 May 2017 19 May 2017
Signed for LPCB Verifier Date of Issue Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR Tag or contact us. LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX. T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: Enquiries@breglobal.com



Issue: 01

BF1281A Rev 0.5 Page 9 of 10 © BRE Global Ltd, 2014



Issue: 01

- 2. The Security Rating attributed to the compatible doorset must be at least that of the wall in which it is to be fitted. For example, a Security Rating 3 doorset shall not be used to form part of a Security Rating 4 wall.
- 3. Refer to notes contained within the relevant certificate/Red Book entries for these products for details of restrictions on their use.
- 4. The louvre vents compatible with the Talos panel system fall within the scope of LPCB certificate 516-1a Issue 2. The MAX-AIR XA#-H variant must be used and the Security Rating attributed to the louvre vent must be at least that of the walling system in which it is to be fitted

This certificate and appendix is maintained and held in force through regular surveillance activities

Verifier

19 May 2017

19 May 2017

Paul Dillon

Date of Issue

Date of First Issue



This certificate and appendix remain the property of BRE Global Ltd and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit $\underline{www.redbooklive.com/check}, \, scan \,\, the \,\, \mathsf{QR} \,\, \mathsf{Tag} \,\, or \,\, contact \,\, us.$ LPCB is part of BRE Global Ltd., Garston, Watford WD25 9XX. T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: <u>Enquiries@breglobal.com</u>



