

BURTONSAFES

THE SURE DEFENCE®

PHYSICAL SECURITY SOLUTIONS



MAR 2021

If it matters to you, secure it with us...



Home Safes	
Primo Home	6
Torino	7
Eurovault Aver S2	10
Ignis S2	12
Burton Home Safe	13
Amario	14

High Security Safes	
Eurovault Aver Grades 0 - 5	16
Eurovault Atlas Grades 6 - 7	28

Jewellery Accessories	32
------------------------------	----

Wall & Underfloor Safes	
DK Wall	34
Unica Wall	35
Sotto	36
Oculto	37

Fire Safes	
Firesec 4/60	39
Firesec 10/60	40
Firebrand	42
Fire Resistant Filing Cabinets	44
Data Safe	46

Gun Safes & Cabinets	
Pioneer	49
Warden LFS	50

Hotel Safes	
Hotel Standard	52
Hotel Primo	53
Hotel Drawer	54
Hotel Pop Up	55

Key Safes & Cabinets	
Keyguard Range	57
Heavy Duty Key Cabinets	60
KS Key Cabinets	61
KMS Intelligent Key Cabinets	62

Guard Range	64
--------------------	----

Retail Safes	
Till Safe	67
Teller Deposit	68
Cashguard	70
Eurovault Aver Deposit	71
High Security Deposit	72

Safe Accessories & Optional Extras	74
---	----

Safe Locks	78
Safe Lock Terminology	80

Luxury & Design Safes	
Lusso	82
Brixia	84
Eurovault LX	86

Service & Delivery	88
-------------------------------	----

THE SURE DEFENCE RANGE

Security Doors	92
Grilles & Bar Sets	98
Panic Rooms	100
Talos	101
Avertic	102
Strongrooms	104
Vaults	108
Deposit Boxes	110
Bespoke Solutions	117
Burton Higiene	118

What We Do	119
-------------------	-----

Standards	120
------------------	-----

Testing & Certification	122
------------------------------------	-----

Trade Organisations	122
----------------------------	-----



Burton Safes is a specialist supplier of **Physical Security Solutions** including Safes, Strong Rooms, Security Doors and Access Control Systems. We cover the whole of the UK and have representation in parts of Europe, the Middle East, East Africa and Asia.

We have a large range of products available from stock and we also produce custom made solutions to order. We believe passionately in having our products independently tested and certified to UK and European standards by internationally recognised institutions.

Burton Safes offer a minimum warranty of 2 years in respect of materials and workmanship. UK consumers benefit from an extended 5 year warranty and where the 'Safe for Longer' symbol is shown, a free replacement in the event of burglary and where applicable, a fire.*

**See the warranty section of our website for full terms and conditions*



Unless otherwise stated all dimensions are in mm, in the order **H x W x D**. All weights and dimensions are approximate and are often rounded to the nearest 5kg/mm. E&OE

The cash ratings given in this brochure are a guide. Some insurance companies may apply higher or lower ratings.



The flame symbol is **only** used on products that have been **independently tested and certified** as offering specific fire protection.

For a detailed explanation of standards see page 120 or visit our website for more information. www.burtonsafes.co.uk

Home Safes

Our Home Series are the perfect security furnishing for any residence. With products ranging from £10k jewellery rating to £350k jewellery rating there is something for every need. All safes from £40k valuables rating are certified by internationally recognised test houses and are validated in the UK by the **Association of Insurance Surveyors**, providing peace of mind when storing those treasured possessions.

Safe for Longer - The Burton home series provides consumers with a 5 year warranty and a **FREE REPLACEMENT** if the safe is damaged in the event of a burglary.*

**See the warranty section of our website for full terms and conditions*

For those prized possessions Burton Safes are **The Sure Defence®**

Primo Home Safe



£1,000



£10,000



Size 2

Features

- Backlit keypad and interior carpet
- Anti-bump, motorised locking
- 3-6 digit code
- Emergency override key
- Battery level indicator with low consumption motor
- Back and base fixing

Model	External	Internal	Weight	Volume	Shelves
Size 1	200 x 300 x 200	195 x 295 x 150	7kg	8L	-
Size 2	250 x 350 x 250	225 x 345 x 200	11kg	15L	1
Size 3	500 x 355 x 330	495 x 350 x 275	24kg	47L	2

Add 20mm to external depth for keypad

Locking Options:



Entry level domestic safe with a clean functional design. Why not add a Stacker to protect your Jewellery from scratches or, a light to see it all sparkle... See page 32 for more options



Torino Eurokey



£3,000



£30,000



Size 1

Features

- Locking via patented euro-profile cylinder
- Keys are easier to carry than traditional safe keys
- Have one key to operate your safe, your front door and your office
- Add your own euro-cylinder if preferred
- Removable shelf
- Back and base fixing

Model	External	Internal	Weight	Volume	Shelves
Size 1	280 x 400 x 350	260 x 390 x 295	37kg	30L	1
Size 2	350 x 470 x 350	330 x 460 x 295	44kg	45L	1

Locking Options:



Making life easy by having all your treasures under the same key. Change the colour to suit your décor or add an internal light to ease use... See page 74 for more options



Torino S2



£4,000



£40,000

Tried and tested security for the home!
Add a Stacker to avoid scratches to treasured items or, door contacts to integrate with your alarm system...See page 74 for more options



Size 4

Features

- Independently attack tested and certified to EN14450 S2 by ICIM*
- The best build quality and security level in its class
- Smart metallic black paint finish
- Flush fitting door and keypad make this safe ideal for use in bedroom cupboards
- Electronic locking options including flush keypad, emergency override key and external battery power point in case of lock out
- Removable shelf
- Back and base fixing

*Size 1 not certified

Model	External	Internal	Weight	Volume	Shelves
Size 1	220 x 350 x 300	200 x 340 x 245	26kg	16L	1
Size 2	280 x 400 x 350	260 x 390 x 295	37kg	30L	1
Size 3	350 x 470 x 350	330 x 460 x 295	44kg	45L	1
Size 4	490 x 430 x 400	470 x 420 x 345	62kg	68L	1



Size 1



Size 2

Locking Options:



SINGLE KEY



PIN



Eurovault Aver S2



£4,000



£40,000



Size 5

One of the most popular safes in our range; perfect for home or office. Add a shelf to maximise storage or change your safe's colour to blend in at home. More information on page 74



Features

- Independently tested and certified to EN14450 S2 by ECBS
- Ideal home, office, or change safe
- Option of key or electronic locking in all sizes
- Electronic lock features 1 master code and 9 user codes with dual user and time delay functions
- Removable shelf in sizes 1-3, height adjustable shelving in sizes 4-6
- Back and base fixing
- We also have an S2 Till safe featured on page 67

Model	External	Internal	Weight	Volume	Shelves
Size 1	300 x 350 x 300	220 x 270 x 195	19kg	11L	1
Size 2	300 x 445 x 400	220 x 365 x 295	24kg	23L	1
Size 3	450 x 445 x 400	370 x 365 x 295	31kg	39L	1
Size 4	600 x 445 x 400	520 x 365 x 295	38kg	56L	2
Size 5	800 x 445 x 400	720 x 365 x 295	48kg	77L	2
Size 6	1000 x 445 x 400	920 x 365 x 295	58kg	99L	2

Add 12mm to external depth for keypad



Size 2



Size 3

Locking Options:



Ignis S2



£4,000



£40,000



60 minute
fire protection
for paper

Features

- Independently tested and certified to EN14450 S2 by ECBS and NT FIRE 017 - 60P by RISE
- Small and sleek design to fit into domestic wardrobes and cupboards
- Size 0 has a key lock while sizes 1 - 3 have an electronic lock
- Electronic lock features 1 master code and 9 user codes. It also features dual user and time delay
- Safe comes with internal tray, passport holder and key hooks, a light and an internal carpet
- Base fixing



Model	External	Internal	Weight	Volume	Shelves
Size 0	290 x 405 x 355	190 x 305 x 222	36kg	12L	Tray
Size 1	315 x 430 x 430	205 x 330 x 295	43kg	20L	Tray
Size 2	360 x 480 x 430	250 x 380 x 295	52kg	28L	Tray
Size 3	490 x 430 x 430	380 x 330 x 295	58kg	37L	1 + Tray

Locking Options:



Burton Home Safe Grade 0



£6,000



£60,000



30 minute
fire protection
for paper

Have an automatic watch?
Treat yourself to our
watch winder and keep it
safe and on time.
See page 32 for more



Features



Size 1

- Independently attack tested and certified to EN1143-1 Grade 0 and EN15659 LFS 30P by ECBS
- 30 minutes fire protection for paper
- High security electronic PIN code lock
- Electronic lock features 1 master code and 9 user codes with dual user and time delay functions
- Fixed shelving in size 1 & 2, height adjustable shelving in size 3
- Back and base fixing

Model	External	Internal	Weight	Volume	Shelves
Size 1	300 x 400 x 300	215 x 320 x 165	65kg	11L	1
Size 2	300 x 450 x 400	215 x 370 x 265	87kg	21L	1
Size 3	450 x 450 x 400	365 x 370 x 260	118kg	34L	1

Add 12mm to external depth for keypad

Locking Options:



Amario Grade 3



£35,000



£350,000

NEW
PRODUCT



Size 1

High Security Safes

From £100k jewellery rating, to Europe’s Highest security safe, providing £2.5M jewellery rating; all of our high security products are independently tested and certified by internationally recognised test houses and validated by the **Association of Insurance Surveyors**.

At Burton Safes we work on some of the world’s most secure sites. That experience filters into our products and the benefits reach you. Our range contains models with features such as double walled steel products with ultra-high performance concrete, **certified fire protection**, relocking devices, glass plates, and special drill protective elements for the lock and bolt work.

We deliver key and electronic locking solutions, including the use of the latest biometric technology. Our locking solutions include features such as alarm and CCTV integration, dual user entry, time delays and windows, duress codes, temporary and one user time codes to name a few. We also have a wide range of optional extras to provide for every eventuality, whether that be jewellery inserts or additional shelves.



Size 2

Features

- Independently tested and certified to EN 1143-1 Grade 3 by ECBS
- Small and sleek design to fit into domestic wardrobes and cupboards
- Options of high security key or electronic lock
- Lock features LED light for use in dark rooms
- Option of left hand hinge*
- Dual locking available on Size 2
- Back and base fixing

* Additional lead times and costs apply

Model	External	Internal	Weight	Volume	Shelves
Size 1	350 x 440 x 350	250 x 340 x 180	130kg	18L	1
Size 2	500 x 450 x 450	400 x 350 x 295	210kg	41L	2

Add 55mm to external depth for handle

Locking Options:



Eurovault Aver Grade 0



£6,000



£60,000



30 minute
fire protection
for paper

NOW WITH FIRE
CERTIFICATION



Size 3

Features

- Independently tested and certified to EN1143-1 Grade 0 and EN15659 LFS30P by ECBS
- Suitable for storage of controlled drugs with active ingredients exceeding 500g
- Choose from a high security key or electronic lock
- Option of left hand hinge*
- Height adjustable shelving
- Base fixing

* Additional lead times and costs apply

Model	External	Internal	Weight	Volume	Shelves
Size 1	460 x 440 x 430	382 x 364 x 300	119kg	42L	1
Size 2	655 x 440 x 430	574 x 364 x 300	155kg	63L	1
Size 3	900 x 440 x 430	822 x 364 x 300	205kg	90L	2

Add 55mm to external depth for handle



Size 1



Size 2

Locking Options:



SINGLE KEY



PIN



HIGH SECURITY SAFES

Eurovault Aver Grade I



CASH
RATING

£10,000



JEWELLERY
RATING

£100,000



FIRE RATING

30 minute
fire protection
for paper



Size 3

Features

- Independently tested and certified to EN1143-1 Grade I and EN15659 LFS30P by ECBS
- Suitable for storage of controlled drugs with active ingredients exceeding 500g
- Choose from a high security key or electronic lock
- Option of left hand hinge*
- Height adjustable shelving
- Base fixing
- We also have a Grade I Deposit Safe featured on page 71

* Additional lead times and costs apply

Model	External	Internal	Weight	Volume	Shelves
Size 1	340 x 500 x 345	262 x 424 x 216	93kg	24L	1
Size 2	460 x 440 x 430	382 x 364 x 300	119kg	42L	1
Size 3	655 x 440 x 430	574 x 364 x 300	155kg	63L	1
Size 4	900 x 440 x 430	822 x 364 x 300	205kg	90L	2
Size 5	840 x 650 x 550	782 x 574 x 420	289kg	189L	2

Add 55mm to external depth for handle



Size 1

NOW WITH FIRE
CERTIFICATION



Size 4

Locking Options:



SINGLE KEY



PIN



Eurovault Aver

Grade 2

 £17,500

 £175,000

 30 minute
fire protection
for paper



Size 5

The perfect combination of fire and security protection for any home or business. We have a range of fixing kits to suit almost all requirements. We can even cope with underfloor heating, by using the rear fixing hole to bolt through and a special high performance adhesive to fix the base. See page 75 for more

Features

- Independently tested and certified to EN1143-1 Grade 2 and EN15659 LFS 30P by ECBS
- Suitable for storage of controlled drugs with active ingredients exceeding 500g
- Choose from high security key or electronic locking
- Option of dual locking*
- Option of left hand hinge**
- Cable hole for alarm connection
- Height adjustable shelving
- Back and base fixing
- We also have a Grade 2 Deposit Safe featured on page 72

*Not sizes 0 & 1
**Additional lead time and costs apply


Model	External	Internal	Weight	Volume	Shelves
Size 0	460 x 470 x 470	345 x 355 x 320	180kg	39L	1
Size 1	500 x 510 x 510	385 x 395 x 360	211kg	55L	1
Size 2	670 x 510 x 510	555 x 395 x 360	262kg	79L	1
Size 3	610 x 680 x 510	495 x 565 x 360	297kg	100L	1
Size 4	810 x 680 x 510	695 x 565 x 360	368kg	141L	2
Size 5	1010 x 680 x 510	895 x 565 x 360	439kg	182L	2
Size 6	1320 x 680 x 510	1205 x 565 x 360	552kg	244L	3
Size 7	1510 x 850 x 600	1375 x 715 x 440	863kg	431L	3

Add 55mm to external depth for handle



Size 1

Locking Options:



Any lock alterations must conform to EN1300 Class A.
See page 78




Eurovault Aver

Grade 3

 £35,000

 £350,000

 30 minute
fire protection
for paper

Did you know you can change the safe's colour to make it a piece of integrated furniture for the home or office. See page 75 for more



Size 4



Features

- Independently tested and certified to EN1143-1 Grade 3 and EN15659 LFS 30P by ECBS
- Suitable for storage of controlled drugs with active ingredients exceeding 500g
- Choose from high security key or electronic locking
- Cable hole for alarm connection
- Option of left hand hinge*
- Option of dual locking**
- Height adjustable shelving
- Back and base fixing
- We also have a Grade 3 Deposit Safe featured on page 73

*Additional lead time and costs apply
** Not in sizes 0 and 1

Model	External	Internal	Weight	Volume	Shelves
Size 0	500 x 510 x 510	385 x 395 x 330	229kg	50L	1
Size 1	670 x 510 x 510	555 x 395 x 330	281kg	72L	1
Size 2	990 x 510 x 510	875 x 395 x 330	387kg	113L	2
Size 3	1320 x 680 x 510	1205 x 565 x 330	591kg	223L	2
Size 4	1320 x 850 x 510	1185 x 715 x 315	757kg	268L	3
Size 5	1660 x 680 x 510	1525 x 545 x 315	789kg	263L	3
Size 6	1660 x 850 x 510	1525 x 715 x 315	920kg	345L	3

Add 55mm to external depth for handle




Size 0



Serious protection designed for business and home use, with fire protection included and a £350k jewellery and valuables rating. Add extra security to your safe by connecting it to your alarm system with our range of door contacts, limpets and seismic sensors. See page 76 for more

Locking Options:



Any lock alterations must conform to EN1300 Class B. See page 78



Eurovault Aver

Grade 4



£60,000



£600,000



30 minute
fire protection
for paper



Protection at this level provides time and peace of mind for jewellers, banks and high net worth individuals. It's common to have an opening counter so you can track access or fit a seismic detector to raise the alarm early! See page 76 for optional extras



Size 4

Features

- Independently tested and certified to EN1143-1 Grade 4 and EN15659 LFS 30P by ECBS
- Dual locking as standard - combination of key and/or electronic as required
- Kaba Connect fitted as standard on dual electronic models
- Network or one time code lock options available
- Cable hole for alarm connection
- Option of left hand hinge*
- Height adjustable shelving
- Back and base fixing



*Additional lead time and costs apply

Model	External	Internal	Weight	Volume	Shelves
Size 1	550 x 550 x 530	435 x 435 x 335	297kg	64L	1
Size 2	670 x 550 x 530	555 x 435 x 335	348kg	81L	1
Size 3	840 x 550 x 530	725 x 435 x 335	420kg	106L	1
Size 4	1010 x 550 x 530	895 x 435 x 335	484kg	131L	2
Size 5	1510 x 680 x 560	1425 x 545 x 355	905kg	276L	3

Add 55mm to external depth for handle



Size 1



Size 3

Locking Options:




Any lock alterations must conform to EN1300 Class B. See page 78



Eurovault Aver Grade 5

 £100,000

 £1,000,000

 30 minute
fire protection
for paper

Our highest graded safe with certified fire protection; the ultimate fire and security solution. Install a coffer for convenient internal storage and change the safe's colour to make it a piece of integrated office furniture, take a peek at page 75 for more



Size 2

Features

- Independently tested and certified to EN1143-1 Grade 5 and EN15659 LFS 30P by ECBS
- Dual locking as standard - combination of key and/or electronic as required
- Kaba Connect fitted as standard on dual electronic models
- Network or one time code lock options available
- Cable hole for alarm connection
- Option of left hand hinge*
- Height adjustable shelving
- Back and base fixing



*Additional lead time and costs apply

Model	External	Internal	Weight	Volume	Shelves
Size 1	680 x 680 x 630	540 x 540 x 380	675kg	111L	1
Size 2	840 x 680 x 680	700 x 540 x 430	836kg	163L	1
Size 3	1010 x 680 x 680	870 x 540 x 430	975kg	203L	2
Size 4	1510 x 680 x 680	1370 x 540 x 430	1391kg	320L	3

Add 55mm to external depth for handle



Size 3

Locking Options:



Any lock alterations must conform to EN1300 Class B. See page 78

NOW WITH FIRE
CERTIFICATION



Eurovault Atlas

Grade 6



CASH
RATING

£150,000



JEWELLERY
RATING

£1,500,000



Banking level security – dual locking for maximum protection. Add a special lock that can control both locks via one keypad, link it to the alarm system and add duress codes for extra piece of mind. A list of options can be found on page 77



Size 1

Features

- Independently tested and certified to EN1143-1 Grade 6 by SBSC
- Dual locking as standard - combination of key and/or electronic as required
- Option of left hand hinge*
- Height adjustable shelving
- Base fixing

*Additional lead time and costs apply

Model	External	Internal	Weight	Volume	Shelves
Size 1	1080 x 690 x 660	900 x 500 x 400	1162kg	180L	2
Size 2	1380 x 690 x 660	1200 x 500 x 400	1390kg	240L	2
Size 3	1680 x 690 x 660	1500 x 500 x 400	1610kg	300L	4

Add 25mm to external width for hinges, Add 55mm to external depth for handle and electronic lock options



Size 3



Locking Options:



DUAL LOCKING



PIN



BIOMETRIC



DIAL

Any lock alterations must conform to EN1300 Class C.
See page 78



Eurovault Atlas

Grade 7

 £250,000

 £2,500,000

The Highest Security Safe in Europe. For home or work, this is simply ‘The Best’. Enhance the interior with Watch Winders or Stackers to protect those precious items. See page 32 for more



Size 1

Model	External	Internal	Weight	Volume	Shelves
Size 1	1150 x 760 x 730	900 x 500 x 400	1650kg	180L	2
Size 2	1450 x 760 x 730	1200 x 500 x 400	1950kg	240L	2
Size 3	1750 x 760 x 730	1500 x 500 x 400	2350kg	300L	4

Add 25 mm to external width for hinges, Add 55mm to external depth for handle and electronic lock options



Did you know you can change the safe’s colour to make it a piece of integrated furniture for the home or office. See page 75 for more



Size 2

Features

- The highest security rated safe available in Europe
- Independently tested and certified to EN1143-1 Grade 7 by SBSC
- Dual locking as standard - combination of key and/or electronic as required
- Option of left hand hinge*
- Height adjustable shelving
- Base fixing

*Additional lead time and costs apply

Locking Options:



Any lock alterations must conform to EN1300 Class C. See page 78




Jewellery Accessories

Stackers™ and Watch Winders are the essential way to store and secure your most precious possessions. Ensure your valuables are maintained in the best condition by keeping your jewellery in the velvet-lined compartments. We have a range of sizes and layouts to accomodate all jewellery and trinkets. Call the office for information on which models can fit into each safe. +44 (0) 1484 663388



Watch Winder



Option 2



Option 6



Option 3

Model	Layout	Size
Option 1	Plain	70 x 180 x 125
Option 2	Multi-jewellery compartments	35 x 305-475* x 260
Option 3	3 watch/bracelet compartments	60 x 250 x 180
Option 4	5 necklace compartments	37 x 250 x 180
Option 5	Ring rolls and bracelet compartments	35 x 250 x 180
Option 6	6 watch compartments	85 x 250 x 180
Watch Winder		145 x 135 x 115

* Option 2 can be extended. 305mm is the width when closed, 475mm is the width when the lower trays are opened.

Wall & Underfloor Safes

Our range of Wall and Underfloor safes provide a concealed option to protecting cash, documents and valuables. From deterring thieves and satisfying insurance requirements, to providing protection from flood damage.

Installing a Wall or Underfloor safe can help where space is a premium or where security and peace of mind of a hidden safe is desired.

Our wall safes are ideal for operating at head level and keeping away from ground level should flooding be a risk. With a £4k cash, £40k valuables and £6k cash and £60k valuables options we should have you covered.

The Sotto underfloor safe is unique by providing an adjustable telescopic depth adjustment, stylish dust cover lid and recommended £4k cash and £40k valuables cover. The Oculito underfloor safe is supplied with a high quality water-tight lid, steel mesh neck with a recommended £17.5k cash and £175k valuables cover.

DK Wall Safe



£4,000



£40,000

CASH RATING
JEWELLERY RATING



Features



Size 3

- Independently tested and certified to EN14450 S2 by ICIM*
- Easily concealed wall safe with flush facia
- Designed to be set in reinforced concrete
- Option of high security key or electronic locking
- The electronic lock includes an emergency over ride key and external battery power point in case of lock out

* Not size 1 & 2

Model	External	Internal	Weight	Volume	Shelves
Size 1	210 x 270 x 150	185 x 245 x 100	10kg	5L	-
Size 2	210 x 340 x 150	185 x 315 x 100	13kg	6L	1
Size 3	270 x 390 x 200	245 x 365 x 150	20kg	13L	1
Size 4	340 x 460 x 200	315 x 435 x 150	26kg	21L	1

Locking Options:



SINGLE KEY



PIN



Unica Wall Safe



£6,000



£60,000

CASH RATING
JEWELLERY RATING



Features



Size 2

- Independently tested and certified to EN1143-1 Grade 0 by ICIM
- High security wall safe with flush facia
- Designed to be set in reinforced concrete
- Option of key or electronic locking
- The electronic lock includes an emergency over ride key and external battery power point in case of lock out
- Removable shelf

Model	External	Internal	Weight	Volume	Shelves
Size 1	270 x 390 x 200	245 x 365 x 120	21kg	11L	1
Size 2	340 x 460 x 240	315 x 435 x 160	30kg	22L	1
Size 3	480 x 420 x 280	455 x 395 x 200	42kg	36L	1

Locking Options:



SINGLE KEY



PIN



Burton Sotto



£4,000



£40,000



Adjustable Size



Features

- Independently tested and certified to EN14450 S2 by ICIM
- Door opening assisted by gas spring
- Unique adjustable size from 210mm-320mm to suit your needs
- Designed to be set into reinforced concrete in the floor of a building
- High security double bitted key lock
- Includes stylish dust cover lid

Model	External	Internal	Weight	Volume
Sotto	210-320* x 440 x 320	115-225 x 300 x 270	26kg	20L

*minimum external height 210mm, maximum external height 320mm

Locking Options:



SINGLE KEY



Oculto



£17,500



£175,000



NEW
PRODUCT



Features

- Recommended cash rating of up to £17,500
- 40mm thick stainless steel door
- External 10mm thick waterproof lid
- Designed to be set into reinforced concrete in the floor of a building
- Option of key or mechanical combination locking



Model	External	Internal	Weight	Volume
Oculto	435 x 305 x 285	245 x 260 x 267	25kg	19L

Locking Options:



SINGLE KEY



DIAL

Specialist concrete and sealing kit available as an optional extra

Fire Safes

Our Fire Safes are **The Sure Defence®** against fire damage. Our fire safe range can protect documents and data for an hour in temperatures of up to 900°C. Don't just protect your valuables against fire, secure them within double walled steel structures filled with fire and security composite.

Furthermore, these models can offer optional fittings making them specific to your requirements; mechanical combination, electronic PIN or, the advanced biometric locking system; adjustable shelves and an option of pull-out shelves, hanging frame and lockable coffer.

The range offers safes that are tested and certified to EN15659 LFS 60P by ECBS (world renowned German accreditation body) and NT Fire 60DIS-120DIS. If you require fire protection for your safe, you should only purchase products that have been **independently** tested and certified.

Firesec 4/60



£4,000



60 minute
fire protection
for paper



FIRE SAFES

Features

- Independently attack and fire tested to EN14450 S2 and EN15659 LFS 60P by ECBS
- 60 minute fire test at temperatures up to 900°C
- Option of key or electronic locking
- Suitable for storage of controlled drugs with active ingredients under 500g
- Height adjustable shelving
- Option of pullout shelves, hanging frame and lockable coffer in size Large**
- Base fixing

* Safe for longer warranty does not include size Large

** Additional lead time and costs apply

Large



Model	External	Internal	Weight	Volume	Shelves
Large	670 x 480 x 460	510 x 330 x 300	103kg	50L	1
XL	1950 x 940 x 585	1760 x 800 x 390	545kg	549L	4

Add 20mm to external depth for handle, hinges and electronic lock on Large model and 55mm for XL model

Locking Options:



SINGLE KEY



PIN



Firesec I 0/60



CASH
RATING

£10,000



FIRE RATING

60 minute
fire protection
for paper



Size 2



*

Features

- Independently attack and fire tested to EN1143-1 Grade 1 and EN15659 LFS 60P by ECBS
- 60 minute fire test at temperatures up to 900°C
- Option of key or electronic locking
- Suitable for storage of controlled drugs with active ingredients exceeding 500g
- Height adjustable shelving
- Internal coffer in sizes 2 and 3
- Option of pull out shelves and hanging frames in size 4**
- Base fixing

* Safe for longer warranty does not include size 4

** Additional lead time and costs apply

Model	External	Internal	Weight	Volume	Shelves
Size 1	490 x 480 x 445	330 x 330 x 290	101kg	31L	1
Size 2	750 x 555 x 550	335* x 410 x 390	195kg	93L	1
Size 3	1100 x 555 x 550	705* x 510 x 390	271kg	148L	1
Size 4	1950 x 940 x 585	1760 x 800 x 390	658kg	549L	4

Add 55mm to external depth for handle, hinges and electronic lock

*Excludes internal coffer Height = 235mm




Top of the range dual protection.
Add an internal light and fit a lock
with duress code to finish it off.
See page 74 for optional extras



Size 4

Locking Options:



Any lock alterations must conform to EN1300 Class A.
See page 78



Firebrand



£1,000



60 minute
fire protection
for paper



Features

- Independently fire tested and certified to EN15659 LFS 60P by ECBS
- 60 minute fire test at temperatures of up to 900°C
- Electronic PIN code locking
- Batteries located externally so you are never locked out in the event of power failure
- Dead bolts secure the door, even if the hinges are cut off
- Removable tray in all sizes
- Removable shelf in sizes 2 and 3
- Base fixing



Size 2

Model	External	Internal	Weight	Volume	Shelves
Size 1	295 x 430 x 365	190 x 325 x 235	34kg	15L	-
Size 2	490 x 360 x 425	380 x 260 x 295	44kg	29L	1
Size 3	510 x 445 x 425	410 x 340 x 290	51kg	41L	1

Add an extra 20mm to external depth for handles, hinges and any lock

Locking Options:



PIN



Firebrand XL



£1,000



60 minute
fire protection
for paper



Features

- Independently fire tested and certified to EN15659 LFS 60P by ECBS
- 60 minute fire test at temperatures of up to 900°C
- Electronic PIN code locking
- Batteries located externally so you are never locked out in the event of power failure
- Dead bolts secure the door, even if the hinges are cut off
- Removable drawer in each size
- Removable shelf in sizes 2 and 3
- Base fixing



Size 1

Model	External	Internal	Weight	Volume	Shelves
Size 1	970 x 565 x 450	785 x 425 x 300	147kg	100L	2
Size 2	1255 x 710 x 580	1035 x 545 x 420	234kg	237L	2
Size 3	1710 x 710 x 580	1490 x 545 x 420	370kg	341L	3

Add an extra 50mm to external depth for handles, hinges and any lock

Locking Options:



PIN



Fire Resistant Filing Cabinets



60 minute

fire protection

for data



Size 2



Model	External	Internal	Weight	Volume	Drawers
Size 2	825 x 545 x 655	250 x 390 x 500	110kg	48L	2
Size 3	1165 x 545 x 655	250 x 390 x 500	150kg	48L	3
Size 4	1500 x 545 x 655	250 x 390 x 500	210kg	48L	4

Add 40mm to external depth for handles and electronic lock



Size 3



Size 4


Maximise the storage of papers in the office or at home without the fear of fire damage.

From a 2 drawer to 4, all can be painted from our range of options or indeed connect them via door contacts to your alarm system. See page 76 for optional extras

Features

- Independently tested and certified to EN15659 LFS 60P by ECBS
- Tested at temperatures of up to 900°C
- Choose from high security key or electronic PIN code locking
- Option to control each drawer individually with a high security cam lock
- Individual drawer latch means you can choose which drawers are locked by the central control system
- Drawers are suitable for both A4 and Foolscap files, each drawer can hold up to 40kg
- Anti-tilt device, means that only one drawer at a time can be opened
- Tactile rubber handles

Locking Options:



Data Safe



60 - 120 minute
fire protection for data



Size 4



Size 1



Features

- Independently fire tested to NT FIRE 017
- CD's and computer media tested at temperatures of up to 900°C
- Protection against smoke, water damage, magnetic fields and electrostatic phenomena
- High quality electronic PIN code locking
- Combination of adjustable shelving and dividable drawers allows for effecient storage of various items
- Larger models feature castors for easy manoeuvrability

Capacity Table

Model	Size 1	Size 2	Size 3	Size 4	Size 5	Size 6	Size 7
4mm DAT	74	150	312	232	464	580	1160
8mm DAT	33	54	168	114	228	285	570
CD	30	53	111	188	376	470	940
DLT	16	20	62	84	168	225	420
LTO/Ultrium	-	-	-	88	176	220	440
LTO/Ultrium (without case)	22	36	96	114	228	285	570
3590 Cartridge (without case)	12	22	64	96	192	240	480
Fire Protection (minutes)	60	60	90	120	120	120	120

Model	External	Internal	Weight	Volume	Shelves	Drawers
Size 1	420 x 350 x 435	225 x 160 x 205	43kg	7L	1	0
Size 2	525 x 405 x 440	315 x 195 x 200	65kg	12L	1	0
Size 3	695 x 500 x 500	420 x 275 x 230	120kg	26L	2	0
Size 4	830 x 690 x 720	490 x 400 x 405	265kg	80L	1	2
Size 5	1220 x 690 x 720	875 x 400 x 405	352kg	143L	1	4
Size 6	1445 x 690 x 720	1105 x 400 x 405	480kg	180L	1	5
Size 7	1745 x 1200 x 720	1400 x 800 x 405	765kg	450L	4	10

Add 40mm to external depth for handles and keypad

Locking Options:



In these modern times DATA is the sought after valuable commodity of thieves - add alarm connective accessories to our data safes for the ultimate peace of mind. See page 76 for the full range of options

Pioneer Gun Cabinet

NEW
PRODUCT



CASH
RATING

£1,000



JEWELLERY
RATING

£10,000

Gun Safes & Cabinets

The Gun Safe range is suitable for shot guns or rifles and accommodates most models with scopes and silencers fitted. Secure store your guns in high security gun cabinets that are made to the Police Preferred Specification under the Secured by Design scheme.

These models are ideal to secure a gun collection, with high density foam gun holders and base, holders for cleaning rods and ammo belts, internal lockable ammo box and optional sideshelf for other valuables. Furthermore, this range has a choice of locking options: single key, mechanical combination, electronic PIN, or biometric locking system.

NEW - Our Pioneer and Warden LFS models have been tested and certified to the Sold Secure Firearms Cabinets Standard SS302:2020.



Features

- Tested and certified to Firearms Cabinets SS302:2020 – Bronze by Sold Secure
- Police Preferred Specification
- Lockable ammunition compartment
- Double-bitted key lock
- Suitable for both shotguns and rifles
- Foam gun holders and Internal carpet
- 5 Gun and 10 gun options available
- Back and base fixing

Model	External	Internal	Weight	Volume	Guns
P5	1450 x 340 x 280	1300* x 335 x 245	45kg	119L	5
P10	1450 x 535 x 320	1300* x 530 x 285	75kg	218L	10

*Excluding the height of ammo box

Locking Options:



SINGLE KEY



Warden LFS Gun Safe



£6,000



£60,000



NOW WITH FIRE
CERTIFICATION



W6

Features

- Independently tested to EN 1143-1 and EN 15659 by IMP
- Tested and certified to Firearms Cabinets SS302:2020 – Silver by Sold Secure
- Police Preferred Specification
- Up to 30 minutes fire protection for paper
- Three way locking bolts
- Suitable for shotguns or rifles and will accommodate most scopes and silencers
- Foam gun holders
- Internal lockable ammo box
- High security key or electronic locking
- 6 Gun and 14 gun options
- Back and base fixing

Model	External	Internal	Ammo Box Internal	Weight	Guns
W6	1650 x 460 x 450	1530 x 340 x 300	195 x 340 x 270	205kg	6
W14	1650 x 880 x 450	1530 x 760 x 300	195 x 760 x 270	325kg	14

Locking Options:



SINGLE KEY

PIN



Hotel Safes

The Hotel Safe range has a simple locking system that can be used with complete ease and by multiple users. These models have display screens, back lit buttons and audible sounds to easily guide users through their operation.

The guests can choose a 3-6-digit code; few enough digits to prevent guests forgetting, whilst also being secure. In the case of a guest forgetting or, if the batteries in the lock run out: this range features an override emergency key and master code.

This range of products can also be ideal for student accomodation, Airbnb and domestic use.

Hotel Standard



£1,000



£10,000



Size I



Keeping valuables safe from opportunistic theft is essential. See page 75 for our fixing options

Features

- Economical unit with simple guest operation
- Users choose their own 3-6 digit code
- Bleepers and LED lights to confirm actions
- Back and base fixing

Model	External	Internal	Weight	Volume
Size I	200 x 310 x 215	195 x 305 x 120	6kg	7L

Add 25mm to external depth for keypad

Locking Options:



PIN

Hotel Primo



£1,000



£10,000



NEW
PRODUCT



Features

- Guests choose their own 3-6 digit code
- Backlit keypad and interior carpet
- Will accomodate most laptops and tablets
- Audit trail facility
- Features keyed alike emergency key and master code
- Battery level indicator with a low consumption motor
- USB model features an internal USB charging point
- Back and base fixing

Model	External	Internal	Weight	Volume
Hotel Primo	200 x 420 x 370	190 x 415 x 315	9kg	24L
Hotel Primo USB	200 x 420 x 370	190 x 415 x 315	9kg	24L

Add 15mm to external depth for keypad

Locking Options:



PIN

Hotel Drawer



£1,000



£10,000



Features

- Blue backlit keypad with motorised locking
- Users choose their own 4 - 6 digit code
- Features keyed alike emergency key and master code
- Audit trail of last 100 openings
- Back and base fixing



Model	External	Internal	Weight	Volume
Size 1	200 x 350 x 410	130 x 260 x 340	14kg	11L

Add 15mm for the keypad and handle

Locking Options:



PIN

Want to print out your audit trail with a time & date stamp? Order the optional CEU unit and software to help reduce fraudulent claims and internal theft.



Hotel Pop Up



£1,000



£10,000



Features

- Blue backlit keypad with motorised locking
- Pop up lid with internal carpet
- User chooses own 4 - 6 digit code
- Will accomodate standard sized laptops
- Features keyed alike emergency key and master code
- Audit trail of last 100 openings
- Back and base fixing



Model	External	Internal	Weight	Volume
Size 1	145 x 400 x 350	75 x 395 x 345	12kg	10L

Add 15mm for the keypad and handle

Locking Options:



PIN

Help your clients see their valuables inside dark drawers and cupboards with this helpful internal light.



KEYGUARD RANGE

Keyguard Combi



Features

- Combination key safe
- 4 digit roller combination which is simple to set and change
- Ideal for the safe keeping of household keys
- Choose your own code and change it whenever you like
- Weather-resistant rubber cover included
- Fixings included
- 2 Year warranty



Model	External	Internal	Weight
KG Combi	115 x 65 x 55	80 x 40 x 20	1kg

Locking Options:



DIAL

Key Safes

The Key Safe range is the perfect security solution for securing and storing keys. This range includes Keyguard allowing authorised access to carers, cleaners, workmen, dependents, holiday lets, and key cabinets designed for use in showrooms, garages, universities, schools and large commercial sites.

We provide products that answer a variety of requirements: UK Police Preferred Specification under the Secured by Design scheme, and the Keyguard Digital XL is certified to LPS1175 (Issue 8) A3.

LPS1175 Issue 8 is an independent attack test certification. A tool list is selected and then time given to withstand a physical attack. Keyguard XL is the first key safe to achieve this level.

LPCB is part of the BRE Group, the world renowned certification and testing facility who test and certify products to the very latest attack methods.

Keyguard Digital



Features

- Superior push button key safe
- 12 button design
- Ideal for use by carers, cleaners, workmen and dependents
- Can be used for storing most single car keys inside the home
- Over 4000 possible code combinations
- Holds up to 80mm long keys
- Weather-resistant rubber cover included
- Fixings included
- 2 Year warranty

Model	External	Internal	Weight
KG Digital	115 x 65 x 55	80 x 40 x 20	1kg

Locking Options:



PIN

Keyguard Digital XL



KEYGUARD RANGE

Features

- The world's first key safe to be successfully certified to LPSI 175 Issue 8
- Police Preferred Specification
- Independently tested and certified to LPSI 175 Issue 8 A3
- Permanent, light-weight, weather-resistant cover provided. This doubles as a fixing template for quick and easy install
- Bright numbers and indicators for ease of use
- Internal key hook
- Over 4000 possible code combination
- Code can be changed multiple times
- Allows storage for multiple keys or key cards
- Fixings are provided
- Also certified for fixing to rendered walling
- 5 year warranty



Model	External	Internal	Weight
KG XL	160 x 95 x 55	70 x 50 x 20	2kg

Locking Options:



PIN



Heavy Duty Key Cabinets



CK/E 40

Features

- Top quality range of key cabinets that offer a high level of security
- Ideal for use in car showrooms, garages, universities, schools and large commercial sites
- 8mm solid steel door and 3mm steel body
- High security, 8 lever key lock or electronic PIN code lock
- Electronic version features a flush keypad, an emergency key and an external power point in case of lock out
- Door secured by two solid locking bolts

Model	External	Internal	Weight	Key Hooks
CK/E 40	470 x 360 x 140	460 x 350 x 120	25kg	40
CK/E 120	470 x 360 x 140	460 x 350 x 120	27kg	120

Locking Options:



SINGLE KEY

PIN

KS Key Cabinets



KS71

Features

- A range of economical cabinets
- Ideal for use in car showrooms, garages, universities, schools and large commercial sites
- 5mm solid steel door and 2mm steel body
- Electronic PIN code locking
- Key tags and numbers supplied
- KS133 is deeper than most cabinets, making it ideal for bunches of keys
- Height adjustable key racks

Model	External	Internal	Weight	Key Hooks
KS27	360 x 300 x 110	355 x 295 x 25	8kg	27
KS71	450 x 360 x 160	445 x 335 x 80	15kg	71
KS133	650 x 420 x 210	645 x 415 x 130	20kg	133

Add 13mm to external depth for keypad

Locking Options:



PIN

KMS Intelligent Key Cabinets



Features

- Automate the process of handing out and receiving keys
- Control user and time access to all keys
- Create rules for key management and send exception reports if they are broken
- Monitor key and user use in real time
- Anti-tamper steel key rings
- Access via RFID card as standard, option to add PIN code or fingerprint access
- Built-in power supply
- Ideal for use in hotels, government organisations, car showrooms, schools, hospitals and other commercial sites
- Can be stand alone or networked



Model	External	Weight	Key Hooks
KMS 5	265 x 500* x 150	11kg	5
KMS 20	510 x 555* x 170	27kg	20
KMS 30	605 x 555* x 170	29kg	30
KMS 50	790 x 555* x 170	37kg	50
KMS 100	976 x 735* x 170	57kg	100



Locking Options:



*not including terminal

Garage & Door Security

We are proud to offer the new GUARD range of products designed and Made In Yorkshire by our own in-house engineering team. The GUARD range provides a heavy duty visual and physical deterrent for protecting your home and business from burglary.

With an average garage contents value of £1,500. Security for garage's often gets overlooked. Our new Garage Guard protects up and over garage doors. This heavy-duty solution is certified to Sold Secure Silver the only product of its type to pass this attack test and holds Police Preferred Specification.

Also available in the range is internal protection for roller shutters and garage doors, internal drop bars for reinforced security and a range of hasp locks for securing gates, sheds and doors.

GUARD RANGE

Garage Guard



Features

- Tested and certified to Sold Secure Silver
- Police Preferred Specification
- British made by Burton Safes Engineering
- Surface mounted to concrete
- Stainless steel anti-drill padlock
- All fixings supplied

Model	External	Weight
Garage Guard	135 x 230 x 260	3kg



NEW
RANGE

Hasp Guard



Features

- Perfect security addition for a shed, cellar or garage door
- Constructed from 5mm thick laser cut steel
- British made by Burton Safes Engineering
- Hard wearing powder coated finish
- Available in 3 length sizes
- Can mix and match sizes
- Fixings included

*padlock sold seperately

Model	External	Weight
Size 1	50 x 100 x 40	1kg
Size 2	50 x 200 x 40	1kg
Size 3	50 x 300 x 40	1kg

Shutter Guard



Features

- Suitable for garage and roller shutter doors
- British made by Burton Safes Engineering
- Precision laser cut steel
- Surface mounted to concrete
- All fixing supplied

Model	External	Weight
Shutter Guard	130 x 115	2kg

Force Guard



Features

- Drop in security bars, suitable for shed, garage, and internal doors
- British made by Burton Safes Engineering
- Available in 3 length sizes
- Steel locking bar with capped ends
- Hard wearing powder coated finish

Model	External	Weight
Size 1	50 x 810 x 25	1kg
Size 2	50 x 1010 x 25	1kg
Size 3	50 x 1210 x 25	1kg

Disc Padlock



Features

- Anti-drill disc padlock
- Sold Secure tested
- 70mm Disc padlock
- Anti-drill plate on cylinder
- Key retained in unlocked position
- Stainless steel lock body

Retail Safes

Deposit safes have become a necessity for businesses as hold up situations and internal fraud have become an increasing threat. Some of these safes have been independently tested and certified to EN1143-2 by ECBS.

Having a separate deposit drawer means staff can deposit cash/valuables without having access to the main safe. Both the drawer and the safe door are fitted with separately operated high security locks. These models have optional locking including mechanical combination, electronic PIN or advanced biometric locking systems.

Till Safe



CASH
RATING

£4,000 or
£10,000



JEWELLERY
RATING

£40,000 or
£100,000



G1 Till

Features



S2 Till

- Independently tested and certified to EN14450 S2 or EN1143-1 Grade 1
- Grade 1 Till Safe tested and certified to EN15659 LFS30P providing 30 minutes fire protection for paper
- Designed for storage of till drawers
- Store a minimum of 4 drawers in each model
- 2 different security levels to suit your requirements
- High security electronic locking on S2, option of key, electronic or biometric locking on the Grade 1
- Back and base fixing

Model	External	Internal	Weight	Volume	Shelves
S2 Till	510 x 550 x 500	430 x 470 x 400	47kg	80L	3
G1 Till	840 x 650 x 550	782 x 574 x 420	289kg	189L	2

Add 55mm to external depth for handle on G1 Till

Locking Options:



SINGLE KEY



PIN



Teller Deposit Safe

Up to
£3,000



Size I V Trap



Mini Teller



Size I Rotary

The best solution for businesses to secure cash quickly and without allowing staff access to deposited cash. Add special locking to provide monitoring benefits, time delay, and time windows and increase the security of your cash. See page 77



Features

- Choice of deposit methods and trap sizes to suit your requirements
- Size I V Trap deposit via a front loading V Trap system
- Size I Rotary deposits via a top loading rotary drum
- Option of key, electronic or biometric locking*
- Automatic slam locking system**
- Back and Base fixing

*Electronic and biometric locking not available on the Mini Teller
**If fitted with the Burton Duo swing lock or the Kaba Axxessor

Model	External	Internal	Slot Size	Weight	Volume
Mini Teller	305 x 205 x 255	295 x 195 x 180	20 x 135 x 200	15kg	10L
Size I Rotary	510 x 355 x 355	330 x 345 x 275	255 x 105 x 120	40kg	31L
Size I V Trap	505 x 355 x 355	220 x 345 x 275	45 x 265 x 190	40kg	21L

Add 45mm to external depth for handle on sizes 1 and 2

Locking Options:



Cashguard Vehicle Safes



Cashguard



Mini

Features

- Ideal for use in vans/lorries on delivery rounds
- A range of deposit slots and security levels to suit your requirements
- Base plates attach to the vehicle and the main safe body is locked into these
- The safe has two locks, one for the base plate and one for the safe door
- The two locks are on different keys. This allows drivers to move the safe from the base plate without having access to the contents of the safe

Model	External	Internal	Slot Size	Weight	Volume
Mini	255 x 165 x 150	210 x 160 x 145	90 x 32	5kg	4L
Cashguard	380 x 205 x 150	350 x 200 x 120	150 x 90	15kg	8L

Locking Options:



SINGLE KEY

Eurovault Aver Deposit Grade I



£10,000



This style of safe operation is proven to avoid hold up situations and provides excellent insurance cover/cost efficiency. Fit a limpet and door contacts to fully lock down access – see detail on page 76

Features

- Independently tested and certified to EN1143-2 Grade I by ECBS
- Drawer deposit means staff can deposit without accessing the main safe
- Option of key, electronic or biometric locking for both main door and deposit drawer
- Time delay, time windows and duress features available with electronic lock upgrade
- Base fixing



Size I

Model	External	Internal	Max Deposit Size	Weight	Volume	Shelves
Size 1	670 x 650 x 550	455 x 573 x 423	100 x 500 x 120	190kg	110L	-
Size 2	1040 x 650 x 550	816 x 573 x 423	100 x 500 x 120	270kg	298L	2

Add 55mm to external depth for handle

Locking Options:



SINGLE KEY



PIN



BIOMETRIC



DIAL

Any lock alterations must conform to EN1300 Class A. See page 78



High Security Deposit Safe Grade 2



£17,500



CASH RATING



Add a Seismic sensor for overnight protection or door contacts to ensure access is always authorised.
See page 76 for details



Size 1

Features

- Independently tested and certified to EN1143-2 Grade 2
- Deposit drawer means staff can deposit without accessing the main safe
- Deposit drawer is secured by a high security key lock
- Option of key, electronic or biometric locking on the main door
- Rear facing/through wall deposit available to order
- Base fixing

Model	External	Internal	Max Deposit Size	Weight	Volume
Size 1	770 x 565 x 540*	400 x 390 x 330	25 x 320 x 100	416kg	51L
Size 2	970 x 565 x 540*	600 x 390 x 330	25 x 320 x 100	485kg	77L

Add 55mm to external depth for handle
*Add 20mm to external width for hinges


Locking Options:



Any lock alterations must conform to EN1300 Class A
See page 78



High Security Deposit Safe Grade 3



£35,000



CASH RATING



Size 2

Features

- Independently tested and certified to EN1143-2 Grade 3
- Deposit drawer means staff can deposit without accessing the main safe
- Deposit drawer is secured by a high security key lock
- Option of key, electronic or biometric locking on the main door
- Rear facing/through wall deposit available to order
- Base fixing

Model	External	Internal	Max Deposit Size	Weight	Volume
Size 1	770 x 565 x 540*	400 x 390 x 330	25 x 320 x 100	420kg	51L
Size 2	970 x 565 x 540*	600 x 390 x 330	25 x 320 x 100	525kg	77L

Add 55mm to external depth for handle
*Add 20mm to external width for hinges

Locking Options:



Any lock alterations must conform to EN1300 Class B
See page 78



Safe Optional Extras

Functional



Internal Lights

- Enables you to see your belongings, even when your safe is in a dark cupboard
- Belongings can be displayed as well as protected
- Uses magnets to attach to the safe interior, no installation required
- Batteries included

Shelves - Additional, replacement and reinforced shelves holding up to 50kg. We have a wide range to suit our products and your needs.



Left Hand Hinge - Where available Burton Safes can provide your safe with a left-hand hinge.

Watch Winders & Stackers

- Keep jewellery and valuables secure
- Keep automatic watches at the correct time

See page 32



Deposit

Add deposit features to your safe!

- Internal Coffers
- Deposit Slots
- Preparation for Air tubes



OPTIONAL EXTRAS

We offer a wide range of services and times for installation including evenings, weekends and early mornings. Our full list of services is featured on page 89, call our office for more information.

Fixing

We have a range of fixing kits available to install your safe:

- Concrete
- Wood
- Chemical
- Adhesive
- Plinths
- Underfloor



Aesthetic

Available on nearly all of our range - We can offer a choice of paint colours on most of our safe models. Choose from our 4 most popular colours below or supply your own RAL colour for the exterior of the safe.



RAL 9005
Jet Black



RAL 7043
Traffic Grey B



RAL 1019
Grey Beige



RAL 1015
Light Ivory

Safe Optional Extras

Security

Safe Limpets

- Piezo Vibration Detector
- Integral Analyser
- Thermal and Proximity Sensor
- Magnetic Interference and Supply Failure Detection
- Connects to your building alarm system
- Prevents operation of your safe whilst the alarm is activated



Seismic Sensor

- Detects specific vibrations from unauthorised attempts to penetrate the safe
- Fast reacting alarm system
- Has optimum sensitivity, detecting unauthorised access and preventing false alarms
- Suitable for noisy environments

We can also provide door contacts and opening counters



Signal Blocker

The sure defence for contactless cards, keyless vehicle keys and distracted driving.



- Police Preferred Specification
- Fits all key fobs, smart cards and phone
- Blocks all signals from cards, key fobs and phones
- Blocks GPS tracking
- Expertly tested to a 99% success rate
- Double stitched reinforced seams
- Spare pouch

(HxW) 190mm x 115mm



Locking

At Burton Safes we have a **huge** range of locking options. See page 78 for full details on our recommended models.

With the original design concept of being 'Easy to use' the KABA Axxessor USB delivers a huge range of functions, via a simple visual input unit. One interesting feature is the DURESS function. This facility enables the lock to be connected to an alarm system, activating a silent signal to a remote monitoring station or to the Police when the user is under 'duress' by entering a slightly different code – this can also trigger a time delay if programmed.



Kaba Axxessor USB

- Duress Code
- 18 Users
- Time Delay
- Time Lock Periods
- Battery Powered
- Clear Display
- Dual / 4 Eye Function
- Audit Trail of 10,000 events
- Alarm Connection
- Wrong Try Lockout (4 false attempts)
- Tamper Function
- Holiday Periods

The KABA Axxessor USB is one of the most efficient and reliable locks on the market – suitable for domestic and commercial use, contact the office for a full description and to discuss your locking needs.

INSYS flex ID

A flexible locking system for security containers like gun cabinets, safes, secure cabinets or entry and access doors. Access takes place contactlessly via RFID card or RFID tag. Stand alone or with a state of the art software system, Elocomm, for programming, control and audit. The Flex brings full access control functionality to your secure storage needs.

- High-quality motor lock and compact RFID reader unit
- Easy, quick opening via RFID card/RFID tag
- Easy enrollment of additional users without configuration software and keypad
- Adding of up to 99 additional cards/tags possible
- Manipulation blocking and automatic locking
- Emergency power supply
- Time delay, dual code and external release/blocking (only EloStar® flexID multi)



Safe Locks

Burton Safes work with all of the world's major safe lock manufacturers to bring you a wide choice in locking solutions and access control for your safes and vaults.

Below are some of the more popular models but please enquire if you have a specific need and we will find a lock to suit your needs and budgets.

We have strategic partnerships with **Insys** and **Kaba**, ensuring that we can provide solutions for the most demanding of commercial environments - CvIT, banking and large retail estates. Contact our commercial team for more information **+44 (0) 1484 663388**

SAFE LOCKS

What Burton Safes recommend											
Home			Commercial		Commercial	Retail		Bank		Vaults & Strongrooms	
Burton Duo Light			Burton Pulse		Axessor USB	Axessor IP	LaGard 66e	CombiLock Pro	Elostar Master	Twinlock Business	Paxos
TYPES OF CODES	No. of User Codes	1	1	10	18	36	9	9*	99	99	95
	No. of Manager Codes	1	1		2	4	1		1	1	Multiple levels
	No. of Master Codes			1	1	1	1	1	2 or 3	2	Multiple levels
	Dual User			YES	YES	YES	YES	YES	YES	YES	YES
	Courier Code				YES	YES	YES	YES	YES	YES	
	Duress Code				YES	YES	YES	YES	YES	YES	YES
	One Time Code								YES	YES	
LOCK FEATURES	Time Delay	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
	Time Lock			YES	YES	YES	YES	YES	YES	YES	YES
	Audit Trail			YES	YES	YES	YES	YES	YES	YES	YES
	Biometric Option			YES	via I/O box	via I/O box				YES	via I/O box
MECHANICAL FEATURES	Remote Programming					YES			YES	YES	YES
	I/O box				YES	YES		YES	YES	YES	YES
	Redundant System								YES	YES	YES
TYPE OF LOCKING	Multi Lock Option									YES	YES
	Swing Bolt	YES	YES	YES			YES		YES	YES	
	Dead Bolt	YES	YES				YES	YES	YES	YES	
	Motorised Bolt				YES	YES			YES		YES
	Lock Grade	B	B	B	B	B	B	B	B	B/C/D	B/C/D

*Optional upgrade to 50 users on request

Safe Lock Terminology

Users – Unique individual's code that can be controlled by a "Master" or "Manager".

Dual user - If Dual user mode is set in your safe it will require two different user codes to open the lock. This means two people will need to be with the safe to open it – This helps prevent internal fraud.

Courier code - Courier codes are generally used by CViT (cash and valuables in transit) to bypass any time delay settings within the safe and sometimes the time windows.

Duress code – A duress code is a covert distress signal. When you input the code, a silent alarm will be sent to the Police or a monitoring station in the event that you are forced to open your safe. The Duress code can still open the lock to the safe.

One-time code - OTC (one-time code) is a code that can be created and passed to a user to open the safe – once they have used that code it will become invalid. These are often used by CViT (cash and valuables in transit) operators.

Time Delay – A time-delay is a setting that delays the unlocking of the lock by a user-definable period. After entering your code you wait the set time before you enter your code a second time to open the safe.

Time Lock – Weekly programmable timer installed inside, which allows the user to set time intervals that control when the safe opens – i.e. you can open the safe in-between 9am and 5pm but not outside of those hours even if you know the code.

Audit Trail - This logs every event within the safe – Which user opened and closed the safe, at what time. It will never show the code, just the user number i.e. User 2 opened the safe at 2:30pm 30/08/2018.

Biometric Option – Finger print controlled security lock. These locks come with the option of finger print access, code access or both.

Swing Bolt - Once a correct code is entered, the lock is released, allowing the boltwork to move when turning the handle.

Dead Bolt - Once a correct code is entered, the user has to manually move the locking bolt, usually by turning the keypad.

Motorised Bolt - Once a correct code is entered, the lock moves the locking bolt via an electronic motor.




LUXURY &
DESIGN
SAFES

— Lusso —
luxury for all



Lusso delivers affordable luxury; handcrafted in Yorkshire to the finest quality. Designed with lustrous bespoke décor, watch winders to maintain those most treasured timepieces and beautiful suede drawers providing elegant protection for precious jewellery.

Contact the office for a Lusso Menu Card.



Model	External	Max Drawers	Watch Winders
Size 1	500 x 510 x 510	4	-
Size 2	670 x 510 x 510	5	2


Features

- Independently tested and certified to EN1143-1 Grade 2 or Grade 3 by ECBS
- £175,000 - £350,000 jewellery and valuables rating
- Tested and certified to EN15659 LFS 30P by ECBS, providing 30 minute fire protection
- Fitted with a high security electronic lock
- Choose from 2 sizes and 4 exterior safe colours
- Hand-crafted interior made to your choice of layout, material, colour and drawer configuration
- Suede lined shelving and drawer interior
- Back and base fixing
- 8-10 week lead time



The bespoke interior provides you with a choice of colour, fabric and layout to accommodate all jewellery types and personal styles. The exterior colour choices can match or compliment your safe interior and blend into your home.

Drawer layout options



Jet Black
RAL 9005

Traffic Grey B
RAL 7043

Grey Beige
RAL 1019

Light Ivory
RAL 1015



Uno Size 2 - with inserts



Features

- Independently tested and certified to EN 1143-1 Grade 1 or Grade 3 by ECBS
- High security electronic PIN code lock
- Flush keypad and hinges
- Unique aluminium hinge, boltwork and shelf
- Optional left hand hinge in sizes 3 and 4
- Optional jewellery drawer module or watch winder module
- Modules are hand-crafted in Italy and made bespoke to your choice of material, colour and drawer layout
- Back and base fixing

Brixia Uno - Grade 1

£10,000 cash rating

Model	External	Internal	Weight	Volume	Shelves	Modules
Size 1	330 x 440 x 430	250 x 360 x 295	85kg	26L	1	1
Size 2	460 x 490 x 430	380 x 410 x 295	110kg	46L	1	2
Size 3	630 x 490 x 430	550 x 410 x 295	125kg	66L	1	3
Size 4	810 x 490 x 430	730 x 410 x 295	145kg	88L	2	4
Size 5	1010 x 540 x 480	928 x 460 x 345	200kg	147L	2	5
Size 6	1210 x 540 x 480	1128 x 460 x 345	220kg	179L	2	6

Brixia Tre - Grade 3

£35,000 cash rating

Model	External	Internal	Weight	Volume	Shelves	Modules
Size 1	375 x 510 x 480	260 x 410 x 300	160kg	32L	1	1
Size 3	665 x 510 x 480	550 x 410 x 300	235kg	67L	1	3
Size 4	845 x 510 x 480	730 x 410 x 300	285kg	89L	2	4
Size 5	1045 x 560 x 530	930 x 460 x 350	380kg	148L	2	5
Size 6	1245 x 560 x 530	1130 x 460 x 350	435kg	180L	2	6
Size 7	1495 x 720 x 620	1360 x 600 x 430	670kg	348L	2	7
Size 8	1745 x 720 x 620	1610 x 600 x 430	730kg	412L	3	8



Tre Size 1



Tre Size 4 - with inserts



Locking Options:





THE LUXURY RANGE

FROM BURTON SAFES



THE LUXURY RANGE FROM BURTON SAFES IS YOUR CHANCE TO CUSTOM DESIGN YOUR OWN SAFE. WE OFFER A UNIQUE EXPERIENCE WITH OVER 30 SAFE SIZES AVAILABLE. THEY ARE HANDCRAFTED IN YORKSHIRE, UK. OUR BESPOKE SAFES ARE FINISHED TO THE HIGHEST STANDARD. OUR TEAM OF EXPERT CRAFTSMEN AND WOMEN PROVIDE LUXURIOUS, BESPOKE SOLUTIONS. WE CAN MEET ALMOST ANY REQUIREMENT. INCLUDING HANDMADE JEWELLERY DRAWERS AND HAND CRAFTED UPHOLSTERING. WE USE ONLY THE FINEST SUEDE AND LEATHER.

WE UNDERSTAND THAT EACH PROJECT IS DIFFERENT. WHICH IS WHY WE BUILD A SECURITY SOLUTION BESPOKE TO EACH CLIENT. FROM MATCHING COLOUR SWATCHES FROM YOUR FAVOURITE CAR. TO HAND-STITCHING YOUR FAMILY CREST INTO THE INTERIOR. WE CAN ENSURE YOUR SAFE IS THE ONLY ONE OF IT'S KIND IN THE WORLD.

THE EUROVAULT LX RANGE IS AVAILABLE IN A VARIETY OF SIZES WITH SECURITY GRADES RANGING FROM EN1143-1 GRADE 1 UP TO GRADE 7. OTHER OPTIONS IN THE RANGE ARE GLASS FRONTED DISPLAY CABINETS AND GUN SAFES.

- JEWELLERY AND VALUABLES COVER FROM £100,000 TO £2,500,000
- OVER 30 SAFE SIZES AVAILABLE
- WE CAN OFFER LUXURY SECURITY DOORS AND PANIC ROOMS. INSTALLED TO MEET YOU AND YOUR HOME'S SECURITY NEEDS
- FULL DESIGN, CONSULTANCY AND INSTALLATION PROVIDED BY THE BURTON SAFES LUXURY TEAM



WHEN YOU PLACE AN ORDER YOU WILL BE ASSIGNED A PROJECT MANAGER. THEY WILL OVERSEE THE PROCESS FROM DESIGN TO BUILD, TO THE FINAL INSTALLATION.



WITH OVER 30 YEARS EXPERIENCE OF PROVIDING SECURITY SOLUTIONS GLOBALLY WE HAVE BUILT A REPUTATION OF INTEGRITY AND CUSTOMER SATISFACTION, AND HELPED KEEP HOMES AND FAMILIES SAFE FOR DECADES.

THE LUXURY RANGE | FROM BURTON SAFES

WWW.LUXURYSAFE.CO.UK | THELUXURYRANGE@BURTONSAFES.CO.UK | +44 (0) 1484 663388

Reactive Safe Engineer and Locksmith Service

Burton Safes believe in offering exceptional service - our business is built on delivering it!

Every customer has individual service needs; the internal service team design and deliver bespoke service packages to suit your individual requirements for both safe and locksmith engineering, all of which is supported by a dedicated Account Manager.

The service team is available 24/7 - 365 days a year. Skilled and experienced engineers are located across the UK and ROI, delivering market leading response and first time fix rates - providing you with reduced downtime and cost reductions.



Burton Safes service agreements cover all types of safe and lock, some of the features include;

- Supply and installation of physical security products
- Emergency reactive response
- Emergency safe and door opening
- Lock upgrades and re-programming
- Preventative maintenance
- Safe removal and disposal
- Cover for all brands of locks and safe
- Dedicated Account Manager
- A single point of contact for all issues
- Free access to our in house technical helpdesk
- Average response times of under 3 hours
- Average time on site of less than 1 hour
- Average first time fix rate of 97%
- European cover also available



Delivery and Installation Services

Our standard delivery is a 2-3 day service and we have a range of delivery and installation options to upgrade your order and suit your needs.

Weekday Deliveries

Next Day*
Next Day by Noon*
Next Day by 10:30am (less than 70kg)*
Evening 6pm-9pm

Weekend Deliveries

Saturday
Saturday by Noon (less than 30kg)
Saturday by 10:30am (less than 30kg)
Sunday (less than 30kg)
Sunday by Noon (less than 30kg)

Delivery and Position (Weekdays)

Next Day*
AM/PM Slot
2 Hour Window

Highlands & Islands Deliveries

Republic of Ireland Deliveries

*order by 2pm the preceding day



Weekday Installations

Express (2-3 days)
Pre-9am
AM/PM Slot
Evening

Installation Special Services

Highlands and Islands
Unmarked Vehicle Service
1st Floor/Basement via Stairs*
2nd Floor/Basement via Stairs*
Hiab, Crane or Specialist Vehicle*

Weekend Installations

Saturday
Sunday

*Site Survey Dependent



THE SURE DEFENCE RANGE

From the world's most advanced safe deposit centres in Hong Kong, to securing cash, bullion and valuables in banks and retailers across Europe and the Middle East; the team at Burton Safes have the experience to advise, design and deliver physical security solutions to protect you and your assets.

The High Security team have over 85 years' worth of security industry experience and are qualified in security design and consultancy. Dedicated account and project managers ensure an unrivalled customer experience.

Burton Safes deliver 'The Sure Defence®'



Kronos Security Doors



Features

- High security steel doors
- Independently tested and certified to LPS 1175 SR2 - SR4
- Optional 240 minutes fire rating*
- Optional flood protection
- Police Preferred Specification
- Suitable for use in any high security environment including; banks, utility sector, retail outlets, jewellers, government, defence buildings and airports
- Custom made to fit your property size and operational requirements
- Inward or outward opening door leaves
- Single or double door sets
- Variety of locking options and optional fittings
- Available in almost any RAL colour**
- 10 year anti-rust warranty

*max 60 minutes with vision panels

**some colours are at an additional cost

Locking Options:



SINGLE KEY



PIN



BIOMETRIC



FLOOD PROTECTION



FIRE RATING



LPS 1175 Issue 7
Cert No. 1000 a



Variant	Min Height	Max Height	Min Width	Max Width
SR2				
Single inward opening	1000	2930	600	1430
Double inward opening	1000	2930	900	2600
Single outward opening (with removable over panels)	1000	3930	740	1430
Double outward opening (with removable over panels)	1200	3930	900	2600
Single outward opening	1000	2930	600	1430
Double outward opening	1000	2930	900	2600
Single outward opening (with fixed side and over panels)	1000	3930	740	4180
Double outward opening (with fixed side and over panels)	1200	3930	900	5200

SR3				
Single outward opening	1000	2930	600	1430
Double outward opening	1000	2930	900	2600
Single inward opening	1000	2430	600	1430
Double inward opening	1000	2430	900	2600
Single outward opening (with fixed side and over panels)	1200	4125	600	1430
Double outward opening (with removable over panels)	1200	4125	900	2600

SR4				
Single outward opening	1000	2930	600	1430
Double outward opening	1000	2930	900	2600
Single inward opening	1000	2430	600	1430

Kronos Security Doors


Janus Security Doors




Features

- High security door for homes, offices, banks and prestigious or listed buildings.
- Independently attack tested to EN1627 RC3 - RC4
- Custom made to suit your property
- A range of fittings and door furniture available
- High environmental performance - Industry leading energy efficiency
- Superb thermal and sound insulation
- External models offer high levels of air tightness, water-resistance and wind-resistance
- Choice of key or electronic locking
- Special subframe to aid installation, increase security and can give additional thermal insulation on request
- Security glazing available on request
- Bullet resistance available on request
- Emergency and panic hardware available on request

Locking Options:



Janus Security Doors



High security locking bolts

High security steel core

Spy holes available

Optional electric strike

Special sub frame for high quality installation

Choose from a range of door furniture

Create almost any design panel to match your property

Available in key, electronic pin code or fingerprint locking with a thumb turn inside


All Janus doors are fitted by our installation team with a full pre-design and consultancy service on offer

Door Model	Location	Security Grade	Acoustic Insulation
Janus 3	Internal	ENI627 RC3	-43dB Rw
Janus 4	Internal	ENI627 RC4	-44.8db Rw
Janus Fire	Internal	ENI627 RC3	-43dB Rw
Janus 3ex	External	ENI627 RC3	-43dB Rw
Janus 4ex	External	ENI627 RC4	-44.8dB Rw
Janus Gold	External	ENI627 RC4	-46dB Rw
Janus Platinum	External	ENI627 RC3	-46 dB Rw

Door Model	Thermal Insulation	Air Tightness	Water Tightness	Wind Resistance
Janus 3	1.3W/m2K	N/A	N/A	N/A
Janus 4	1.2W/m2K	N/A	N/A	N/A
Janus Fire	1.6W/m2K	N/A	N/A	N/A
Janus 3ex	1.3W/m2K	Class 4	Class 6A	Class C4
Janus 4ex	1.2W/m2K	Class 4	Class 3A	Class C4
Janus Gold	0.6W/m2K	Class 4	Class 9A	Class 5
Janus Platinum	0.54W/m2K	Class 4	Class 9 A	Class 5



Ajax Grilles & Cages



Features

- High security retractable grilles and cages
- Suitable for domestic and commercial properties
- Custom made to suit your individual needs
- Available in almost any RAL colour*
- Blast tested using 100kg charge at 20m behind glass backed with anti-shatter film
- Allows line of sight for guarding and CCTV
- Neatly folds away out of sight when not in use
- No hot works required during installation

•some colours at additional costs

Typhon Bar Sets



Features

- High security fixed bar sets
- Independently tested and certified to LPS 1175 SR2 - SR4
- Police Preferred Specification
- Suitable for internal or external installation
- Custom made to suit your individual needs
- Available in almost any RAL colour*
- Reveal or face fixing options available
- Suitable for mounting to brickwork, concrete or steel
- Minimum 500mm x 500mm
- Allows line of sight for guarding and CCTV

•some colours at additional costs



LPS 1175 Issue 7
Cert No. 1000 h

Embassy Panic Rooms



Our panic room solutions are designed to be lightweight, yet at the same time offering premium attack protection. The special lightweight systems allow us to install in upstairs locations. We also have unique ways of saving on space.

Our project team are experienced in working with the building and design teams so we can offer the security while you create the dream living space and décor within your existing building. The perfect turnkey solution to protect you and your assets.



You will have a dedicated sales manager to work with you to discuss your requirements and find the right solution. Our sales team have a vast knowledge of the security industry and will ensure the solution is right for you.



After detailed discussions to assess your requirements our design team will work on your solution, ensuring it meets the required security level.



Our in-house CAD design team will create drawings of your security solution allowing you to visualise the end result. Once your project is signed off we will begin the manufacturing process.



Each project is handled by a dedicated project manager who will ensure a smooth process and that deadlines are met.



Surveys and installations are carried out by our own engineering team. These are arranged with you in advance by the project manager.



Talos Walling



Walling System

Panel Model	Panel Thickness	Weight p/m ²	Max Ceiling Span*	Fire Rating Integrity / Insulation
SR2	100	40kg	5500	144min / 30min
SR3	100	45kg	5500	144min / 30min
SR4	100	60kg	5500	240min / 90min
SR5	100	95kg	3500	84min / 84min
FB6	146	135kg	Project specific	240min / 90min

*Without supports

Features

- Create a secure room separate from or within an existing property
- Can be used in residential or commercial properties for panic rooms and secure enclosures
- Models with independent testing to LPS 1175 SR2 - SR5
- Special lightweight systems allow use in upstairs locations
- Different systems available to suit different risks and budgets
- Optional ballistic protection certified to EN 1522/23 FB2 - FB6
- Optional fire protection up to 4 hours
- Can be used for storage of source materials as required by the Environment Agency



FIRE RATING



BALLISTIC



BALLISTIC




LPS 1175 Issue 6
Cert No. 1000 b, c

Avertic Armour

Avertic Armour is a highly advanced, state-of-the-art security panel providing ultra-light and effective protection against a range of power tools. It's unique properties allow it to be used across many security solutions such as cash-in-transit vehicles, panic room construction, military out buildings, secure room dividers, roller shutters and many more.

Example of vehicle panel construction




NEW
PRODUCT

Features

- Designed to withstand attacks from drills, chainsaws, reciprocating saws, concrete cutters and grinders
- Increase the security of armoured vehicles, security walls, security doors, saferooms, safes, rollershutter and many more security solutions
- Can be used in domestic or commercial properties
- Panels can be cut to any size or shape to meet your requirements
- Space saving solutions as panels are only 5-10mm thick
- Minimal weight increase with panels at just 1 - 1.5kg/pm²
- Easy to apply, and install
- Can be installed as part of manufacture or as a retro fit solution
- 4 different security levels to suit your security needs

Example of secure room wall construction



The Avertic Armour Panel is available in 4 different security levels:

Anti-Drill	Contains 8 layers of protective material and provides 18V drill protection
Power	Contains 6 layers of protective material and 2 layers of the anti-cut material. It can provide protection against a concrete cutter, chainsaw and 800w grinder
Power+	Contains 4 layers of protective material and 4 layers of the anti-cut material. This product protects against a 1100W grinder, reciprocating saw, concrete cutter and chainsaws
Extreme	The most secure level of this product, contains 2 layers of protective material and 6 layers of the anti-cut material. This level protects against a 2300W grinder, reciprocating saw, concrete cutter and chainsaws

Tailored versions are available to suit security requirements

Orthrus Strongrooms

A freestanding high security solution of modular construction, Orthrus delivers optimum price/performance ratio. It is certified to the very latest LPS standard – LPS1175: Issue 8 and has achieved security rating F10/G5. Each room is built to order according to the individual size and security requirements of the client. The flexibility of design and build allow this to be the perfect solution in the commercial world for high value items or indeed military/government use for sensitive materials or meeting spaces.



Features

- Freestanding high security safe room
- Modular construction to create bespoke rooms built to your specification
- Independently tested and certified to LPS1175 (Issue 8) F10/G5
- Ideal solution for creating a secure space within an existing structure
- Ideal for commercial, military and government use
- Exceeds requirements of the UK Environment Agency for the storage of radioactive source material/equipment
- Panel widths range from 150mm to 1500mm
- Rooms can be 5 or 6 sided
- Design, consultancy service and installation provided by Burton Safes
- The door and locking system can be connected to client's own alarm system and access control system
- A 2nd or 3rd lock can be added to your vault door if required
- Lock features 4 manager codes, 36 user codes, time delay and time windows, dual user functions and audit trails
- Optional emergency door is available

Vault panel information



Model	Min-Max Length*	Min-Max Width	Thickness	Weight p/m ²
Orthrus	1950 - 3950 (wall) 2900 (ceiling)	150 - 1500	27	90kg

*without additional steel supports



Vault door information

Model	Clear Opening Height	Clear Opening Width	Thickness	Weight p/m ²
Standard Size	1960	910	160	900
Certified Range	1810 - 3950	510 - 1950	160	900
Emergency Door (in wall panels)	510	1068	160	450

Example Room Drawing



NEW
PRODUCT



Locking Options:



LPS 1175 Issue 8
Cert No. 1000K

Transporta Strongrooms

- Transportable high security container
- From the outside it looks like an ordinary container
- Ideal for the transportation of cash, weapons, explosives or sensitive confidential data
- Option to fit out the inside with internal walling, power, lighting and air conditioning
- Optional weapon racking and ammunition storage
- Optional GPS tracking can be added
- Optional side personnel door
- Double door access to maximise the opening space
- Ideal for events and exhibitions
- Ready made solution for fast deployment in an existing building
- SC10 and SC20 - tested and certified to SS3492 by SSF/SBSC
- SC800, SC3000 and SC6000 - tested and certified to EN1143-1 Grade 3 by SSF/SBSC



Model	External	Internal	Weight	Cash Rating
SC10	2440 x 2440 x 2980	2110 x 2110 x 2560	2040kg	£4,000
SC20	2440 x 2440 x 6170	2110 x 2110 x 5660	3800kg	£4,000
SC800	2140 x 1125 x 1490	1750 x 850 x 1250	1500kg	£35,000
SC3000	2430 x 2440 x 2990	2180 x 2165 x 2560	4000kg	£35,000
SC6000	2940 x 2560 x 6320	2240 x 2200 x 5660	9000kg	£35,000

Locking Options:



SINGLE KEY




DUAL LOCKING



Cerberus Vaults and Doors

- Independently tested and certified to EN1143-1 Grades 1 - 13
- Grades 6 - 13 have been tested and certified to EX, providing additional protection against explosives
- Grades 8 - 13 have been tested and certified to CD, providing special protection against core drills
- Designed to suit your size and security requirements
- Panels can be provided in lengths of up to 3600mm and can be fitted with cable and ventilation holes if required
- Mounting plates for seismic detectors can be added to your vault
- Steel cladding for the exterior is available on request
- Burton Safes offer a full consultation, design and building service. Upon completion the room is inspected and registered with VDS
- All Cerberus doors come with 2 locks as standard and a third can be ordered on request. The locks are located on the outside only
- Cerberus doors can be supplied with key, mechanical combination or electronic locks
- Electronic locks can offer redundant systems, dual user, time delay, time lock, duress alarms, audit trails, one time codes, remote programming and tiered access rights
- All doors can only open outwards and can open 180°
- An emergency door can be intergrated into the main vault door or installed as a seperate door*
- A day gate can be fitted to the main vault door on request and comes with a single key lock and a second key or electric strike
- Exit handles and hydraulic closers can be added on request

*Integrated door in door only available on Grades 1-3



Locking Options:



Vault Model	Grade (EN1143-1)	Wall Thickness	Weight p/m ²	Standard Door Aperture	Weight of Standard Door
Cerberus 1	1	27	100kg	1960 x 910	790kg
Cerberus 2	2	27	110kg	1960 x 910	795kg
Cerberus 3	3	70	210kg	1960 x 910	823kg
Cerberus 4	4	70	210kg	1960 x 910	900kg
Cerberus 5	5	70	210kg	1960 x 910	900kg
Cerberus 6	6	70	225kg	1960 x 910	900kg
Cerberus 8	8	125	390kg	1960 x 910	1410kg
Cerberus 10	10	195	600kg	1960 x 910	2000kg
Cerberus 12	12	250	900kg	1960 x 910	2805kg
Cerberus 13	13	415	1215kg	1960 x 920	4300kg



Shanghai Safe Deposit Boxes



Features


- A range of low cost safe deposit boxes
- Ideal for use in banks, safe deposit centres or hotels
- Stainless steel facia
- Dual key locking as standard
- 6 different door sizes
- 3 standard depths - 610/510/410
- Optional pull out shelves
- Metal inner box as standard with all sizes*
- Full design and consultancy provided by Burton Safes

•except SSDBB60

Box Size	Internal dimensions
SSDBB 60	42 x 120 x 540/440/340
SSDBB 42	65 x 120 x 540/440/340
SSDBB 24	115 x 120 x 540/440/340
SSDBB 21	65 x 250 x 540/440/340
SSDBB 12	115 x 250 x 540/440/340
SSDBB 6	250 x 250 x 540/440/340



THE SURE DEFENCE RANGE



Locking Options:



Vienna Safe Deposit Boxes

Features

- A range of high quality safe deposit boxes with high security locks and advanced software options
- Ideal for use in banks and safe deposit centres
- 6mm steel door
- Stainless steel facia
- Choice of dual key or key and electronic locking system
- Electronic system offers increased security through permanent monitoring of the door status. Unauthorised entry and tampering will trigger alarms
- Electronic system offers the option of a 'self service system'. Reducing running costs for banks and safe deposit centres
- Vienna Safe Service 6.0 offers the most advanced safe deposit management system on the market - control multiple centres, control day gates and interlocks, monitor box status, record client accesses, set up billing functions and run invoicing
- Key locking systems offer a choice of security levels and lock types to suit different budgets
- Plastic inner cassettes as standard with most box sizes
- Also available in different colour options below the stainless steel facia




Box Size Internal dimensions

1	48.5 x 265 x 413
2	98.5 x 265 x 413
3	148.5 x 265 x 413
4	198.5 x 265 x 413
5	248.5 x 265 x 413
9	448.5 x 265 x 413
10	498.5 x 265 x 413


9W	448.5 x 575 x 413
10W	498.5 x 575 x 413




Industry leading self-service software system option available



Locking Options:



Vaduz Safe Deposit Box System



State-of-the-art safe deposit system increasingly used by banks to reduce running costs and offer customers increased access to their deposit boxes. No staff are required for operation of the system and the vault always remains secure. Full design and consultancy is provided by Burton Safes, contact us for more information.



Tower dispense system

Features

- 24/7 Self service safe deposit system
- Solid steel lockers
- Lockers come in 4 sizes; 50-230mm (H) x 240mm (W) x 360mm (D)
- Vaults certified to EN 1143-1
- Dispense lockers through the wall at ground floor level or via a tower dispense system
- Space saving - two lockers can be stacked one behind the other
- Planning, design, installation and maintenance provided by Burton Safes
- Software for administration and control of safe deposit system
- Spare parts guarantee for 10 years

Locking Options:





PIN



BIOMETRIC

Example of Vaduz vault and safe deposit box construction



Zurich Safe Deposit System



Features

- Upgrades key locking safe deposit systems to a self service electronic operation
- Reduces staffing costs
- Increase security levels with permanent monitoring of the box status
- Alarms can be generated in the event of unauthorised access
- Simple and quick upgrade with minimal down time
- No need to open boxes to fit the system
- Wireless communication avoids damaging/disrupting the existing room
- Cheaper and less disruptive than changing your boxes to new electronic models

Locking Options:



Bespoke Security Solutions

Burton Safes can cater to any need.
We can provide you with any physical security solution you may need from bespoke commercial safes, interlocking pods, security doors and grilles.

Examples of what we can provide are:

- Intelligent key cabinets
- Data rooms
- Hostile vehicle mitigation
- Specialist access control and locking solutions

For bank and retail equipment:


- Cash trolleys
- Security vision windows with audio
- Night pay system
- ATM protection
- Pass through trays and audio units
- Window film

For secure enclosures we can provide high security interlocking pods for controlling the flow of people through space, Transporta (high security container) and Ares (mobile ballistic walling system).



Call us to discuss your unique needs!

Burton Higiene



Features

- Hands free dispenser
 - Manual operation - no power needed
 - Designed to adapt to mutiple bottle sizes*
 - 4mm thick steel non-slip base
 - Stainless steel foot pedal
 - Designed to be secured to a concrete floor
- Height 128 - 300mm Diameter 40mm - 108mm

Model	External	Weight
Higiene	200 x 420 x 370	11 kg

What we do...

Burton Safes specialises in the supply, distribution, installation and servicing of **Physical Security Solutions**.

Our Goals

- Be the best
- Generate sustainable growth
- Create a long term legacy
- Create a respected and desirable brand
- Generate profits for our shareholders and our staff

How we will achieve our goals

- Listen to our customers and to the wider market
- Deliver a first-rate customer service
- Focus on our product quality
- Deliver solutions not just products
- Seek niche and profitable markets
- Create a diverse and first rate supplier network
- Constantly assess and challenge our costs, our actions and our performance
- Create a stable financial foundation

Our Values

- Promote and support the use of independent product testing and certifications
- Promote good practice and industry standards
- Be honest, fair and respectful in our dealings with customers, suppliers and staff
- Help our local community and environment prosper
- Be proud of our Yorkshire heritage whilst maintaining an open, global outlook
- Create an enjoyable working environment for our staff, with a family atmosphere and ethos



Burton Safes will remain open for business as usual throughout national lockdown.

We have taken extra safety measures and can provide a COVID secure installation to ensure your safe is secured in your home. Visit our website to find out more.

www.burtonsafes.co.uk

**WE
ARE
OPEN**

Standards

EN14450 - This is a burglary attack test standard for safe cabinets. It largely covers smaller, home safes and cabinets for commercial applications. Safes are attacked using a set list of tools, and scores are given depending on the time taken to make hand holes and larger full size access holes

EN1143-1 - This is a burglary attack test standard for Safes, ATMs and strong rooms. It is the main standard used throughout Europe to assess the security level of safes and it is much more demanding than EN14450. Safes are attacked using a set list of tools, and scores are given depending on the time taken to make hand holes and larger full size access holes. There is a large range of security grades within the standard from 0-XIII. There are also optional tests to prove resistance against core drilling CD and explosives EX

EN1143-2 - This is a very similar standard to EN1143-1 but it is specifically designed for deposit safes and systems. In addition to the normal tests of EN1143-1 there are additional tests to assess the ability to fish items out of the deposit systems. If you are purchasing a certified deposit safe, make sure that it is certified to EN1143-2 and not EN1143-1

EN1047 - This is a very rigorous fire test for safes and data rooms. Safes and subjected to very high external temperatures inside a furnace of approximately 900°C. Internal temperatures are closely monitored with numerous thermo-couples. There are three levels of protection given:

- P - Paper documents that will lose data above 170°C
- D - Computer media that will lose data above 70°C and humidity above 85%
- DIS - Computer media that will lose data above 50°C and 85% humidity.

This particularly tough standard also includes a drop test to simulate a safe falling through a collapsed floor, and a soak out period, where the safe must naturally cool down as it would in a real life situation

EN15659 - This is a similar standard to EN1047 but it does not include the drop test or the soak out period. It is therefore not quite as rigorous. It also only covers protection for paper, not computer data

NT FIRE 017 - A Nordic fire safe standard. Similar to, but not quite as rigorous as EN15659



EN1300 - This is a standard for safe locks. The locks are subjected to various durability and manipulation tests and given one of four grades from A - D. All safes and strongrooms certified to EN14450 and EN1143-1/2 must have a certified lock that reflects the grade of the safe

- EN14450 and EN1143-1/2 Grade 0-II must have 1 lock certified to Class A
- EN1143-1/2 Grade III must have 1 lock certified to Class B
- EN1143-1/2 Grade IV and V must have 2 locks certified to Class B
- EN1143-1/2 Grade VI to X must have 2 locks certified to Class C
- Strongrooms certified to EN1143-1 Grade XI and XII must have 3 locks certified to Class C or 2 locks certified to Class D
- Strongrooms certified to EN1143-1 Grade XIII must have 2 locks certified to Class D

Sold Secure - A burglary attack test covering various products including home safes, cabinets, key safes, gun safes and gun cabinets. They have three ratings of Gold, Silver and Bronze

LPS1175 - This is a British burglary attack test standard, designed and run by LPCB. It covers a number of different physical security products, including doors, windows, grilles, fences, walling systems, key safes and safes. It has 8 Grades from SR1 - SR8

LPS1175 (Issue 8) - From 2019 LPCB designed a new issue of the LPS certification. Requirements for testing and how products are graded has changed from previous issues of the certification. The tool kit used for the test is identified by a letter A-H and the test time in minutes is identified by the number. For example our Keyguard XL is certified to Issue 8 A3, meaning the product can withstand an attack from tool kit A for 3 minutes

EN1627 - This is a European burglary attack test standard for security doors. There are 6 security levels from RC1 - RC6

EN1063 - This is a bullet resistance test for glass. There are 7 levels from BR1 - BR7

EN1522 - This is a bullet resistance test for doors and systems. There are 7 levels from FB1 - FB7. All parts of the door are tested, including door furniture, frames and joints

BS7558 - This is a British standard for gun cabinets. The required threshold to pass this test is lower than EN14450 or EN1143-1



Test and Certification Bodies

ECBS - A world renowned German accreditation body, certifying safes, strongrooms, ATMs and security doors. They are accredited to ISO-IEC 17065

ICIM - This is an Italian certification body

LPCB - This is the Physical Security test and certification arm of BRE. BRE is a much larger, British testing and certification body with a global reputation.

SBSC - This is a Swedish certification body.

Secured by Design - This is a UK Police run initiative offering certification to multiple security products and also wider schemes

Sold Secure - This is a British test and certification body, owned and run by the Master Locksmiths Association

VDS - Leading German testing and certification facility

Trade Organisations

AiS - The Association of Insurance Surveyors is a UK body of risk control and reduction experts, who work within the insurance market

ESSA - This is a global trade organisation for Safe, Strongroom, ATM and Security Door manufacturers and distributors

BRITISH SAFE AND VAULT TRADE ASSOCIATION - BSVTA is the UK trade body for the safe industry. They promote good standards, certification and ethical practices

Eurosafe - This is the European parent organisation of BSVTA

MLA - Master Locksmiths Association is the main trade body in the UK for locksmiths

Secured by Design - This is a Police accreditation scheme for security product manufacturers and distributors

NAEP - Founded in 1997, organisation championing the appropriate care equipment in the community



...because we are the sure defence



This brochure is made from recycled materials 



www.burtonsafes.co.uk | +44 (0) 1484 663388 | enquiries@burtonsafes.co.uk
Brockholes Business Park, Rock Mill Road, Holmfirth, HD9 7BN

