



**BURTON
SAFES**

THE SURE DEFENCE



Physical Security Solutions

Product Guide

ISSUE 3 | 2021

About Us	3	Retail Safes	61
Warranty & Lock Standards	4	Till Safe	62
Safe Standards	5	Teller Deposit	62
Test and Trade Organisations	6	Cashguard	63
Safe Optional Extras	8	Eurovault Aver Deposit Grade 1	63
Jewellery Accessories	10	High Security Deposit Safe Grade 2	64
		High Security Deposit Safe Grade 3	64
Home Safes	13	Safe Locks	66
Primo Home	14	Kaba Axessor USB Insys flex ID	68
Torino Eurokey	14	Safe Lock Terminology	69
Torino S2	15		
Eurovault Aver S2	16	Luxury & Design Safes	71
Ignis S2	17	Lusso	72
Burton Home Safe Grade 0	18	Brixia	74
Amario Grade 3	19	Eurovault LX The Luxury Range	76
High Security Safes	21	Engineer and Locksmith Service	78
Eurovault Aver Grades 0 - 5	22		
Eurovault Atlas Grades 6 - 7	28	Delivery & Installation Services	79
Wall & Underfloor Safes	31		
DK Wall	32		
Unica Wall	32		
Sotto	33		
Oculto	33		
Fire Safes	35	THE SURE DEFENCE	81
Firesec 4/60	36		
Firesec 10/60	37		
Firebrand	37		
Firebrand XL	38		
Fire Resistant Filing Cabinets	38		
Data Safe	39		
Gun Safes & Cabinets	41	The Sure Defence Standards	82
Pioneer Gun Cabinet	42	Case Study	84
Warden LFS Gun Safe	43		
Gamekeeper Gold	44	Embassy Modular Security Rooms	86
Hotel Safes	47	Talos Walling	88
Hotel Standard	48	Avertic Armour	89
Hotel Primo	48	Janus Security Doors	90
Hotel Drawer	49	Kronos Security Doors	92
Hotel Pop Up	49	Ajax Grilles & Cages	94
		Typhon Bar Sets	94
Key Safes & Cabinets	51	Transporta Strongrooms	95
Keyguard Combi	52	Orthrus Strongrooms	96
Keyguard Digital	52	Cerberus Vaults and Doors	98
Keyguard Digital XL	53		
Heavy Duty Key Cabinets	54	Associated Security Products	100
KG Keyguard Key Safes	54	Security Window Counters, Interlocks,	
KMS Intelligent Key Cabinets	55	Cash Trolleys and Hand Sanitiser	
Garage & Door Security	57	Shanghai Safe Deposit Boxes	102
Garage Guard	58	Vienna Safe Deposit Boxes	104
Hasp Guard	58	Vaduz Safe Deposit Box System	106
Shutter Guard	59	Zurich Safe Deposit System	108
Force Guard	59	Bespoke Security Solutions	111
Disc Padlock	59		

IF IT MATTERS TO YOU, SECURE IT WITH US...


Burton Safes is extremely proud of how far we have come as a business. Our founder Norman Berry started selling a few safes from his garage in Kirkburton in 1990 to churches and the Locksmith trade.

30 years later we are now the UK's leading safe and vault provider and security company providing a large selection of physical security solutions to the trade, commercial and banking customers across the UK and around the world.

Burton Safes core principle is to ensure products are tested to the highest standards. We are proud to have tested products to LPCB standards and feature in RedBookLive.

Our SURE DEFENCE team are qualified in security design and consultancy. Dedicated account and project managers ensure an unrivalled customer experience.

We have created world-class and award-winning security products and services that keep you safe now and into the future.



WARRANTY Up to 5 Years

All our safes come with a 2 year warranty as standard. Consumers can Register on-line to increase the warranty to 5 years where products show the 5 Year Consumer Warranty badge. Security Safes displaying the Home series Safe For Longer free replacement badge benefit from the 5 year warranty and a free replacement in the event of burglary. Fire and security safes displaying the Home Series Safe For Longer badge benefit from the 5 year warranty and a free replacement in the event of burglary or a fire.



5 Year consumer warranty badge



Free replacement in the event of burglary badge



Free replacement in the event of burglary or fire badge

Please register online to qualify for the additional warranty at www.burtonsafes.co.uk
Terms and conditions apply

SAFE LOCK Standards

EN1300 - This is a standard for safe locks. The locks are subjected to various durability and manipulation tests and given one of four grades from A - D.


All safes and strongrooms certified to EN14450 and EN1143-1/2 must have a certified lock that reflects the grade of the safe

- **EN14450** and EN1143-1/2 Grade 0-II must have 1 lock certified to Class A
- **EN1143-1/2** Grade III must have 1 lock certified to Class B
- **EN1143-1/2** Grade IV and V must have 2 locks certified to Class B
- **EN1143-1/2** Grade VI to X must have 2 locks certified to Class C



SAFE Standards

Every safe and vault which is certified to EN 14450, EN 1143-1 & EN 1143-2 should have a certification plate on the back of the door. This gives you important information about the product and its security rating.



EN14450 - This is a burglary attack test standard for safe cabinets. It largely covers smaller, home safes and cabinets for commercial applications. Safes are attacked using a set list of tools, and scores are given depending on the time taken to make hand holes and larger full size access holes

EN1143-1 - This is a burglary attack test standard for Safes, ATMs and strong rooms. It is the main standard used throughout Europe to assess the security level of safes and it is much more demanding than EN14450. Safes are attacked using a set list of tools, and scores are given depending on the time taken to make hand holes and larger full size access holes. There is a large range of security grades within the standard from 0-XIII. There are also optional tests to prove resistance against core drilling CD and explosives EX

EN1143-2 - This is a very similar standard to EN1143-1 but it is specifically designed for deposit safes and systems. In addition to the normal tests of EN1143-1 there are additional tests to assess the ability to fish items out of the deposit systems. If you are purchasing a certified deposit safe, make sure that it is certified to EN1143-2 and not EN1143-1

Safe Fire Standards

EN1047 - This is a very rigorous fire test for safes and data rooms. Safes are subjected to very high external temperatures inside a furnace of approximately 900 °C. Internal temperatures are closely monitored with numerous thermo-couples. There are three levels of protection given:

- P** - Paper documents that will lose data above 170 °C
- D** - Computer media that will lose data above 70 °C and humidity above 85%
- DIS** - Computer media that will lose data above 50 °C and 85% humidity

This particularly tough standard also includes a drop test to simulate a safe falling through a collapsed floor, and a soak out period, where the safe must naturally cool down as it would in a real life situation

EN15659 - This is a similar standard to EN1047 but it does not include the drop test or the soak out period. It is therefore not quite as rigorous. It also only covers protection for paper, not computer data

NT FIRE 017 - A Nordic fire safe standard. Similar to, but not quite as rigorous as EN15659



Gun Cabinet Standards

Sold Secure - A burglary attack test covering various products including home safes, cabinets, key safes, gun safes and gun cabinets. They have three ratings of Gold, Silver and Bronze

BS7558 - This is a British standard for gun cabinets. The required threshold to pass this test is lower than EN14450 or EN1143-1

Test and Certification Bodies

ECBS

A world renowned German certification body, certifying safes, strongrooms, ATMs and security doors. They are accredited to ISO-IEC 17065.



ICIM

This is an Italian certification body.



LPCB

This is the Physical Security test and certification arm of BRE. BRE is a much larger, British testing and certification body with a global reputation.



SBSC

This is a Swedish certification body.



Secured by Design

This is a UK Police run initiative offering certification to multiple security products and also wider schemes.



Sold Secure

This is a British test and certification body, owned and run by the Master Locksmiths Association.



VDS

Leading German testing and certification facility.



Trade Organisations

AiS

The Association of Insurance Surveyors is a UK body of risk control and reduction experts, who work within the insurance market.



ESSA

This is a global trade organisation for Safe, Strongroom, ATM and Security Door manufacturers and distributors.



BRITISH SAFE AND VAULT TRADE ASSOCIATION - BSVTA

is the UK trade body for the safe industry. They promote good standards, certification and ethical practices.



Eurosafe

This is the European parent organisation of BSVTA.



MLA

Master Locksmiths Association is the main trade body in the UK for locksmiths.



Secured by Design

This is a Police accreditation scheme for security product manufacturers and distributors.



NAEP

Founded in 1997, organisation championing the appropriate care equipment in the community.



FSQS

Community of financial institutions including banks, building societies, insurance companies and investment services that form a buying group.



Product		Rating	Certification
HOME SAFES			
Primo Home	n/a	n/a	n/a
Torino Eurokey	n/a	Recommended £3,000 Cash Rating	n/a
Torino S2	EN14450	S2	ICIM
Eurovault Aver S2	EN14450	S2	ECBS
Ignis S2	EN14450 & NT FIRE 017	S2 & 60P	ECBS & RISE
Burton Home Safe Grade 0	EN1143-1 & EN15659	Grade 0 & LFS 30P	ECBS
Amario Grade 3	EN1143-1	Grade 3	ECBS
HIGH SECURITY SAFES			
Eurovault Aver Grade 0	EN1143-1 & EN15659	Grade 0 & LFS 30P	ECBS
Eurovault Aver Grade 1	EN1143-1 & EN15659	Grade 1 & LFS 30P	ECBS
Eurovault Aver Grade 2	EN1143-1 & EN15659	Grade 2 & LFS 30P	ECBS
Eurovault Aver Grade 3	EN1143-1 & EN15659	Grade 3 & LFS 30P	ECBS
Eurovault Aver Grade 4	EN1143-1 & EN15659	Grade 4 & LFS 30P	ECBS
Eurovault Aver Grade 5	EN1143-1 & EN15659	Grade 5 & LFS 30P	ECBS
Eurovault Atlas Grade 6	EN1143-1	Grade 6	SBSC
Eurovault Atlas Grade 7	EN1143-1	Grade 7	SBSC
WALL & FLOOR SAFES			
DK Wall Safe	EN14450	S2	ICIM
Unica Wall Safe	EN14450	Grade 0	ICIM
Sotto	EN14450	S2	ICIM
Oculto	n/a	Recommended £17,500 Cash Rating	n/a
FIRE SAFES			
Firesec 4/60	EN1143-1 & EN15659	S2 & LFS 60P	ECBS
Firesec 10/60	EN1143-1 & EN15659	Grade 1 & LFS 60P	ECBS
Firebrand	EN15659	LFS 60P	ECBS
Firebrand XL	EN15659	LFS 60P	ECBS
Fire Resistant Filing Cabinets	EN15659	LFS 60P	ECBS
Data Safe	NT FIRE 017	60 DIS, 90 DIS & 120 DIS	RISE
GUN SAFES & CABINETS			
Pioneer Gun Cabinet	SS302:2020	Bronze	Sold Secure
Warden LFS Gun Safe	SS302:2020	Silver	Sold Secure
Gamekeeper Gold	SS302:2020	Gold	Sold Secure
HOTEL SAFES			
Hotel Standard	n/a	n/a	n/a
Hotel Primo	n/a	n/a	n/a
Hotel Drawer	n/a	n/a	n/a
Hotel Pop Up	n/a	n/a	n/a
KEY SAFES & CABINETS			
Keyguard Combi	n/a	n/a	n/a
Keyguard Digital	n/a	n/a	n/a
Keyguard Digital XL	LPS1175	Issue 8 A3	LPCB
KG Keyguard Key Safes	n/a	n/a	n/a
Heavy Duty Key Cabinets	n/a	n/a	n/a
KMS Intelligent Key Cabinets	n/a	n/a	n/a
GARAGE SECURITY			
Garage Guard	Domestic Security	Silver	Sold Secure
Hasp Guard	n/a	n/a	n/a
Shutter Guard	n/a	n/a	n/a
Force Guard	n/a	n/a	n/a
RETAIL SAFES			
Till Safe S2	EN14550 & EN1143-1	S2	ECBS
Till Safe Grade 1	EN1143-1 & EN15659	Grade 1 & LFS 30P	ECBS
Teller Deposit	n/a	Recommended £1,000 - £3,000 Cash Rating	n/a
Cashguard Vehicle	n/a	n/a	n/a
Eurovault Aver Deposit Grade 1	EN1143-2	Grade 1	ECBS
High Security Deposit Grade 2	EN1143-2	Grade 2	SBSC
High Security Deposit Grade 3	EN1143-2	Grade 3	SBSC
LUXURY & DESIGN SAFES			
Lusso	EN1143-1 & EN15659	Grade 2 to Grade 3 & LFS30P	ECBS
Brixia	EN1143-1	Grade 1 & Grade 3	ECBS
Eurovault LX	EN1143-1 & EN15659	Grade 1 to Grade 5 & LFS30P	ECBS
Eurovault LX	EN1143-1	Grade 6 & Grade 7	SBSC

SAFE OPTIONAL EXTRAS

Internal Light

- Enables you to see your belongings, even when your safe is in a dark cupboard
- Belongings can be displayed as well as protected
- Uses magnets to attach to the safe interior, no installation required
- Batteries included



Shelves

Additional, replacement and reinforced shelves holding up to 50kg. We have a wide range to suit our products and your needs.



Left Hand Hinge

Where available Burton Safes can provide your safe with a left-hand hinge.




Fixing

We have a range of fixing kits available to install your safe:

- **Concrete**
- **Wood**
- **Chemical**
- **Adhesive**
- **Plinths**
- **Underfloor**

Colour Options

Available on nearly all of our range - we can offer a choice of paint colours on most of our safe models. Choose from our 4 most popular colours or supply your own RAL colour for the exterior of the safe.



Safe Deposit Options

Add deposit features to your safe!

- Internal coffer
- Deposit slots
- Preparation for air tubes



Safe Limpets

- Piezo vibration detector
- Integral analyser
- Thermal and proximity sensor
- Magnetic interference and supply failure detection
- Connects to your building alarm system
- Prevents operation of your safe whilst the alarm is activated



Signal Blocker

The sure defence for contactless cards, keyless vehicle keys and distracted driving.

- Police Preferred Specification
- Fits all key fobs, smart cards and phones
- Blocks all signals from cards, key fobs and phones
- Blocks GPS tracking
- Expertly tested to a 99% success rate
- Double stitched reinforced seams
- Spare pouch



Seismic Sensor

- Detects specific vibrations from unauthorised attempts to penetrate the safe
 - Fast reacting alarm system
- Has optimum sensitivity, detecting unauthorised access and preventing false alarms
 - Suitable for noisy environments



We can also provide door contacts and opening counters



JEWELLERY ACCESSORIES

Stackers™ and Watch Winders

The essential way to store and secure your most precious possessions.



Ensure your valuables are maintained in the best condition by keeping your jewellery in the velvet lined compartments.



We have a range of sizes and layouts to accommodate all jewellery and trinkets.

Call the office for information on which models can fit into each safe. +44 (0) 1484 663388

Model	Layout	Sizes
Option 1	Multi-jewellery compartments	35 x 305-475* x 260
Option 2	3 Watch/bracelet compartments	60 x 250 x 180
Option 3	5 Necklace compartments	37 x 250 x 180
Option 4	Ring rolls and bracelet compartments	35 x 250 x 180
Option 5	6 Watch compartments	85 x 250 x 180
Option 6	Multi-jewellery compartments	145 x 135 x 115

* Option 2 can be extended. 305mm is the width when closed, 475mm is the width when the lower trays are opened.





Home Safes

Our Home Series are the perfect security furnishing for any residence. With products ranging from £10k jewellery rating to £350k jewellery rating there is something for every need. All safes from £40k valuables rating are certified by internationally recognised test houses and are validated in the UK by the **Association of Insurance Surveyors**, providing peace of mind when storing those treasured possessions.

*Safe for Longer - The Burton home series provides consumers with a 5 year warranty and a FREE REPLACEMENT if the safe is damaged in the event of a burglary.**

**See the warranty section of our website for full terms and conditions*

*For those prized possessions
Burton Safes are The Sure Defence®*





Size 2

Primo Home Safe



Cash Rating
£1,000



Jewellery Rating
£10,000

- Backlit keypad and interior carpet
- Anti-bump, motorised locking
- 3-6 digit code
- Emergency override key
- Battery level indicator with low consumption motor
- Back and base fixing

Locking Options

Pin



Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	200 x 300 x 200	195 x 295 x 150	7kg	8L	-
Size 2	250 x 350 x 250	225 x 345 x 200	11kg	15L	1
Size 3	500 x 355 x 330	495 x 350 x 275	24kg	47L	2

Add 20mm to external depth for keypad



Torino Eurokey



Cash Rating
£3,000



Jewellery Rating
£30,000

- Locking via patented euro-profile cylinder
- Keys are easier to carry than traditional safe keys
- Have one key to operate your safe, your front door and your office
- Add your own euro-cylinder if preferred
- Removable shelf
- Back and base fixing

Locking Options

Single Key



Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	280 x 400 x 350	260 x 390 x 295	37kg	30L	1
Size 2	350 x 470 x 350	330 x 460 x 295	44kg	45L	1



Size 4

Torino S2



Cash Rating
£4,000



Jewellery Rating
£40,000

- Independently attack tested and certified to EN14450 S2 by ICIM*
- Insurance approved by the AiS
- The best build quality and security level in its class
- Smart metallic black paint finish
- Flush fitting door and keypad make this safe ideal for use in bedroom cupboards
- Electronic locking options including flush keypad, emergency override key and external battery power point in case of lock out
- Removable shelf
- Back and base fixing

Locking Options



Single Key



Pin



Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	220 x 350 x 300	200 x 340 x 245	26kg	16L	1
Size 2	280 x 400 x 350	260 x 390 x 295	37kg	30L	1
Size 3	350 x 470 x 350	330 x 460 x 295	44kg	45L	1
Size 4	490 x 430 x 400	470 x 420 x 345	62kg	68L	1

*Size 1 not certified





Size 3

Eurovault Aver S2

 **Cash Rating**
£4,000

 **Jewellery Rating**
£40,000

- Independently tested and certified to EN14450 S2 by ECBS
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- Ideal home, office, or change safe
- Option of key or electronic locking in all sizes
- Electronic lock features 1 master code and 9 user codes with dual user and time delay functions
- Removable shelf in sizes 1-3, height adjustable shelving in sizes 4-6
- Back and base fixing
- We also have an S2 Till safe featured on page 62



Locking Options

 Single Key  Pin

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	300 x 350 x 300	220 x 270 x 195	19kg	11L	1
Size 2	300 x 445 x 400	220 x 365 x 295	24kg	23L	1
Size 3	450 x 445 x 400	370 x 365 x 295	31kg	39L	1
Size 4	600 x 445 x 400	520 x 365 x 295	38kg	56L	2
Size 5	800 x 445 x 400	720 x 365 x 295	48kg	77L	2
Size 6	1000 x 445 x 400	920 x 365 x 295	58kg	99L	2


Add 12mm to external depth for keypad



Ignis S2

 **Cash Rating**
£4,000

 **Jewellery Rating**
£40,000

 **Fire Rating 60 minute**
Fire protection for paper

- Independently tested and certified to EN14450 S2 by ECBS and NT FIRE 017 - 60P by RISE
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- Small and sleek design to fit into domestic wardrobes and cupboards
- Size 0 has a key lock while sizes 1-3 have an electronic lock
- Electronic lock features 1 master code and 9 user codes. It also features dual user and time delay
- Safe comes with internal tray, passport holder and key hooks, a light and an internal carpet
- Base fixing



Locking Options

 Single Key  Pin

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 0	290 x 405 x 355	190 x 305 x 222	36kg	12L	Tray
Size 1	315 x 430 x 430	205 x 330 x 295	43kg	20L	Tray
Size 2	360 x 480 x 430	250 x 380 x 295	52kg	28L	Tray
Size 3	490 x 430 x 430	380 x 330 x 295	58kg	37L	1+Tray

Add 20mm to external depth for hinges



Burton Home Safe Grade 0



Cash Rating
£6,000



Jewellery Rating
£60,000



Fire Rating 30 minute
Fire protection for paper



- Independently attack tested and certified to EN1143-1 Grade 0 and EN15659 LFS 30P by ECBS
- Insurance approved by the AiS
- Built to a Police Preferred Specification
 - Secured by Design
- 30 minutes fire protection for paper
- High security electronic PIN code lock
- Electronic lock features 1 master code and 9 user codes with dual user and time delay functions
- Fixed shelving in size 1 & 2, height adjustable shelving in size 3
- Back and base fixing

Locking Options

0000 Pin



Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	300 x 400 x 300	215 x 320 x 165	65kg	11L	1
Size 2	300 x 450 x 400	215 x 370 x 265	87kg	21L	1
Size 3	450 x 450 x 400	365 x 370 x 260	118kg	34L	1

Add 12mm to external depth for keypad



Amario Grade 3



Cash Rating
£35,000



Jewellery Rating
£350,000



- Independently tested and certified to EN1143-1 Grade 3 by ECBS
- Insurance approved by the AiS
- Built to a Police Preferred Specification
 - Secured by Design
- Small and sleek design to fit into domestic wardrobes and cupboards
- Options of high security key or electronic lock
- Lock features LED light for use in dark rooms
- Option of left hand hinge - additional lead times and costs apply
- Dual locking available on Size 2
- Back and base fixing

Locking Options



Single Key



Dual Locking

0000 Pin



Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	350 x 440 x 350	250 x 340 x 180	130kg	18L	1
Size 2	500 x 450 x 450	400 x 350 x 295	210kg	41L	2

Add 55mm to external depth for handle





High Security Safes

From £100k jewellery rating to Europe's Highest security safe providing £2.5M jewellery rating; all of our high security products are independently tested and certified by internationally recognised test houses and validated by the Association of Insurance Surveyors.

At Burton Safes we work on some of the world's most secure sites. That experience filters into our products and the benefits reach you. Our range contains models with features such as double walled steel products with ultra-high performance concrete, certified fire protection, relocking devices, glass plates, and special drill protective elements for the lock and bolt work.

We deliver key and electronic locking solutions, including the use of the latest biometric technology.

Our locking solutions include features such as alarm and CCTV integration, dual user entry, time delays and windows, duress codes, temporary and one user time codes to name a few. We also have a wide range of optional extras to provide for every eventuality, whether that be jewellery inserts or additional shelves.



Eurovault Aver Grade 0



Cash Rating
£6,000



Jewellery Rating
£60,000



Fire Rating 30 minute
Fire protection for paper



- Independently tested and certified to EN1143-1 Grade 0 and EN15659 LFS30P by ECBS
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- Suitable for storage of controlled drugs with active ingredients exceeding 500g
- Option of left hand hinge - additional lead times and costs apply
- Height adjustable shelving
- Base fixing

Locking Options



Single Key



Pin

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	460 x 440 x 430	382 x 364 x 300	119kg	42L	1
Size 2	655 x 440 x 430	574 x 364 x 300	155kg	63L	1
Size 3	900 x 440 x 430	822 x 364 x 300	205kg	90L	2

Add 55mm to external depth for handle



Eurovault Aver Grade 1



Cash Rating
£10,000



Jewellery Rating
£100,000



Fire Rating 30 minute
Fire protection for paper



- Independently tested and certified to EN1143-1 Grade 1 and EN15659 LFS30P by ECBS
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- Suitable for storage of controlled drugs with active ingredients exceeding 500g
- Option of left hand hinge - additional lead times and costs apply
- Height adjustable shelving
- Base fixing
- We also have a Grade 1 Deposit Safe featured on page 63

Locking Options



Single Key



Pin

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	340 x 500 x 345	262 x 424 x 216	93kg	24L	1
Size 2	460 x 440 x 430	382 x 364 x 300	119kg	42L	1
Size 3	655 x 440 x 430	574 x 364 x 300	155kg	63L	1
Size 4	900 x 440 x 430	822 x 364 x 300	205kg	90L	2
Size 5	840 x 650 x 550	782 x 574 x 420	289kg	189L	2

Add 55mm to external depth for handle



Eurovault Aver Grade 2



Cash Rating
£17,500



Jewellery Rating
£175,000



Fire Rating 30 minute
Fire protection for paper



- Independently tested and certified to EN1143-1 Grade 2 and EN15659 LFS 30P by ECBS
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- Suitable for storage of controlled drugs with active ingredients exceeding 500g
- Choose from high security key or electronic locking
- Option of dual locking - not sizes 0 & 1
- Option of left hand hinge - additional lead time and costs apply
- Cable hole for alarm connection
- Height adjustable shelving
- Back and base fixing
- We also have a Grade 2 Deposit Safe featured on page 64

Locking Options

Any lock alterations must conform to EN1300 Class A.



Single Key



Dual Locking



Pin



Biometric



Dial

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 0	460 x 470 x 470	345 x 355 x 320	180kg	39L	1
Size 1	500 x 510 x 510	385 x 395 x 360	211kg	55L	1
Size 2	670 x 510 x 510	555 x 395 x 360	262kg	79L	1
Size 3	610 x 680 x 510	495 x 565 x 360	297kg	100L	1
Size 4	810 x 680 x 510	695 x 565 x 360	368kg	141L	2
Size 5	1010 x 680 x 510	895 x 565 x 360	439kg	182L	2
Size 6	1320 x 680 x 510	1205 x 565 x 360	552kg	244L	3
Size 7	1510 x 850 x 600	1375 x 715 x 440	863kg	431L	3

Add 55mm to external depth for handle



Eurovault Aver Grade 3



Cash Rating
£35,000



Jewellery Rating
£350,000



Fire Rating 30 minute
Fire protection for paper



- Independently tested and certified to EN1143-1 Grade 3 and EN15659 LFS 30P by ECBS
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- Suitable for storage of controlled drugs with active ingredients exceeding 500g
- Choose from high security key or electronic locking
- Option of dual locking - not sizes 0 & 1
- Option of left hand hinge - additional lead time and costs apply
- Cable hole for alarm connection
- Height adjustable shelving
- Back and base fixing
- We also have a Grade 3 Deposit Safe featured on page 64

Locking Options

Any lock alterations must conform to EN1300 Class B.



Single Key



Dual Locking



Pin



Biometric



Dial

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 0	500 x 510 x 510	385 x 395 x 330	229kg	50L	1
Size 1	670 x 510 x 510	555 x 395 x 330	281kg	72L	1
Size 2	990 x 510 x 510	875 x 395 x 330	387kg	113L	2
Size 3	1320 x 680 x 510	1205 x 565 x 330	591kg	223L	2
Size 4	1320 x 850 x 510	1185 x 715 x 315	757kg	268L	3
Size 5	1660 x 680 x 510	1525 x 545 x 315	789kg	263L	3
Size 6	1660 x 850 x 510	1525 x 715 x 315	920kg	345L	3

Add 55mm to external depth for handle



Eurovault Aver Grade 4

**Cash Rating**
£60,000

**Jewellery Rating**
£600,000

**Fire Rating 30 minute**
Fire protection for paper



- Independently tested and certified to EN1143-1 Grade 4 and EN15659 LFS 30P by ECBS
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- Dual locking as standard - combination of key and/or electronic as required
- Kaba Connect with lock mount fitted as standard on dual electronic models
- Burton Safes recommends Kaba Connect is used with mains power
- Alternative electronic locks available upon request
- Network or one time code lock options available
- Cable hole for alarm connection
- Option of left hand hinge - additional lead time and costs apply
- Height adjustable shelving
- Back and base fixing

Locking Options

Any lock alterations must conform to EN1300 Class B.



Dual Locking



Pin



Biometric



Dial


Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	550 x 550 x 530	435 x 435 x 335	297kg	64L	1
Size 2	670 x 550 x 530	555 x 435 x 335	348kg	81L	1
Size 3	840 x 550 x 530	725 x 435 x 335	420kg	106L	1
Size 4	1010 x 550 x 530	895 x 435 x 335	484kg	131L	2
Size 5	1510 x 680 x 560	1425 x 545 x 355	905kg	276L	3

* Add 55mm to external depth for handle. Kaba Connect lock with mount protrudes 90mm.



Eurovault Aver Grade 5

**Cash Rating**
£100,000

**Jewellery Rating**
£1,000,000

**Fire Rating 30 minute**
Fire protection for paper



- Independently tested and certified to EN1143-1 Grade 5 and EN15659 LFS 30P by ECBS
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- Dual locking as standard - combination of key and/or electronic as required
- Kaba Connect with lock mount fitted as standard on dual electronic models
- Burton Safes recommends Kaba Connect is used with mains power
- Alternative electronic locks available upon request
- Network or one time code lock options available
- Cable hole for alarm connection
- Option of left hand hinge - additional lead time and costs apply
- Height adjustable shelving
- Back and base fixing

Locking Options

Any lock alterations must conform to EN1300 Class B.



Dual Locking



Pin



Biometric



Dial

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	680 x 680 x 630	540 x 540 x 380	675kg	111L	1
Size 2	840 x 680 x 680	700 x 540 x 430	836kg	163L	1
Size 3	1010 x 680 x 680	870 x 540 x 430	975kg	203L	2
Size 4	1510 x 680 x 680	1370 x 540 x 430	1391kg	320L	3

* Add 55mm to external depth for handle. Kaba Connect lock with mount protrudes 90mm.





Eurovault Atlas Grade 6



Cash Rating
£150,000



Jewellery Rating
£1,500,000




- Independently tested and certified to EN1143-1 Grade 6 by SBSC
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- Dual locking as standard - combination of key and/or electronic as required
- Option of left hand hinge - additional lead time and costs apply
- Height adjustable shelving
- Base fixing

Locking Options

Any lock alterations must conform to EN1300 Class C.



Dual Locking



Pin



Biometric



Dial

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	1080 x 690 x 660	900 x 500 x 400	1162kg	180L	2
Size 2	1380 x 690 x 660	1200 x 500 x 400	1390kg	240L	2
Size 3	1680 x 690 x 660	1500 x 500 x 400	1610kg	300L	4

Add 25mm to external width for hinges, Add 55mm to external depth for handle and electronic lock options



Eurovault Atlas Grade 7



Cash Rating
£250,000



Jewellery Rating
£2,500,000



- The highest security rated safe available in Europe
- Independently tested and certified to EN1143-1 Grade 7 by SBSC
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- Dual locking as standard - combination of key and/or electronic as required
- Option of left hand hinge - additional lead time and costs apply
- Height adjustable shelving
- Base fixing

Locking Options

Any lock alterations must conform to EN1300 Class C.



Dual Locking



Pin



Biometric



Dial

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	1150 x 760 x 730	900 x 500 x 400	1650kg	180L	2
Size 2	1450 x 760 x 730	1200 x 500 x 400	1950kg	240L	2
Size 3	1750 x 760 x 730	1500 x 500 x 400	2350kg	300L	4

Add 25mm to external width for hinges, Add 55mm to external depth for handle and electronic lock options



Wall & Underfloor Safes

Our range of Wall and Underfloor safes provide a concealed option to protecting cash, documents and valuables. From deterring thieves and satisfying insurance requirements, to providing protection from flood damage.

Installing a Wall or Underfloor safe can help where space is a premium or where security and peace of mind of a hidden safe is desired.

Our wall safes are ideal for operating at head level and keeping away from ground level should flooding be a risk. With a £4k cash, £40k valuables and £6k cash and £60k valuables options we should have you covered.

The Sotto underfloor safe is unique by providing an adjustable telescopic depth adjustment, stylish dust cover lid and recommended £4k cash and £40k valuables cover.

The Oculito underfloor safe is supplied with a high quality water-tight lid, steel mesh neck with a recommended £17.5k cash and £175k valuables cover.





DK Wall Safe

 **Cash Rating**
£4,000

 **Jewellery Rating**
£40,000

- Independently tested and certified to EN14450 S2 by ICIM - not size 1 & 2
- Insurance approved by the AiS
- Easily concealed wall safe with flush facia
- Designed to be set in reinforced concrete
- Option of high security key or electronic locking
- The electronic lock includes an emergency over ride key and external battery power point in case of lock out

Locking Options

 Single Key  Pin



Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	210 x 270 x 150	185 x 245 x 100	10kg	5L	-
Size 2	210 x 340 x 150	185 x 315 x 100	13kg	6L	1
Size 3	270 x 390 x 200	245 x 365 x 150	20kg	13L	1
Size 4	340 x 460 x 200	315 x 435 x 150	26kg	21L	1





Unica Wall Safe

 **Cash Rating**
£6,000

 **Jewellery Rating**
£60,000

- Independently tested and certified to EN1143-1 Grade 0 by ICIM
- Insurance approved by the AiS
- High security wall safe with flush facia
- Designed to be set in reinforced concrete
- Option of key or electronic locking
- The electronic lock includes an emergency over ride key and external battery power point in case of lock out
- Removable shelf

Locking Options

 Single Key  Pin



Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	270 x 390 x 200	245 x 365 x 120	21kg	11L	1
Size 2	340 x 460 x 240	315 x 435 x 160	30kg	22L	1
Size 3	480 x 420 x 280	455 x 395 x 200	42kg	36L	1



Burton Sotto

 **Cash Rating**
£4,000

 **Jewellery Rating**
£40,000

- Independently tested and certified to EN14450 S2 by ICIM
- Door opening assisted by gas spring
- Unique adjustable height from 210mm to 320mm to suit your needs
- Designed to be set into reinforced concrete in the floor of a building
- High security double bitted key lock
- Includes stylish dust cover lid

Locking Options

 Single Key



Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Sotto	210-320* x 440 x 320	115-225 x 300 x 270	26kg	20L	-

*minimum external height 210mm, maximum external height 320mm


Oculto


 **Cash Rating**
£17,500

 **Jewellery Rating**
£175,000

- Recommended cash rating of up to £17,500
- 40mm thick stainless steel door
- External 10mm thick waterproof lid
- Designed to be set into reinforced concrete in the floor of a building
- Option of key or mechanical combination locking

Locking Options

 Single Key  Dial



Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Oculto	435 x 305 x 285	245 x 260 x 267	25kg	19L	-





Fire Safes

Our Fire Safes are The Sure Defence® against fire damage. Our fire safe range can protect documents and data for an hour in temperatures of up to 900°C. Don't just protect your valuables against fire, secure them within double walled steel structures filled with fire and security composite.

Furthermore, these models can offer optional fittings making them specific to your requirements; mechanical combination, electronic PIN or, the advanced biometric locking system; adjustable shelves and an option of pull-out shelves, hanging frame and lockable coffer.

The range offers safes that are tested and certified to EN15659 LFS 60P by ECBS (world renowned German certification body) and NT Fire 60DIS- 120DIS. If you require fire protection for your safe, you should only purchase products that have been independently tested and certified.



Firesec 4/60



Cash Rating
£4,000



Jewellery Rating
£40,000



Fire Rating 60 minute
Fire protection for paper



- Independently attack and fire tested to EN14450 S2 and EN15659 LFS 60P by ECBS
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- 60 minute fire test at temperatures up to 900°C
- Option of key or electronic locking
- Suitable for storage of controlled drugs with active ingredients under 500g
- Height adjustable shelving
- Option of pullout shelves, hanging frame and lockable coffer in size XL - additional lead time and costs apply
- Base fixing
- Safe for Longer warranty does not include size XL

Locking Options



Single Key



Pin

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Large	670 x 480 x 460	510 x 330 x 300	103kg	50L	1
XL	1950 x 940 x 585	1760 x 800 x 390	545kg	549L	4

Add 20mm to external depth for handle, hinges and electronic lock on Large model and 55mm for XL model



Firesec 10/60



Cash Rating
£10,000



Jewellery Rating
£100,000



Fire Rating 60 minute
Fire protection for paper



- Independently attack and fire tested to EN1143-1 Grade 1 and EN15659 LFS 60P by ECBS
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- 60 minute fire test at temperatures up to 900°C
- Suitable for storage of controlled drugs with active ingredients exceeding 500g
- Height adjustable shelving and internal coffer in sizes 2 and 3
- Option of pull-out shelves and hanging frames in size 4 additional lead time and costs apply
- Base fixing
- Safe for Longer warranty does not include size 4

Locking Options



Single Key



Dual Locking



Pin



Biometric



Dial

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	490 x 480 x 445	330 x 330 x 290	101kg	31L	1
Size 2	750 x 555 x 550	335* x 410 x 390	195kg	93L	1
Size 3	1100 x 555 x 550	705* x 410 x 390	271kg	148L	1
Size 4	1950 x 940 x 585	1760 x 800 x 390	658kg	549L	4

Add 55mm to external depth for handle, hinges and electronic lock *Excludes internal coffer Height = 235mm



Firebrand



Cash Rating
£1,000



Fire Rating 60 minute
Fire protection for paper



- Independently fire tested and certified to EN15659 LFS 60P by ECBS
- 60 minute fire test at temperatures of up to 900°C
- Batteries located externally in the event of power failure
- Removable tray in all sizes
- Removable shelf in sizes 2 and 3
- Base fixing

Locking Options



Pin

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
1	295 x 430 x 365	190 x 325 x 235	34kg	15L	-
2	490 x 360 x 425	380 x 260 x 295	44kg	29L	1
3	510 x 445 x 425	410 x 340 x 290	51kg	41L	1

Add an extra 20mm to external depth for handles, hinges and any lock



Firebrand XL



Cash Rating
£1,000




Fire Rating 60 minute
Fire protection for paper



- Independently fire tested and certified to EN15659 LFS 60P by ECBS
- 60 minute fire test at temperatures of up to 900°C
- Electronic PIN code locking
- Batteries located externally so you are never locked out in the event of power failure
- Dead bolts secure the door, even if the hinges are cut off
- Removable drawer in each size
- Removable shelf in sizes 2 and 3
- Base fixing

Locking Options



Pin

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
1	970 x 565 x 450	785 x 425 x 300	147kg	100L	2
2	1255 x 710 x 580	1035 x 545 x 420	234kg	237L	2
3	1710 x 710 x 580	1490 x 545 x 420	370kg	341L	3

Add an extra 50mm to external depth for handles, hinges and any lock

Fire Resistant Filing Cabinets



Fire Rating 60 minute
Fire protection for data



- Independently tested and certified to EN15659 LFS 60P by ECBS
- Tested at temperatures of up to 900°C
- Choose from high security key or electronic PIN code locking
- Option to control each drawer individually with a high security cam lock
- Individual drawer latch means you can choose which drawers are locked by the central control system
- Drawers are suitable for both A4 and Foolscap files, each drawer can hold up to 40kg
- Anti-tilt device, means that only one drawer at a time can be opened
- Tactile rubber handles

Locking Options



Single Key



Pin



Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
2	825 x 545 x 655	250 x 390 x 500	110kg	48L	3
3	1165 x 545 x 655	250 x 390 x 500	150kg	48L	3
4	1500 x 545 x 655	250 x 390 x 500	210kg	48L	4

Add 40mm to external depth for handles and electronic lock



Data Safe



Fire Rating 60-120 minute
Fire protection for data



- Independently fire tested to NT FIRE 017
- CD's and computer media tested at temperatures of up to 900°C
- Protection against smoke, water damage, magnetic fields and electrostatic phenomena
- High quality electronic PIN code locking
- Combination of adjustable shelving and dividable drawers allows for efficient storage of various items
- Larger models feature castors for easy manoeuvrability

Locking Options



Pin

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves	Drawers
1	420 x 350 x 435	225 x 160 x 205	43kg	7L	1	-
2	525 x 405 x 440	315 x 195 x 200	65kg	12L	1	-
3	695 x 500 x 500	420 x 275 x 230	120kg	26L	2	-
4	830 x 690 x 720	490 x 400 x 405	265kg	80L	1	2
5	1220 x 690 x 720	875 x 400 x 405	352kg	143L	1	4
6	1445 x 690 x 720	1105 x 400 x 405	480kg	180L	1	5
7	1745 x 1200 x 720	1400 x 800 x 405	765kg	450L	4	10

Add 40mm to external depth for handles and keypad

Capacity Table

Model	Size 1	Size 2	Size 3	Size 4	Size 5	Size 6	Size 7
4mm DAT	74	150	312	232	464	580	1160
8mm DAT	33	54	168	114	228	285	570
CD	30	53	111	188	376	470	940
DLT	16	20	62	84	168	225	420
LTO/Ultrium	-	-	-	88	176	220	440
LTO/Ultrium (without case)	22	36	96	114	228	285	570
3590 Cartridge (without case)	12	22	64	96	192	240	480

Fire Protection (minutes)	60	60	90	120	120	120	120
---------------------------	----	----	----	-----	-----	-----	-----



Gun Safes & Cabinets

The Gun Safe range is suitable for shot guns or rifles and accommodates most models with scopes and silencers fitted. Secure store your guns in high security gun cabinets that are made to the Police Preferred Specification under the Secured by Design scheme.

These models are ideal to secure a gun collection, with high density foam gun holders and base, holders for cleaning rods and ammo belts, internal lockable ammo box and optional side shelf for other valuables. Furthermore, this range has a choice of locking options: single key, mechanical combination, electronic PIN, or biometric locking system.

Our Pioneer, Warden LFS and Gamekeeper models have been tested and certified to the Sold Secure Firearms Cabinets Standard SS302:2020 Bronze, Silver and Gold respectively.

We are proud to be first to achieve all 3 British test standards certified by Sold Secure which is owned by the Master Locksmith Association.



Pioneer Gun Cabinet

Cash Rating
£1,000

Jewellery Rating
£10,000


- Tested and certified to Firearms Cabinets SS302:2020 Bronze by Sold Secure
- Built to a Police Preferred Specification - Secured by Design
- Lockable ammunition compartment
- Double-bitted key lock
- Suitable for both shotguns and rifles
- Foam gun holders and internal carpet
- 5 Gun and 10 gun options available
- Back and base fixing

Locking Options

Single Key

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Guns
P 5	1450 x 340 x 280	1300* x 335 x 245	45kg	119L	5
P 10	1450 x 535 x 320	1300* x 530 x 285	75kg	218L	10

*Excluding the height of ammo box



Warden LFS Gun Safe

Cash Rating
£6,000

Jewellery Rating
£60,000



- Independently tested to EN1143-1 and EN15659 by IMP
- Tested and certified to Firearms Cabinets SS302:2020 – Silver by Sold Secure
- Built to a Police Preferred Specification - Secured by Design
- Up to 30 minutes fire protection for paper
- Three way locking bolts
- Suitable for shotguns or rifles and will accommodate most scopes and silencers
- Foam gun holders
- Internal lockable ammo box
- High security key or electronic locking
- 6 Gun and 14 gun options
- Back and base fixing

Locking Options

Single Key Pin

Model	External (HxWxD)	Internal (HxWxD)	Ammo Box Internal	Weight	Guns
W 6	1650 x 460 x 450	1530 x 340 x 300	195 x 340 x 270	205kg	6
W 14	1650 x 880 x 450	1530 x 760 x 300	195 x 760 x 270	325kg	14





Gamekeeper Gold



Cash Rating
£10,000



Jewellery Rating
£100,000



- Independently tested to EN1143-1 by ECBS
- Tested and certified to Firearms Cabinets SS302:2020 – Gold by Sold Secure
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- Three way locking bolts
- Suitable for shotguns or rifles and will accommodate most scopes and silencers
- Foam gun holders
- Internal lockable ammo box on 9 gun model
- High security key or electronic locking
- 5 Gun and 9 gun options
- Back and base fixing
- Cleaning rod holder included

Locking Options



Single Key



Pin



Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Guns
Gold 5	1400 x 450 x 440	1300 x 350 x 320	365kg	146L	5
Gold 9	1550 x 650 x 440	1450 x 550 x 320	520kg	255L	9

Add 50mm to external depth for handle and hinges. Ammo box on Gold 9 reduces internal height by 195mm





Hotel Safes

The Hotel Safe range has a simple locking system that can be used with complete ease and by multiple users. These models have display screens, back lit buttons and audible sounds to easily guide users through their operation.

The guests can choose a 3-6-digit code; few enough digits to prevent guests forgetting, whilst also being secure. In the case of a guest forgetting or, if the batteries in the lock run out: this range features an override emergency key and master code.

This range of products can also be ideal for student accommodation, Airbnb and domestic use.

Hotel Standard



Cash Rating
£1,000



Jewellery Rating
£10,000



- Economical unit with simple guest operation
- Users choose their own 3-6 digit code
- Bleepers and LED lights to confirm actions
- Back and base fixing

Locking Options

Pin

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
1	200 x 310 x 215	195 x 305 x 120	6kg	7L	-

Add 25mm to external depth for keypad

Hotel Primo



Cash Rating
£1,000



Jewellery Rating
£10,000



- Guests choose their own 3-6 digit code
- Backlit keypad and interior carpet
- Will accommodate most laptops and tablets
- Audit trail facility
- Features keyed alike emergency key and master code
- Battery level indicator with a low consumption motor
- USB model features an internal USB charging point
- Back and base fixing

Locking Options

Pin

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Hotel Primo	200 x 420 x 370	190 x 415 x 315	9kg	24L	-
Hotel Primo USB	200 x 420 x 370	190 x 415 x 315	9kg	24L	-

Add 15mm to external depth for keypad

Hotel Drawer



Cash Rating
£1,000



Jewellery Rating
£10,000



- Blue backlit keypad with motorised locking
- Users choose their own 4 - 6 digit code
- Features keyed alike emergency key and master code
- Audit trail of last 100 openings
- Back and base fixing

Locking Options

Pin

Want to print out your audit trail with a time & date stamp? Order the optional CEU unit and software to help reduce fraudulent claims and internal theft.



Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
1	200 x 350 x 410	130 x 260 x 340	14kg	11L	-

Add 15mm for the keypad and handle

Hotel Pop Up



Cash Rating
£1,000



Jewellery Rating
£10,000



- Blue backlit keypad with motorised locking
- Pop up lid with internal carpet
- User chooses own 4 - 6 digit code
- Will accommodate standard sized laptops
- Features keyed alike emergency key and master code
- Audit trail of last 100 openings
- Back and base fixing

Locking Options

Pin

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
1	145 x 400 x 350	75 x 395 x 345	12kg	10L	-

Add 15mm for the keypad and handle



Key Safes

The Key Safe range is the perfect security solution for securing and storing keys. This range includes Keyguard allowing authorised access to carers, cleaners, workmen, dependents, holiday lets, and key cabinets designed for use in showrooms, garages, universities, schools and large commercial sites.

We provide products that answer a variety of requirements: UK Police Preferred Specification under the Secured by Design scheme, and the Keyguard Digital XL is certified to LPS1175 (Issue 8) A3.

LPS1175 Issue 8 is an independent attack test certification. A tool list is selected and then time given to withstand a physical attack. Keyguard XL is the first key safe to achieve this level.

LPCB is part of the BRE Group, the world renowned certification and testing facility who test and certify products to the very latest attack methods.



High Security Solution for storing keys

Keyguard Combi



- Combination key safe
- 4 digit roller combination which is simple to set and change
- Ideal for the safe keeping of household keys
- Choose your own code and change it whenever you like
- Weather-resistant rubber cover included
- Fixings included
- 2 Year warranty

Locking Options



Dial

Model	External (HxWxD)	Internal (HxWxD)	Weight
KG Combi	115 x 65 x 55	80 x 40 x 20	1kg



Keyguard Digital

- Superior push button key safe
- 12 button design
- Ideal for use by carers, cleaners, workmen and dependents
- Can be used for storing most single car keys inside the home
- Over 4,000 possible code combinations
- Holds up to 80mm long keys
- Weather-resistant rubber cover included
- Fixings included
- 2 Year warranty

Locking Options



Pin

Model	External (HxWxD)	Internal (HxWxD)	Weight
KG Digital	115 x 65 x 55	80 x 40 x 20	1kg



High Security Solution for storing keys

Keyguard Digital XL




- The world's first key safe to be successfully certified to LPS1175 Issue 8
- Police Preferred Specification
- Independently tested and certified to LPS1175 Issue 8 A3
- Permanent, lightweight, weather-resistant cover provided. This doubles as a fixing template for quick and easy install
- Bright numbers and indicators for ease of use
- Internal key hook
- Over 4,000 possible code combinations
- Code can be changed multiple times
- Allows storage for multiple keys or key cards
- Fixings are provided
- Also certified for fixing to rendered walling
- 5 year warranty

Locking Options



Pin



LPS1175: Issue 8
Cert No: 1000j



Police Preferred Specification

Model	External (HxWxD)	Internal (HxWxD)	Weight
KG XL	160 x 95 x 55	70 x 50 x 20	2kg






CK/E 40

Heavy Duty Key Cabinets

- Top quality range of key cabinets that offer a high level of security
- Ideal for use in car showrooms, garages, universities, schools and large commercial sites
- 8mm solid steel door and 3mm steel body
- High security, 8 lever key lock or electronic PIN code lock
- Electronic version features a flush keypad, an emergency key and an external power point in case of lock out
- Door secured by two solid locking bolts

Locking Options



Model	External (HxWxD)	Internal (HxWxD)	Weight	Key Hooks
CK/E 40	470 x 360 x 140	460 x 350 x 120	25kg	40
CK/E 120	470 x 360 x 140	460 x 350 x 120	27kg	120




KG74

KG Keyguard Key Safes

- Range of economical key safes
- Ideal for use in car showrooms, garages, universities, schools and large commercial sites
- 4mm Solid steel door and 2mm steel body
- Electronic PIN code - 1 user and 1 master code
- Supplied with emergency override keys in case of lock out
- Height adjustable numbered key racks
- Key tags supplied
- Prepared for wall mounting

Locking Options




Model	External (HxWxD)	Internal (HxWxD)	Weight	Key Hooks
KG27	360 x 300 x 120	350 x 290 x 40	9kg	27
KG74	450 x 360 x 120	440 x 350 x 65	14kg	74
KG138	660 x 420 x 120	650 x 410 x 65	19kg	138

Add 10mm to the external depth to include the keypad



KMS Terminal



KMS Intelligent Key Cabinets

- Automate the process of handing out and receiving keys
- Control user and time access to all keys
- Create rules for key management and send exception reports if they are broken
- Monitor key and user use in real time
- Anti-tamper steel key rings
- Access via RFID card as standard, option to add PIN code or fingerprint access
- Built-in power supply
- Ideal for use in hotels, government organisations, car showrooms, schools, hospitals and other commercial sites
- Can be stand alone or networked

Locking Options



Model	External (HxWxD)	Weight	Key Hooks
KMS 5	265 x 500* x 150	11kg	5
KMS 20	510 x 555* x 170	27kg	20
KMS 30	605 x 555* x 170	29kg	30
KMS 50	790 x 555* x 170	37kg	50
KMS 100	976 x 735* x 170	57kg	100

*not including terminal





Garage & Door Security

We are proud to offer the new Guard range of products designed and Made In Yorkshire by our own in-house engineering team. The Guard range provides a heavy duty visual and physical deterrent for protecting your home and business from burglary.

With an average garage contents value of £1,500. Security for garage's often gets overlooked.

Our new Garage Guard protects up and over garage doors. This heavy duty solution is certified to Sold Secure Silver the only product of its type to pass this attack test and holds Police Preferred Specification.

Also available in the range is internal protection for roller shutters and garage doors, internal drop bars for reinforced security and a range of hasp locks for securing gates, sheds and doors.



Garage Guard

- Tested and certified to Domestic Security Silver by Sold Secure
- Police Preferred Specification
- British made by Burton Safes Engineering
- Surface mounted to concrete
- Stainless steel anti-drill padlock
- All fixings supplied
- Available in Black and White



Model	External (HxWxD)	Weight
Garage Guard	135 x 230 x 260	3kg



Hasp Guard

- Perfect security addition for a shed, cellar or garage door
- Constructed from 5mm thick laser cut steel
- British made by Burton Safes Engineering
- Hard wearing powder coated finish
- Available in 3 length sizes
- Can mix and match sizes
- Fixings included

*padlock sold separately

Model	External (HxWxD)	Weight
Size 1	50 x 100 x 40	1kg
Size 2	50 x 200 x 40	1kg
Size 3	50 x 300 x 40	1kg



Shutter Guard

- Suitable for garage and roller shutter doors
- British made by Burton Safes Engineering
- Precision laser cut steel
- Surface mounted to concrete
- All fixing supplied

Model	External (HxWxD)	Weight
Shutter Guard	130 x 115	2kg



Force Guard


- Drop in security bars, suitable for shed, garage, and internal doors
- British made by Burton Safes Engineering
- Available in 3 length sizes
- Steel locking bar with capped ends
- Hard wearing powder coated finish

Model	External (HxWxD)	Weight
Size 1	50 x 810 x 25	1kg
Size 2	50 x 1010 x 25	1kg
Size 3	50 x 1210 x 25	1kg



Disc Padlock

- Anti-drill disc padlock
- Sold Secure tested
- 70mm Disc padlock
- Anti-drill plate on cylinder
- Key retained in unlocked position
- Stainless steel lock body



Retail Safes

Deposit safes have become a necessity for businesses as hold up situations and internal fraud have become an increasing threat. Some of these safes have been independently tested and certified to EN143-2 by ECBS.

Having a separate deposit drawer means staff can deposit cash/valuables without having access to the main safe.

Both the drawer and the safe door are fitted with separately operated high security locks. These models have optional locking including mechanical combination, electronic PIN or advanced biometric locking systems.




Till Safe

 **Cash Rating**
£4,000 or £10,000

 **Jewellery Rating**
£40,000 or £100,000

- Independently tested and certified to EN14450 S2 or EN1143-1 Grade 1
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- Grade 1 Till Safe tested and certified to EN15659 LFS30P providing 30 minutes fire protection for paper
- Designed for storage of till drawers
- Store a minimum of 4 drawers in each model
- 2 different security levels to suit your requirements
- High security electronic locking on S2, option of key, electronic or biometric locking on the Grade 1
- Back and base fixing

Locking Options



Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
S2 Till	510 x 550 x 500	430 x 470 x 400	47kg	80L	3
G1 Till	840 x 650 x 550	782 x 574 x 420	289kg	189L	2

Add 55mm to external depth for handle on G1 Till



Teller Deposit Safe


 **Cash Rating**
Up to £3,000

- Choice of deposit methods and trap sizes to suit your requirements
- Size 1 V Trap deposit via a front loading V Trap system
- Size 1 Rotary deposits via a top loading rotary drum
- Option of key, electronic or biometric locking*
- Automatic slam locking system**
- Back and Base fixing

*Electronic and biometric locking not available on the Mini Teller

**If fitted with the Burton Duo swing lock or the Kaba Axessor

Locking Options



Model	External (HxWxD)	Internal (HxWxD)	Slot Size	Weight	Volume
Mini Teller	305 x 205 x 255	295 x 195 x 180	20 x 135 x 200	15kg	10L
Size 1 Rotary	510 x 355 x 355	330 x 345 x 275	255 x 105 x 120	40kg	31L
Size 1 V Trap	505 x 355 x 355	220 x 345 x 275	45 x 265 x 190	40kg	21L

Add 45mm to external depth for handle on sizes 1 and 2



Cashguard Vehicle Safes

- Ideal for use in vans / lorries on delivery rounds
- A range of deposit slots and security levels to suit your requirements
- Base plates attach to the vehicle and the main safe body is locked into these
- The safe has two locks, one for the base plate and one for the safe door
- The two locks are on different keys.
 - This allows drivers to move the safe from the base plate without having access to the contents of the safe

Locking Options



Model	External (HxWxD)	Internal (HxWxD)	Slot Size	Weight	Volume
Mini	255 x 165 x 150	210 x 160 x 145	90 x 32	5kg	4L
Cashguard	380 x 205 x 150	350 x 200 x 120	150 x 90	15kg	8L




Eurovault Aver Deposit Grade 1

 **Cash Rating**
£10,000

- Independently tested and certified to EN1143-2 Grade 1 by ECBS
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- Drawer deposit means staff can deposit without accessing the main safe
- Option of key, electronic or biometric locking for both main door and deposit drawer
- Time delay, time windows and duress features available with electronic lock upgrade
- Base fixing

Locking Options

Any lock alterations must conform to EN1300 Class A



Model	External (HxWxD)	Internal (HxWxD)	Max Deposit Size	Weight	Volume	Shelves
Size 1	670 x 650 x 550	455 x 573 x 423	100 x 500 x 120	190kg	110L	-
Size 2	1040 x 650 x 550	816 x 573 x 423	100 x 500 x 120	270kg	298L	2

Add 55mm to external depth for handle



High Security Deposit Safe Grade 2



Cash Rating
£17,500

- Independently tested and certified to EN1143-2 Grade 2 by SBSC
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- Deposit drawer means staff can deposit without accessing the main safe
- Deposit drawer is secured by a high security key lock
- Option of key, electronic or biometric locking on the main door
- Rear facing/through wall deposit available to order
- Base fixing



Single Key



Dual Locking



Pin



Biometric



Dial

Model	External (HxWxD)	Internal (HxWxD)	Max Deposit Size	Weight	Volume	Shelves
Size 1	770 x 565 x 540*	400 x 390 x 330	25 x 320 x 100	416kg	51L	-
Size 2	970 x 565 x 540*	600 x 390 x 330	25 x 320 x 100	485kg	77L	-

Add 55mm to external depth for handle *Add 20mm to external width for hinges



High Security Deposit Safe Grade 3



Cash Rating
£35,000

- Independently tested and certified to EN1143-2 Grade 3 by SBSC
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- Deposit drawer means staff can deposit without accessing the main safe
- Deposit drawer is secured by a high security key lock
- Option of key, electronic or biometric locking on the main door
- Rear facing/through wall deposit available to order
- Base fixing



Single Key



Dual Locking



Pin




Biometric



Dial

Model	External (HxWxD)	Internal (HxWxD)	Max Deposit Size	Weight	Volume	Shelves
Size 1	770 x 565 x 540*	400 x 390 x 330	25 x 320 x 100	420kg	51L	-
Size 2	970 x 565 x 540*	600 x 390 x 330	25 x 320 x 100	525kg	77L	-

Add 55mm to external depth for handle *Add 20mm to external width for hinges



SAFE LOCKS

Burton Safes work with all of the world’s major safe lock manufacturers to bring you a wide choice in locking solutions and access control for your safes and vaults.

Below are some of the more popular models but please enquire if you have a specific need and we will find a lock to suit your needs and budgets.

We have strategic partnerships with **Insys** and **Kaba**, ensuring that we can provide solutions for the most demanding of commercial environments - CvIT, banking and large retail estates.

CONTACT OUR COMMERCIAL TEAM FOR MORE INFORMATION



enquiries@burtonsafes.co.uk
+44 (0) 1484 663388

Descriptions of the safe lock terminology can be found on page 69.

What Burton Safes recommend												
TYPES OF CODES	No. of User Codes	1	1	10	10	18	36	9	9*	99	99	95
	No. of Manager Codes	1	1			2	4	1		1	1	Multiple levels
	No. of Master Codes			1	1	1	1	1	1	2 or 3	2	Multiple levels
	Dual User			YES	YES	YES	YES	YES	YES	YES	YES	YES
	Courier Code					YES	YES	YES	YES	YES	YES	
	Duress Code					YES	YES	YES	YES	YES	YES	YES
	One Time Code									YES	YES	
LOCK FEATURES	Time Delay	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
	Time Lock			YES	YES	YES	YES	YES	YES	YES	YES	YES
	Audit Trail			YES	YES	YES	YES	YES	YES	YES	YES	YES
	Biometric Option			YES	YES	via I/O box	via I/O box				YES	via I/O box
MECHANICAL FEATURES	Remote Programming						YES			YES	YES	YES
	I/O box					YES	YES		YES	YES	YES	YES
	Redundant System									YES	YES	YES
	Multi Lock Option										YES	YES
TYPE OF LOCKING	Swing Bolt	YES	YES		YES			YES			YES	
	Dead Bolt	YES	YwES					YES	YES	YES	YES	
	Motorised Bolt					YES	YES					YES
Lock Grade		B	B	B	B	B	B	B	B	B	B/C/D	B/C/D

Kaba Connect user details are per lock.

*Optional upgrade to 50 users on request

Locking

At Burton Safes we have a huge range of locking options.

See page 66 for full details on our recommended models.

With the original design concept of being 'Easy to use' the KABA Axessor USB delivers a huge range of functions, via a simple visual input unit. One interesting feature is the DURESS function. This facility enables the lock to be connected to an alarm system, activating a silent signal to a remote monitoring station or to the Police when the user is under 'duress' by entering a slightly different code – this can also trigger a time delay if programmed.



Kaba Axessor USB

- Duress Code
- 18 Users
- Time Delay
- Time Lock Periods
- Battery Powered
- Clear Display
- Dual / 4 Eye Function
- Audit Trail of 10,000 events
- Alarm Connection
- Wrong Try Lockout (4 false attempts)
- Tamper Function
- Holiday Periods

The KABA Axessor USB is one of the most efficient and reliable locks on the market – suitable for domestic and commercial use, contact the office for a full description and to discuss your locking needs.

Insys flex ID

A flexible locking system for security containers like gun cabinets, safes, secure cabinets or entry and access doors. Access takes place contactless via RFID card or RFID tag. Stand alone or with a state of the art software system, Elocomm, for programming, control and audit. The Flex brings full access control functionality to your secure storage needs.

- High-quality motor lock and compact RFID reader unit
- Easy, quick opening via RFID card/RFID tag
- Easy enrolment of additional users without configuration software and keypad
- Adding of up to 99 additional cards/tags possible
- Manipulation blocking and automatic locking
- Emergency power supply
- Time delay, dual code and external release/blocking (only EloStar® flexID multi)



Safe Lock Terminology

Users – Unique individual's code that can be controlled by a "Master" or "Manager".

Dual user – If Dual user mode is set in your safe it will require two different user codes to open the lock. This means two people will need to be with the safe to open it, this helps prevent internal fraud.

Courier Code – Courier codes are generally used by CVIT (cash and valuables in transit) to bypass any time delay settings within the safe and sometimes the time windows.

Duress Code – A duress code is a covert distress signal. When you input the code, a silent alarm will be sent to the Police or a monitoring station in the event that you are forced to open your safe.

The Duress code can still open the lock to the safe.

One Time Code – OTC (one-time code) is a code that can be created and passed to a user to open the safe – once they have used that code it will become invalid. These are often used by CVIT (cash and valuables in transit) operators.

Time Delay – A time-delay is a setting that delays the unlocking of the lock by a user-definable period. After entering your code you wait the set time before you enter your code a second time to open the safe.

Time Lock – Weekly programmable timer installed inside, which allows the user to set time intervals that control when the safe opens – i.e. you can open the safe in-between 9am and 5pm but not outside of those hours even if you know the code.

Audit Trail – This logs every event within the safe – Which user opened and closed the safe, at what time. It will never show the code, just the user number i.e. User 2 opened the safe at 2:30pm 30/08/2018.

Biometric Option – Fingerprint controlled security lock. These locks come with the option of fingerprint access, code access or both.

Swing Bolt – Once a correct code is entered, the lock is released, allowing the boltwork to move when turning the handle.

Dead Bolt – Once a correct code is entered, the user has to manually move the locking bolt, usually by turning the keypad.

Motorised Bolt – Once a correct code is entered, the lock moves the locking bolt via an electronic motor.





Luxury & Design Safes

The Luxury Range from Burton Safes offers our clients the highest level of security, engineered to the most detailed level of precision. With over 30 years experience providing global security solutions, we have built a reputation around luxury, security, integrity and customer service.

Burton Safes is a leading supplier of luxurious security solutions, customised in Yorkshire, UK and delivered Worldwide. Our dedicated team of security experts work with our clients every step of the way, from design, planning and implementation.

We understand that each project is different which is why we build a security solution bespoke to each client. This could be a custom designed safe or even an internal security door, to aesthetically match other doors within the property.

Our Head Office and customising facility in Holmfirth, in the heart of Yorkshire, UK, is also the home of our Eurovault LX luxury safe. Our Eurovault LX offers a complete bespoke solution to create your perfect safe. Our team of expert craftsmen and women strive for perfection to create every unique Eurovault LX masterpiece.

The finest solid wood, hand crafted jewellery drawers finished in luxurious suede or leather offering the highest standards of British craftsmanship. Jewellery drawer layouts to suit all type of valuable possessions, including the option of integrated watch winder modules to show off the finest time pieces. Our expert team have designed and created bespoke luxury safes that have been delivered worldwide.



Lusso delivers affordable luxury; handcrafted in Yorkshire to the finest quality. Designed with lustrous bespoke décor, watch winders to maintain those most treasured timepieces and beautiful suede drawers providing elegant protection for precious jewellery.

Contact the office for a Lusso Menu Card.



- Independently tested and certified to EN1143-1 Grade 2 or Grade 3 by ECBS
- Insurance approved by the AiS
- Built to a Police Preferred Specification
 - Secured by Design
- £175,000 - £350,000 jewellery and valuables rating
- Tested and certified to EN15659 LFS 30P by ECBS, providing 30 minute fire protection
- Fitted with a high security electronic lock
- Choose from 2 sizes and 4 exterior safe colours
- Hand-crafted interior made to your choice of layout, material, colour and drawer configuration
- Suede lined shelving and drawer interior
- Back and base fixing
- 8-10 week lead time

Model	External (HxWxD)	Watch Winder	Max Drawers
Size 1	500 x 510 x 510	-	4
Size 2	670 x 510 x 510	2	5



The bespoke interior provides you with a choice of colour, fabric and layout to accommodate all jewellery types and personal styles.

The exterior colour choices can match or compliment your safe interior and blend into your home.



RAL 1015
Light Ivory



RAL 1019
Grey Beige




RAL 7043
Traffic Grey B




RAL 9005
Jet Black




Drawer layout options




Plain



4 Squares



Necklace



Ring Rolls





Brixia Uno - Grade 1

Cash Rating
£10,000

Jewellery Rating
£100,000

- Independently tested and certified to EN1143-1 Grade 1 by ECBS
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- High security electronic PIN code lock
- Flush keypad and hinges
- Unique aluminium hinge, boltwork and shelf
- Optional left hand hinge in sizes 3 and 4
- Optional jewellery drawer module or watch winder module
- Modules are hand-crafted in Italy and made bespoke to your choice of material, colour and drawer layout
- Back and base fixing

Locking Options

Pin



Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves	Modules
Size 1	330 x 440 x 430	250 x 360 x 295	85kg	26L	1	1
Size 2	460 x 490 x 430	380 x 410 x 295	110kg	46L	1	2
Size 3	630 x 490 x 430	550 x 410 x 295	125kg	66L	1	3
Size 4	810 x 490 x 430	730 x 410 x 295	145kg	88L	2	4
Size 5	1010 x 540 x 480	928 x 460 x 345	200kg	147L	2	5
Size 6	1210 x 540 x 480	1128 x 460 x 345	220kg	179L	2	6




Watch winder module with storage pocket




Jewellery module with drawers and storage pocket

OUTSIDE FAUX LEATHER
OPTIONS



INSIDE VELVET
OPTIONS



Brixia Tre - Grade 3

Cash Rating
£35,000

Jewellery Rating
£350,000

- Independently tested and certified to EN1143-1 Grade 3 by ECBS
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- High security electronic PIN code lock
- Flush keypad and hinges
- Unique aluminium hinge, boltwork and shelf
- Optional left hand hinge in sizes 3 and 4
- Optional jewellery drawer module or watch winder module
- Modules are hand-crafted in Italy and made bespoke to your choice of material, colour and drawer layout
- Back and base fixing

Locking Options

Pin



Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves	Modules
Size 1	375 x 510 x 480	260 x 410 x 300	160kg	32L	1	1
Size 3	665 x 510 x 480	550 x 410 x 300	235kg	67L	1	3
Size 4	845 x 510 x 480	730 x 410 x 300	285kg	89L	2	4
Size 5	1045 x 560 x 530	930 x 460 x 350	380kg	148L	2	5
Size 6	1245 x 560 x 530	1130 x 460 x 350	435kg	180L	2	6
Size 7	1495 x 720 x 620	1360 x 600 x 430	670kg	348L	2	7
Size 8	1745 x 720 x 620	1610 x 600 x 430	730kg	412L	3	8



THE LUXURY RANGE

FROM BURTON SAFES

AS BESPOKE AS YOUR INDIVIDUAL NEEDS



We offer a unique experience with over 30 safe sizes available. They are handcrafted in Yorkshire, UK. Our bespoke safes are finished to the highest standard. Our team of expert craftsmen and women provide luxurious, bespoke solutions. We can meet almost any requirement. Including handmade jewellery drawers and hand crafted upholstery. We use only the finest suede and leather.



We understand that each project is different. Which is why we build a security solution bespoke to each client. From matching colour swatches from your favourite car. To hand-stitching your family crest into the interior. We can ensure your safe is the only one of its kind in the world.

The Eurovault LX range is available in a variety of sizes with security grades ranging from EN1143-1 Grade 1 up to Grade 7. Other options in the range are glass fronted display cabinets and gun safes.

- Jewellery and valuables cover from £100,000 to £2,500,000
- Over 30 safe sizes available
- We can offer luxury security doors and panic rooms installed to meet you and your home's security needs
- Full design, consultancy and installation provided by the Burton Safes Luxury Team



When you place an order you will be assigned a project manager. They will oversee the process from design to build, to the final installation. With over 30 years experience of providing security solutions globally we have built a reputation of integrity and customer satisfaction and helped keep homes and families safe for decades.

AN EXCLUSIVE RANGE OF EXQUISITE SAFES USING THE FINEST MATERIALS. ALL HAND FINISHED USING THE BEST BRITISH CRAFTSMANSHIP TO GIVE THE SAFE YOUR PERSONAL TOUCH.



The Luxury Range | from Burton Safes

www.luxurysafe.co.uk | theluxuryrange@burtonsafes.co.uk | +44 (0) 1484 663388



Reactive Safe Engineer and Locksmith Service

DELIVERY AND INSTALLATION SERVICES

Our standard delivery is a 2-3 day service and we have a range of delivery and installation options to upgrade your order and suit your needs.

Burton Safes believe in offering exceptional service

Every customer has individual service needs; the internal service team design and deliver bespoke service packages to suit your individual requirements for both safe and locksmith engineering, all of which is supported by a dedicated Account Manager.

The service team is available 24/7 - 365 days a year. Skilled and experienced engineers are located across the UK and ROI, delivering market leading response and first time fix rates - providing you with reduced downtime and cost reductions.

Our business is built on delivering it!

Weekday Deliveries

Next Day*
Next Day by Noon*
Next Day by 10:30am (less than 70kg)*
Evening 6pm-9pm

Weekend Deliveries

Saturday
Saturday by Noon (less than 30kg)
Saturday by 10:30am (less than 30kg)
Sunday (less than 30kg)
Sunday by Noon (less than 30kg)

Delivery and Position (Weekdays)

Next Day*
AM/PM Slot
2 Hour Window

Highlands & Islands Deliveries

Republic of Ireland Deliveries

*order by 2pm the preceding day



Burton Safes service agreements cover all types of safe and lock, some of the features include;

- Supply and installation of physical security products
- Emergency reactive response
- Emergency safe and door opening
- Lock upgrades and re-programming
- Preventative maintenance
- Safe removal and disposal
- Cover for all brands of locks and safe
- Dedicated Account Manager
- A single point of contact for all issues
- Free access to our in house technical help desk
- Average response times of under 3 hours
- Average time on site of less than 1 hour
- Average first time fix rate of 97%
- European cover also available

Weekday Installations

Express (2-3 days)
Pre-9am
AM/PM Slot
Evening

Weekend Installations

Saturday
Sunday

Installation Special Services

Highlands and Islands
Unmarked Vehicle Service
1st Floor/Basement via Stairs*
2nd Floor/Basement via Stairs*
Hiab, Crane or Specialist Vehicle*

*Site Survey Dependent

enquiries@burtonsafes.co.uk



BURTONSAFES.CO.UK
+44 (0) 1484 663388



THE SURE DEFENCE

Physical Security Solutions

From the world's most advanced safe deposit centres in Hong Kong, to securing cash, bullion and valuables in banks and retailers across Europe and the Middle East; the team at Burton Safes have the experience to advise, design and deliver physical security solutions to protect you and your assets.



The High Security team have over 85 years' worth of security industry experience and are qualified in security design and consultancy. Dedicated account and project managers ensure an unrivalled customer experience.



Burton Safes core principle is to ensure products are tested to the highest standards. We are proud to have tested products to LPCB standards and feature in RedBookLive.



Burton Safes delivers
The Sure Defence



STANDARDS

The Sure Defence

All strongrooms certified to EN1143 must have a certified lock that reflects the grade of the solution

- Strongrooms certified to EN1143-1 Grade XI and XII must have 3 locks certified to Class C or 2 locks certified to Class D
- Strongrooms certified to EN1143-1 Grade XIII must have 2 locks certified to Class D

The standards below can be found in our Sure Defence ranges:

LPS1175 - This is an independent standard published by BRE. It can be applied to products used to form all layers of physical security, including the perimeter (e.g. fences and gates), building fabric (e.g. doors, windows, shutters and walling), enclosures and cabinets. Issue 8 defines eight levels of threat (A to H) and six levels of delay (1, 3, 5, 10, 15 and 20 minutes).

EN1627 - This is a European burglary attack test standard for security doors. There are 6 security levels from RC1 - RC6

EN1063 - This is a bullet resistance test for glass. There are 7 levels from BR1 - BR7

EN1522 - This is a bullet resistance test for doors and systems. There are 7 levels from FB1 - FB7. All parts of the door are tested, including door furniture, frames and joints



LPCB EXPLAINED

LPCB certification is recognised by insurers, consultants, architects and risk managers across the globe.



Products that are tested to LPCB standards can reduce liability for our customers because of the demonstrated due diligence that having a product certified provides.

Products are rigorously assessed in order to achieve certification. Testing and evaluation makes up an early part of the process, followed by auditing the factory production to ensure high standards are maintained.

Once the product is successfully certified, it is then listed on [RedBookLive](#). It is here that our products are seen by specifiers to verify the status of our tested products.

Once a product has been certified, continuous audits are carried out to ensure that certification is maintained.

Product	Standard	Rating	Certification
PANIC ROOMS AND WALLING			
Embassy Panic Rooms	-	-	-
Talos	LPS1175 Issue 6	SR2, SR3 and SR4	LPCB
Avertic	-	-	-
SECURITY DOORS			
Janus	EN1627	RC3 and RC4	Istituto Giordano
Kronos	LPS1175 Issue 7	SR2, SR3 and SR4	LPCB
GRILLS AND BAR SETS			
Ajax	-	-	-
Typhon	LPS1175 Issue 7	SR2 and SR3	LPCB
VAULTS AND STRONG ROOMS			
Transporta - SC10 & SC20	SS 3492	SS 3492	SSF/SBSC
Transporta - SC800, SC3000 & SC6000	EN1143-1	Grade 3	SSF/SBSC
Orthrus	LPS1175 Issue 8	F10 (SR6) G5	LPCB
Cerberus	EN1143-1	Grade 1 to Grade 13	ECBS



Bespoke Ballistic Panic Rooms, Kensington, London

We were approached by a construction company who were renovating a period property in one of London's most affluent and prestigious postcodes.

The residence was already some way through its refurbishment and we were required to secure two rooms against both physical attack & ballistic weapons. Furthermore we were required to supply doors to these rooms that matched the others within the property, so as to blend in seamlessly with the period surroundings.


The complexity and sophistication of the building management systems resulted in a huge amount of cabling and ductwork within the walls floor and ceiling for us to work around. This made securing the installation very challenging since most of this infrastructure was already installed. As with many Embassy panic rooms that we fit, the rooms were upstairs on wooden floorboards and therefore weight was a constraint.

Our Research & Development team came up with a bespoke solution that met the full brief. The walling gave ballistic resistance to EN1522 FB4, which protects against the most powerful of handguns. In addition it was also designed to resist attacks with power tools, axes and sledge hammers.


We used our Janus Armoured Doors, also with FB4 ballistic protection. These heavily protected steel doors are clad with special decorative panels to give the impression of a normal domestic door. The panels can be matched to hundreds of different designs to match the surroundings of any building, old or new. These doors are independently tested and certified to the European Burglary Resistance Standard EN1627 RC4. They have a double lock on them which is quick and very simple to manually operate in the event that you are under threat. All of the locks and cylinders are tested and certified to the highest European standards for attack resistance EN12209 & EN1303 and the keys are protected against copying.



Kensington, London



Janus Panic Armoured Doors



Janus Panic Armoured Doors

Burton Safes Process



Sales Team

You will have a dedicated sales manager to work with you to discuss your requirements and find the right solution. Our sales team have a vast knowledge of the security industry and will ensure the solution is right for you.



Design Team

After detailed discussions to assess your requirements our design team will work on your solution, ensuring it meets the required security level.



CAD Design

Our in-house CAD design team will create drawings of your security solution allowing you to visualise the end result. Once your project is signed off we will begin the manufacturing process.



Precised Engineered

Each project is handled by a dedicated project manager who will ensure a smooth process and that deadlines are met.



Installations

Surveys and installations are carried out by our own engineering team. These are arranged with you in advance by the project manager.





Our Embassy Modular Panic Rooms and safe areas are typically designed for:

- Private Residences
- Schools
- Hotels
- Offices
- Embassies
- Jewellers
- Listed Buildings



Embassy Modular Security Rooms

Our High Security modular rooms and walling systems combined with a choice of armoured high security doors provide the perfect solution for building secure rooms to protect valuables, critical data or create custom designed safe rooms to protect your family.

With over 30 years experience designing physical security solutions for banks, cash in transit companies, ATM deployers, safe deposit centres and the largest retail companies, we are one of the few UK security companies that can offer the full Turnkey service in-house with our own R&D CAD, design and manufacturing team, surveyors, dedicated project managers and fully trained installation engineers.

Your privacy and security matter to us...

Tailor made to meet our client's budget, installation deadlines and provide the highest possible protection, we can design and build a stand-alone room solution for any building or retro fit within an existing room where weight and space are normally an issue.

Our Embassy Modular Security Rooms are typically designed for:

- Healthcare
- Pharmaceuticals and Laboratories
- Warehousing
- Arts and Museums
- Luxury and High Value Goods
- Critical National infrastructure
- Data Centres
- Military
- Gun Storage
- Retail
- Utilities
- Nuclear
- Battery Storage
- Transport
- ATM Rooms and Banking
- Safe Deposit Centres
- Cash Handling

For larger commercial secure storage please see our range of Transportable Strongrooms, the freestanding Orthrus Strongroom certified by LPS to F10 G5 (SR6) and our larger freestanding Cerberus vaults certified to EN1143-1 Grades 1 to 13.



Why choose Embassy Modular Security Rooms and The Sure Defence team?

- Award-winning Security Team
- Industry Leading Design and Manufacturing
- Most Competitive Pricing
- Fastest Lead Times in the Industry
- ISO 9001 Certified Company by LPCB
- Dedicated Sales Manager
- Experienced Survey Team
- In-house CAD Design Team
- Dedicated Project Manager
- Dedicated Installation Manager



Key Features and Available Options:

- Lightweight Modular Panels Suitable for Upstairs Locations
- Talos Walling - Independently Attack Tested to LPS1175 SR2, SR3, SR4 and SR5
- Kronos High Security Doors - Independently Attack Tested to LPS1175 SR2, SR3 and SR4
- Janus Armoured Security Doors - Independently Attack Tested to EN1627 RC3 and RC4
- Hidden Doors
- Access Control Systems
- Anti-drill Protection
- Anti-cut Protection
- Ballistic Protection
- Fire Protection
- Energy Efficiency
- Thermal and Sound Insulation
- Water and Wind Resistance
- Flood Protection

Associated Security Products:

- High Security and Luxury Safes
- Key Management Systems
- Biometrics Locks
- Key Locks
- Security Doors
- Grilles and cages
- Bar Sets
- Gates
- Vision Panels
- Ballistic Glazing
- Security Shutters

When everything else fails Physical Security remains at the heart of protecting your family and valuables.



Tallos Walling



- Built to a Police Preferred Specification
 - Secured by Design
- Create a secure room separate from or within an existing property
- Can be used in residential or commercial properties for panic rooms and secure enclosures
- Models with independent testing to LPS1175 SR2 - SR5
- Special lightweight systems allow use in upstairs locations
- Different systems available to suit different risks and budgets
- Optional ballistic protection certified to EN1522/23 FB2 - FB6
- Optional fire protection up to 4 hours
- Can be used for storage of source materials as required by the Environment Agency



Panel Model	Panel Thickness	Weight p/m2	Max Ceiling Span*	Fire Rating Integrity / Insulation
SR2	100	40kg	5500	144min / 30min
SR3	100	45kg	5500	144min / 30min
SR4	100	60kg	5500	240min / 90min
SR5	100	95kg	3500	84min / 84min
FB6	146	135kg	Project specific	240min / 90min


*Without supports



- Designed to withstand attacks from drills, chainsaws, reciprocating saws, concrete cutters and grinders
- Increase the security of armoured vehicles, security walls, security doors, safe rooms, safes, roller shutter and many more security solutions
- Can be used in domestic or commercial properties
- Panels can be cut to any size or shape to meet your requirements
- Space saving solutions as panels are only 5-10mm thick
- Minimal weight increase with panels at just 1 - 1.5kg/pm2
- Easy to apply, and install
- Can be installed as part of manufacture or as a retro fit solution
- 4 different security levels to suit your security needs

Avertic Armour

Avertic Armour is a highly advanced, state of the art security panel providing ultra-light and effective protection against a range of power tools. It's unique properties allow it to be used across many security solutions such as cash-in-transit vehicles, panic room construction, military out buildings, secure room dividers, roller shutters and many more.




Example of vehicle panel construction

Example of secure room wall construction

The Avertic Armour Panel is available in 4 different security levels:

- Anti-Drill**
Contains 8 layers of protective material and provides 18V drill protection
- Power**
Contains 6 layers of protective material and 2 layers of the anti-cut material. It can provide protection against a concrete cutter, chainsaw and 800w grinder
- Power +**
Contains 4 layers of protective material and 4 layers of the anti-cut material. This product protects against a 1100W grinder, reciprocating saw, concrete cutter and chainsaws
- Extreme**
The most secure level of this product, contains 2 layers of protective material and 6 layers of the anti-cut material. This level protects against a 2300W grinder, reciprocating saw, concrete cutter and chainsaws

Tailored versions are available to suit security requirements





Janus Security Doors

Water Resistance

Fire Rating

Thermal Insulation

Ballistic

Eco Friendly

- High security door for homes, offices, banks and prestigious or listed buildings
- Independently attack tested to EN1627 RC3 - RC4
- Custom made to suit your property
- A range of fittings and door furniture available
- High environmental performance - Industry leading energy efficiency
- Superb thermal and sound insulation
- External models offer high levels of air tightness, water resistance and wind resistance
- Choice of key or electronic locking
- Special subframe to aide installation, increase security and can give additional thermal insulation on request
- Security glazing available on request
- Bullet resistance available on request
- Emergency and panic hardware available on request

Locking Options

Single Key

Pin

Biometric



Door Model	Janus 3	Janus 4	Janus Fire	Janus 3ex	Janus 4ex	Janus Gold	Janus Platinum
Location	Internal	Internal	Internal	External	External	External	External
Security Grade	EN1627 RC3	EN1627 RC4t	EN1627 RC3	EN1627 RC3	EN1627 RC4	EN1627 RC4	EN1627 RC3
Accoustic Insulation	-43dB Rw	-44.8dB Rw	-43dB Rw	-44.8dB Rw	-44.8dB Rw	-46dB Rw	-46dB Rw
Thermal Insulation	1.3W/m2K	1.2W/m2K	1.6W/m2K	0.54W/m2K	1.2W/m2K	0.6W/m2K	0.54W/m2K
Air Tightness	N/A	N/A	N/A	Class 4	Class 4	Class 4	Class 4
Water Tightness	N/A	N/A	N/A	Class 6A	Class 3A	Class 9A	Class 9 A
Wind Resistance	N/A	N/A	N/A	Class C4	Class C4	Class 5	Class 5

High security locking bolts

High security steel core

Choose from a range of door furniture


Spy holes available

Optional electric strike

Available in key, electronic pin code or fingerprint locking with a thumb turn inside

Create almost any design panel to match your property

Special sub frame for high quality installation





Kronos Security Doors

 Flood Protection

 Fire Rating

- High security steel doors
- Independently tested and certified to LPS1175 SR2 - SR4
- Optional 240 minutes fire rating*
- Optional flood protection
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- Suitable for use in any high security environment including; banks, utility sector, retail outlets, jewellers, government, defence buildings and airports
- Custom made to fit your property size and operational requirements
- Inward or outward opening door leaves
- Single or double door sets
- Variety of locking options and optional fittings
- Available in almost any RAL colour**
- 10 year anti-rust warranty

*max 60 minutes with vision panels **some colours are at an additional cost


LPS1175: Issue 7
Cert No: 1000 a





Locking Options

 Single Key

 Pin

 Biometric



Variant	Min Height	Max Height	Min Width	Max Width
SR2				
Single inward opening	1000	2930	600	1430
Double inward opening	1000	2930	900	2600
Single outward opening (with removable over panels)	1000	3930	740	1430
Double outward opening (with removable over panels)	1200	3930	900	2600
Single outward opening	1000	2930	600	1430
Double outward opening	1000	2930	900	2600
Single outward opening (with fixed side and over panels)	1000	3930	740	4180
Double outward opening (with fixed side and over panels)	1200	3930	900	5200
SR3				
Single outward opening	1000	2930	600	1430
Double outward opening	1000	2930	900	2600
Single inward opening	1000	2430	600	1430
Double inward opening	1000	2430	900	2600
Single outward opening (with fixed side and over panels)	1200	4125	600	1430
Double outward opening (with removable over panels)	1200	4125	900	2600
SR4				
Single outward opening	1000	2930	600	1430
Double outward opening	1000	2930	900	2600
Single inward opening	1000	2430	600	1430



Ajax Grilles & Cages

- High security retractable grilles and cages
- Suitable for domestic and commercial properties
- Custom made to suit your individual needs
- Available in almost any RAL colour*
- Blast tested using 100kg charge at 20m behind glass backed with anti-shatter film
- Allows line of sight for guarding and CCTV
- Neatly folds away out of sight when not in use
- No hot works required during installation

* some colours at additional costs



Typhon Bar Sets

- High security fixed bar sets
- Independently tested and certified to LPS1175 SR2 - SR4
- Built to a Police Preferred Specification - Secured by Design
- Suitable for internal or external installation
- Custom made to suit your individual needs
- Available in almost any RAL colour*
- Reveal or face fixing options available
- Suitable for mounting to brickwork, concrete or steel
- Minimum 500mm x 500mm
- Allows line of sight for guarding and CCTV

* some colours at additional costs



LPS1175: Issue 7
Cert No: 1000 h



Police Preferred Specification



Transporta Strongrooms

- Transportable high security container
- From the outside it looks like an ordinary container
- Ideal for the transportation of cash, weapons, explosives or sensitive confidential data
- Option to fit out the inside with internal walling, power, lighting and air conditioning
- Optional weapon racking and ammunition storage
- Optional GPS tracking can be added
- Optional side personnel door
- Double door access to maximise the opening space
- Ideal for events and exhibitions
- Ready made solution for fast deployment in an existing building
- SC10 and SC20 - tested and certified to SS3492 by SSF/SBSC
- SC800, SC3000 and SC6000 - tested and certified to EN1143-1 Grade 3 by SSF/SBSC

Locking Options



Single Key



Dual Locking

Model	External (HxWxD)	Internal (HxWxD)	Weight	Cash Rating
SC10	2440 x 2440 x 2980	2110 x 2110 x 2560	2040kg	£4,000
SC20	2440 x 2440 x 6170	2110 x 2110 x 5660	3800kg	£4,000
SC800	2140 x 1125 x 1490	1750 x 850 x 1250	1500kg	£35,000
SC3000	2430 x 2440 x 2990	2180 x 2165 x 2560	4000kg	£35,000
SC6000	2940 x 2560 x 6320	2240 x 2200 x 5660	9000kg	£35,000






Orthrus Strongrooms

A free-standing high security solution of modular construction, Orthrus delivers optimum price/performance ratio. It is certified to the very latest LPS standard – LPS1175: Issue 8 and has achieved security rating F10 (SR6) G5. Each room is built to order according to the individual size and security requirements of the client. The flexibility of design and build allow this to be the perfect solution in the commercial world for high value items or indeed military/government use for sensitive materials or meeting spaces.

Locking Options



- Free-standing high security safe room
- Modular construction to create bespoke rooms built to your specification
- Independently tested and certified to LPS1175 (Issue 8) F10 (SR6) G5
- Built to a Police Preferred Specification - Secured by Design
- Ideal solution for creating a secure space within an existing structure
- Ideal for commercial, military and government use
- Exceeds requirements of the UK Environment Agency for the storage of radioactive source material/equipment
- Panel widths range from 150mm to 1500mm
- Rooms can be 5 or 6 sided
- Design, consultancy service and installation provided by Burton Safes
- The door and locking system can be connected to client's own alarm system and access control system
- A 2nd or 3rd lock can be added to your vault door if required
- Lock features 4 manager codes, 36 user codes, time delay and time windows, dual user functions and audit trails
- Optional emergency door is available



Example Room Drawing



Vault panel information


Model	Min-Max Length*	Min-Max Width	Thickness	Weight p/m2
Orthrus	1950 - 3950 (wall) 2900 (ceiling)	150 - 1500	27	90kg

Vault door information


Model	Clear Opening Height	Clear Opening Width	Thickness	Weight p/m2
Standard Size	1960	910	160	900
Certified Range	1810 - 3950	510 - 1950	160	900
Emergency Door (in wall panels)	510	1068	160	450

*without additional steel supports





Cerberus Vaults and Doors







- Independently tested and certified to EN1143-1 Grades 1 - 13
- Grades 6 - 13 have been tested and certified to EX, providing additional protection against explosives
- Grades 8 - 13 have been tested and certified to CD, providing special protection against core drills
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- Designed to suit your size and security requirements
- Panels can be provided in lengths of up to 3600mm and can be fitted with cable and ventilation holes if required
- Mounting plates for seismic detectors can be added to your vault
- Steel cladding for the exterior is available on request
- Burton Safes offer a full consultation, design and building service. Upon completion the room is inspected and registered with VDS
- All Cerberus doors come with 2 locks as standard and a third can be ordered on request. The locks are located on the outside only
- Cerberus doors can be supplied with key, mechanical combination or electronic locks
- Electronic locks can offer redundant systems, dual user, time delay, time lock, duress alarms, audit trails, one time codes, remote programming and tiered access rights
- All doors can only open outwards and can open 180°
- An emergency door can be integrated into the main vault door or installed as a separate door*
- A day gate can be fitted to the main vault door on request and comes with a single key lock and a second key or electric strike
- Exit handles and hydraulic closers can be added on request

Locking Options

*Integrated door in door only available on Grades 1-3



Vault Model	Grade (EN1143-1)	Wall Thickness	Weight p/m2	Standard Door Aperture	Weight of Standard Door
Cerberus 1	1	27	100kg	1960 x 910	790kg
Cerberus 2	2	27	110kg	1960 x 910	795kg
Cerberus 3	3	70	210kg	1960 x 910	823kg
Cerberus 4	4	70	210kg	1960 x 910	900kg
Cerberus 5	5	70	210kg	1960 x 910	900kg
Cerberus 6	6	70	225kg	1960 x 910	900kg
Cerberus 8	8	125	390kg	1960 x 910	1410kg
Cerberus 10	10	195	600kg	1960 x 910	2000kg
Cerberus 12	12	250	900kg	1960 x 910	2805kg
Cerberus 13	13	415	1215kg	1960 x 920	4300kg



Associated Security Products

With banks removing safe deposit facilities at a considerable rate, we have found that private businesses are launching their own safe deposit centres.

With over 85 years experience in our Sure Defence team, we can supply the complete turnkey solution. We provide installation of the vault and supply a choice of four safe deposit box options. We also provide security window counters, security doors, interlock systems, access control, cash trolleys and sanitiser units.

Security Window Counters

Providing security for staff is a key ingredient to a security solution. Our security counters and windows keep staff safe while being able to serve customers from a secure office. Options include ballistic protection for added peace of mind.



Sanitiser Units

With the pandemic continuing, keeping customers and staff safe is vital. Our sanitiser units provide the perfect hands free solution.



Security Doors

Our Janus high security doors provide the perfect solution for offices, banks and prestigious or listed buildings. They are custom made to suit your requirement and a range of fittings and door furniture are available.

With a choice of two security levels, Janus doors are independently attack tested to EN1627 RC3 and RC4. Options available on request include security glazing, bullet resistance and emergency / panic hardware.

Kronos doors are suited for a high security environment and are tested to LPS1175 SR2 to SR4 by LPCB. These are custom made to suit your opening and can have different fittings built into the door. Options include single or double door sets, fire rating up to 2 hours and flood protection.

Cash Trolleys



Interlocks and Access Control Systems

Our technical team design and build interlock systems that work with the many different applications that are needed by our customers.

An interlock solution is an essential part of the package to protect staff and maintain security protection. Access control forms an important part of the interlocking solution and we can offer different solutions based on your choice of safe deposit system.





Shanghai Safe Deposit Boxes

- A range of low cost safe deposit boxes
- Ideal for use in banks, safe deposit centres or hotels
- Stainless steel facia
- Dual key locking as standard
- 6 different door sizes
- 3 standard depths - 610/510/410
- Optional pull out shelves
- Metal inner box as standard with all sizes*
- Full design and consultancy provided by Burton Safes


*except SSDBB60

Locking Options



Dual Locking

Box Size	Internal dimensions
SSDBB 60	42 x 120 x 540/440/340
SSDBB 42	65 x 120 x 540/440/340
SSDBB 24	115 x 120 x 540/440/340
SSDBB 21	65 x 250 x 540/440/340
SSDBB 12	115 x 250 x 540/440/340
SSDBB 6	250 x 250 x 540/440/340





Vienna Safe Deposit Boxes

- A range of high quality safe deposit boxes with high security locks and advanced software options
- Ideal for use in banks and safe deposit centres
- 6mm steel door
- Stainless steel facia
- Choice of dual key or key and electronic locking system
- Electronic system offers increased security through permanent monitoring of the door status. Unauthorised entry and tampering will trigger alarms
- Electronic system offers the option of a 'self service system'. Reducing running costs for banks and safe deposit centres
- Vienna Safe Service 6.0 offers the most advanced safe deposit management system on the market - control multiple centres, control day gates and interlocks, monitor box status, record client accesses, set up billing functions and run invoicing
- Key locking systems offer a choice of security levels and lock types to suit different budgets
- Plastic inner cassettes as standard with most box sizes
- Also available in different colour options below the stainless steel facia

Locking Options



Single Key





Pin



Biometric

Box Size	Internal dimensions
1	48.5 x 265 x 413
2	98.5 x 265 x 413
3	148.5 x 265 x 413
4	198.5 x 265 x 413
5	248.5 x 265 x 413
9	448.5 x 265 x 413
10	498.5 x 265 x 413
9 W	448.5 x 575 x 413
10 W	498.5 x 575 x 413

Industry leading self-service software system option available





Vaduz Safe Deposit Box System

- 24/7 Self service safe deposit system
- Solid steel lockers
- Lockers come in 4 sizes;
50-230mm (H) x 240mm (W) x 360mm (D)
- Vaults certified to EN1143-1
- Dispense lockers through the wall at ground floor level or via a tower dispense system
- Space saving - two lockers can be stacked one behind the other
- Planning, design, installation and maintenance provided by Burton Safes
- Software for administration and control of safe deposit system
- Spare parts guarantee for 10 years

Locking Options



Pin





Biometric

Box Size	Dimensions
1	50 x 240 x 360
2	110 x 240 x 360
3	170 x 240 x 360
4	230 x 240 x 360



State-of-the-art safe deposit system increasingly used by banks to reduce running costs and offer customers increased access to their deposit boxes. No staff are required for operation of the system and the vault always remains secure. Full design and consultancy is provided by Burton Safes, contact us for more information.

Example of Vaduz vault and safe deposit box construction





Zurich Safe Deposit System

- Upgrades key locking safe deposit systems to a self service electronic operation
- Reduces staffing costs
- Increase security levels with permanent monitoring of the box status
- Alarms can be generated in the event of unauthorised access
- Simple and quick upgrade with minimal down time
- No need to open boxes to fit the system
- Wireless communication avoids damaging/disrupting the existing room
- Cheaper and less disruptive than changing your boxes to new electronic models

Locking Options



Pin



Biometric



What we do...

Burton Safes specialises in the supply, distribution, installation and servicing of **Physical Security Solutions**.

Our Goals

Be the best
Generate sustainable growth
Create a long term legacy
Create a respected and desirable brand
Generate profits for our shareholders and our staff

How we will achieve our goals

Listen to our customers and to the wider market
Deliver a first-rate customer service
Focus on our product quality
Deliver solutions not just products
Seek niche and profitable markets
Create a diverse and first rate supplier network
Constantly assess and challenge our costs, our actions and our performance
Create a stable financial foundation

Our Values

Promote and support the use of independent product testing and certifications
Promote good practice and industry standards
Be honest, fair and respectful in our dealings with customers, suppliers and staff
Help our local community and environment prosper
Be proud of our Yorkshire heritage whilst maintaining an open, global outlook
Create an enjoyable working environment for our staff, with a family atmosphere and ethos

BESPOKE SECURITY SOLUTIONS



Contact our
commercial team

+44 (0) 1484 663388

enquiries@burtonsafes.co.uk



Although Burton Safes offers an extensive range of tested and certified safes, vaults and physical security products, our R&D and engineering

side of the business have the capability to provide made to measure bespoke security solutions to meet the most demanding of projects.



Please contact The Sure Defence team for a free consultation and we will work with you to create bespoke security solutions tailored to your exact needs.

Examples of what we can provide are:

- Bespoke safes and cabinets
- Access control
- Keyless locking systems
- Intelligent key cabinets
- Security doors
- ATM solutions
- Security vision windows with audio
- Security shutters
- Windows bars & grilles
- Window security film
- Gates
- Vehicle bollards
- Perimeter security
- Tracking systems

IF IT MATTERS TO YOU, SECURE IT WITH US...



www.burtonsafes.co.uk | +44 (0) 1484 663388 | enquiries@burtonsafes.co.uk
Brockholes Business Park, Rock Mill Road, Holmfirth, HD9 7BN