



**BURTON  
SAFES**

**THE SURE DEFENCE**

*High Security Safes*



*We protect what  
you care most about!*

## High Security Safes

From £100k jewellery rating to Europe's Highest security safe providing £2.5M jewellery rating; all of our high security products are independently tested and certified by internationally recognised test houses and validated by the Association of Insurance Surveyors.

At Burton Safes we work on some of the world's most secure sites. That experience filters into our products and the benefits reach you. Our range contains models with features such as double walled steel products with ultra-high performance concrete, certified fire protection, relocking devices, glass plates, and special drill protective elements for the lock and bolt work.

We deliver key and electronic locking solutions, including the use of the latest biometric technology.

Our locking solutions include features such as alarm and CCTV integration, dual user entry, time delays and windows, duress codes, temporary and one user time codes to name a few. We also have a wide range of optional extras to provide for every eventuality, whether that be jewellery inserts or additional shelves.

# HIGH SECURITY SAFES



## EUROVAULT AVER & ATLAS Grades 1 to 7

Wide selection of sizes available  
Insurance approved by the AiS  
Built to a Police Preferred Specification  
Secured by Design

Security level	Cash Rating	Jewellery Rating	Fire Protection
Grade 1	£10,000	£100,000	30 Minutes
Grade 2	£17,500	£175,000	30 Minutes
Grade 3	£35,000	£350,000	30 Minutes
Grade 4	£60,000	£600,000	30 Minutes
Grade 5	£100,000	£1,000,000	30 Minutes
Grade 6	£150,000	£1,500,000	N/A
Grade 7	£250,000	£2,500,000	N/A



G1-G5



G6-G7

### Locking Options



Single Key



Dual Locking



Pin



Biometric



Dial

Discuss your requirements with us!



Size 3

Size 4

Size 5

Size 1

Size 2



### Eurovault Aver Grade 1



Cash Rating  
£10,000



Jewellery Rating  
£100,000



Fire Rating 30 minute  
Fire protection for paper



- Independently tested and certified to EN1143-1 Grade 1 and EN15659 LFS30P by ECB•S
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- Suitable for storage of controlled drugs with active ingredients exceeding 500g
- Option of left hand hinge - additional lead times and costs apply
- Height adjustable shelving
- Back and base fixing
- We also have a Grade 1 Deposit Safe featured on page 65

### Locking Options



Single Key



Pin



Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	340 x 500 x 345	262 x 424 x 216	93kg	24L	1
Size 2	460 x 440 x 430	382 x 364 x 300	119kg	42L	1
Size 3	655 x 440 x 430	574 x 364 x 300	155kg	63L	1
Size 4	900 x 440 x 430	822 x 364 x 300	205kg	90L	2
Size 5	840 x 650 x 550	782 x 574 x 420	289kg	189L	2

Add 55mm to external depth for handle



## Eurovault Aver Grade 2

 **Cash Rating**  
£17,500

 **Jewellery Rating**  
£175,000

 **Fire Rating 30 minute**  
Fire protection for paper



- Independently tested and certified to EN1143-1 Grade 2 and EN15659 LFS 30P by ECB•S
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- Suitable for storage of controlled drugs with active ingredients exceeding 500g
- Choose from high security key or electronic locking
- Option of dual locking - not sizes 0 & 1
- Option of left hand hinge - additional lead time and costs apply
- Cable hole for alarm connection
- Height adjustable shelving
- Back and base fixing
- We also have a Grade 2 Deposit Safe featured on page 66

### Locking Options


Any lock alterations must conform to EN1300 Class A.



Single Key



Dual Locking



Pin



Biometric



Dial

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 0	460 x 470 x 470	345 x 355 x 320	180kg	39L	1
Size 1	500 x 510 x 510	385 x 395 x 360	211kg	55L	1
Size 2	670 x 510 x 510	555 x 395 x 360	262kg	79L	1
Size 3	610 x 680 x 510	495 x 565 x 360	297kg	100L	1
Size 4	810 x 680 x 510	695 x 565 x 360	368kg	141L	2
Size 5	1010 x 680 x 510	895 x 565 x 360	439kg	182L	2
Size 6	1320 x 680 x 510	1205 x 565 x 360	552kg	244L	3
Size 7	1510 x 850 x 600	1375 x 715 x 440	863kg	431L	3

Add 55mm to external depth for handle



## Eurovault Aver Grade 3

 **Cash Rating**  
£35,000

 **Jewellery Rating**  
£350,000

 **Fire Rating 30 minute**  
Fire protection for paper



- Independently tested and certified to EN1143-1 Grade 3 and EN15659 LFS 30P by ECB•S
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- Suitable for storage of controlled drugs with active ingredients exceeding 500g
- Choose from high security key or electronic locking
- Option of dual locking - not sizes 0 & 1
- Option of left hand hinge - additional lead time and costs apply
- Cable hole for alarm connection
- Height adjustable shelving
- Back and base fixing
- We also have a Grade 3 Deposit Safe featured on page 62

### Locking Options

Any lock alterations must conform to EN1300 Class B.



Single Key



Dual Locking



Pin



Biometric



Dial




Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 0	500 x 510 x 510	385 x 395 x 330	229kg	50L	1
Size 1	670 x 510 x 510	555 x 395 x 330	281kg	72L	1
Size 2	990 x 510 x 510	875 x 395 x 330	387kg	113L	2
Size 3	1320 x 680 x 510	1205 x 565 x 330	591kg	223L	2
Size 4	1320 x 850 x 510	1185 x 715 x 315	757kg	268L	3
Size 5	1660 x 680 x 510	1525 x 545 x 315	789kg	263L	3
Size 6	1660 x 850 x 510	1525 x 715 x 315	920kg	345L	3

Add 55mm to external depth for handle





## Eurovault Aver Grade 4

-  **Cash Rating**  
£60,000
-  **Jewellery Rating**  
£600,000
-  **Fire Rating 30 minute**  
Fire protection for paper



- Independently tested and certified to EN1143-1 Grade 4 and EN15659 LFS 30P by ECB•S
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- Dual locking as standard - combination of key and/or electronic as required
- Kaba Connect with lock mount fitted as standard on dual electronic models
- Burton Safes recommends Kaba Connect is used with mains power
- Alternative electronic locks available upon request
- Network or one time code lock options available
- Cable hole for alarm connection
- Option of left hand hinge - additional lead time and costs apply
- Height adjustable shelving
- Back and base fixing

### Locking Options

Any lock alterations must conform to EN1300 Class B.






-  Dual Locking
-  Pin
-  Biometric
-  Dial

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	550 x 550 x 530	435 x 435 x 335	297kg	64L	1
Size 2	670 x 550 x 530	555 x 435 x 335	348kg	81L	1
Size 3	840 x 550 x 530	725 x 435 x 335	420kg	106L	1
Size 4	1010 x 550 x 530	895 x 435 x 335	484kg	131L	2
Size 5	1510 x 680 x 560	1425 x 545 x 355	905kg	276L	3

\* Add 55mm to external depth for handle. Kaba Connect lock with mount protrudes 90mm.



## Eurovault Aver Grade 5


-  **Cash Rating**  
£100,000
-  **Jewellery Rating**  
£1,000,000
-  **Fire Rating 30 minute**  
Fire protection for paper




- Independently tested and certified to EN1143-1 Grade 5 and EN15659 LFS 30P by ECB•S
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- Dual locking as standard - combination of key and/or electronic as required
- Kaba Connect with lock mount fitted as standard on dual electronic models
- Burton Safes recommends Kaba Connect is used with mains power
- Alternative electronic locks available upon request
- Network or one time code lock options available
- Cable hole for alarm connection
- Option of left hand hinge - additional lead time and costs apply
- Height adjustable shelving
- Back and base fixing

### Locking Options

Any lock alterations must conform to EN1300 Class B.



Dual Locking



Pin



Biometric



Dial

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	680 x 680 x 630	540 x 540 x 380	600kg	111L	1
Size 2	840 x 680 x 680	700 x 540 x 430	695kg	163L	1
Size 3	1010 x 680 x 680	870 x 540 x 430	808kg	203L	2
Size 4	1510 x 680 x 680	1370 x 540 x 430	1152kg	320L	3

\* Add 55mm to external depth for handle. Kaba Connect lock with mount protrudes 90mm.





## Eurovault Atlas Grade 6

 **Cash Rating**  
£150,000

 **Jewellery Rating**  
£1,500,000



- Independently tested and certified to EN1143-1 Grade 6 by SBSC
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- Dual locking as standard - combination of key and/or electronic as required
- Option of left hand hinge - additional lead time and costs apply
- Height adjustable shelving
- Base fixing

### Locking Options

Any lock alterations must conform to EN1300 Class C.



Dual Locking



Pin



Biometric



Dial

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	1080 x 690 x 660	900 x 500 x 400	1162kg	180L	2
Size 2	1380 x 690 x 660	1200 x 500 x 400	1390kg	240L	2
Size 3	1680 x 690 x 660	1500 x 500 x 400	1610kg	300L	4

Add 25mm to external width for hinges, Add 55mm to external depth for handle and electronic lock options



## Eurovault Atlas Grade 7

 **Cash Rating**  
£250,000

 **Jewellery Rating**  
£2,500,000



- The highest security rated safe available in Europe
- Independently tested and certified to EN1143-1 Grade 7 by SBSC
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- Dual locking as standard - combination of key and/or electronic as required
- Option of left hand hinge - additional lead time and costs apply
- Height adjustable shelving
- Base fixing

### Locking Options

Any lock alterations must conform to EN1300 Class C.



Dual Locking



Pin



Biometric



Dial

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	1150 x 760 x 730	900 x 500 x 400	1650kg	180L	2
Size 2	1450 x 760 x 730	1200 x 500 x 400	1950kg	240L	2
Size 3	1750 x 760 x 730	1500 x 500 x 400	2350kg	300L	4

Add 25mm to external width for hinges, Add 55mm to external depth for handle and electronic lock options

# SAFE OPTIONAL Extras

## Internal Light

- Enables you to see your belongings, even when your safe is in a dark cupboard
- Belongings can be displayed as well as protected
- Uses magnets to attach to the safe interior, no installation required
- Batteries included



## Shelves

Additional, replacement and reinforced shelves holding up to 50kg. We have a wide range to suit our products and your needs.




## Left Hand Hinge

Where available Burton Safes can provide your safe with a left-hand hinge.



## Colour Options

Available on nearly all of our range - we can offer a choice of paint colours on most of our safe models. Choose from our 4 most popular colours or supply your own RAL colour for the exterior of the safe.



## Safe Deposit Options

Add deposit features to your safe!

- Internal coffer
- Deposit slots
- Preparation for air tubes

## Safe Limpets

- Piezo vibration detector
- Integral analyser
- Thermal and proximity sensor
- Magnetic interference and supply failure detection
- Connects to your building alarm system
- Prevents operation of your safe whilst the alarm is activated



## Signal Blocker

The sure defence for contactless cards, keyless vehicle keys and distracted driving.

- Police Preferred Specification
- Fits all key fobs, smart cards and phones
- Blocks all signals from cards, key fobs and phones
- Blocks GPS tracking
- Expertly tested to a 99% success rate
- Double stitched reinforced seams
- Spare pouch



## Fixing

We have a range of fixing kits available to install your safe:

- Concrete
- Wood
- Chemical
- Adhesive
- Plinths
- Underfloor



We can also provide door contacts and opening counters

## Seismic Sensor

- Detects specific vibrations from unauthorised attempts to penetrate the safe
  - Fast reacting alarm system
- Has optimum sensitivity, detecting unauthorised access and preventing false alarms
  - Suitable for noisy environments





**IF IT MATTERS TO YOU,  
SECURE IT WITH US...**



 **BURTON**  
***SECURITY***

[www.burtonsafes.co.uk](http://www.burtonsafes.co.uk) | +44 (0) 1484 663388 | [enquiries@burtonsecurity.com](mailto:enquiries@burtonsecurity.com)

Brockholes Business Park, Rock Mill Road, Holmfirth, HD9 7BN