



Retail Safes

Deposit safes have become a necessity for businesses as hold up situations and internal fraud have become an increasing threat.

Some of these safes have been independently tested and certified to ENII43-2 by ECB • S.

Having a separate deposit drawer means staff can deposit cash/valuables without having access to the main safe.

Both the drawer and the safe door are fitted with separately operated high security locks. These models have optional locking including mechanical combination, electronic PIN or advanced biometric locking systems.









Till Safe



Cash Rating £4,000 or £10.000



Jewellery Rating £40,000 or £100,000

- Independently tested and certified to EN14450 S2 or EN1143-1 Grade 1
- Insurance approved by the AiS
- Built to a Police Preferred Specification Secured by Design
- Grade 1 Till Safe tested and certified to EN15659 LFS30P providing 30 minutes fire protection for paper
- · Designed for storage of till drawers
- · Store a minimum of 4 drawers in each model
- 2 different security levels to suit your requirements
- High security electronic locking on S2, option of key, electronic or biometric locking on the Grade 1
- Back and base fixing

Locking Options





Single 000 Pin

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
S2 Till	510 x 550 x 500	430 x 470 x 400	47kg	80L	3
G1 Till	840 x 650 x 550	782 x 574 x 420	289kg	189L	2

Add 55mm to external depth for handle on G1 Till

FULT ON APER PROPERTY OF THE P

Teller Deposit Safe



Cash Rating Up to £3,000

- Choice of deposit methods and trap sizes to suit your requirements
- Size 1 V Trap deposit via a front loading V Trap system
- · Size 1 Rotary deposits via a top loading rotary drum
- Option of key, electronic or biometric locking*
- Automatic slam locking system**
- · Back and Base fixing

*Electronic and biometric locking not available on the Mini Teller

**If fitted with the Burton Duo swing lock or the Kaba Axessor

Locking Options



Single Kev 000





Model	External (HxWxD)	Internal (HxWxD)	Slot Size	Weight	Volume
Mini Teller	305 x 205 x 255	295 x 195 x 180	20 x 135 x 200	15kg	10L
Size 1 Rotary	510 x 355 x 355	330 x 345 x 275	255 x 105 x 120	40kg	31L
Size 1 V Trap	505 x 355 x 355	220 x 345 x 275	45 x 265 x 190	40kg	21L

Add 45mm to external depth for handle on sizes 1 and 2



Cashguard Vehicle Safes

- · Ideal for use in vans / lorries on delivery rounds
- A range of deposit slots and security levels to suit your requirements
- Base plates attach to the vehicle and the main safe body is locked into these
- The safe has two locks, one for the base plate and one for the safe door
- The two locks are on different keys.
 - This allows drivers to move the safe from the base plate without having access to the contents of the safe

Locking Options



Single Key

Model	External (HxWxD)	Internal (HxWxD)	Slot Size	Weight	Volume
Mini	255 x 165 x 150	210 x 160 x 145	90 x 32	5kg	4L
Cashguard	380 x 205 x 150	350 x 200 x 120	150 x 90	15kg	8L



Eurovault Aver Deposit Grade 1 Cash Rating

- £10,000
- Independently tested and certified to EN1143-2 Grade 1 by ECB • S
- Insurance approved by the AiS
- Built to a Police Preferred Specification Secured by Design
- Drawer deposit means staff can deposit without accessing the main safe
- Option of key, electronic or biometric locking for both main door and deposit drawer
- Time delay, time windows and duress features available with electronic lock upgrade
- Base fixing

Locking Options

Any lock alterations must conform to EN1300 Class A



Model

Size 1

Size 2



External (HxWxD)

670 x 650 x 550

1040 x 650 x 550





Internal (HxWxD)

455 x 573 x 423

816 x 573 x 423



Max Deposit Size

000 Pi

Weight





Shelves

100 x 500 x 120	190kg	110L	-
100 x 500 x 120	270kg	298L	2

Volume

Add 55mm to external depth for handle

4



High Security Deposit Safe Grade 2



Cash Rating £17,500

- £17,500 Cash rating or £175,000 valuables rating for jewellery
- Independently tested and certified to EN1143-2 Grade 2 by ECBS
- Approved by the Association of Insurance Surveyors AiS
- Built to a Police Preferred standard Secured by Design
- 2 Sizes available in the range
- · Option of key, electronic or biometric locking on the main door
- Door opening angle: 180°
- Rear facing/through wall deposit available to order
- Standard RAL 7035 (light grey)



Mod Size Size











Any lock alterations must conform to EN1300 Class A.















Dial

del	External (HxWxD)	Internal (HxWxD)	Max Deposit Size	Weight	Volume	Shelves
1	950 x 590 x 550	265 x 480 x 390	25 x 320 x 100	284kg	49L	0
2	1300 x 590 x 550	615 x 480 x 390	25 x 320 x 100	356kg	115L	1

Add 20mm to external depth for handle *Add 25mm to external width for hinges



High Security Deposit Safe Grade 3



Cash Rating £35,000

- £35,000 Cash rating or £350,000 valuables rating for jewellery
- Independently tested and certified to EN1143-2 Grade 3 by ECBS
- Approved by the Association of Insurance Surveyors AiS
- Built to a Police Preferred standard Secured by Design
- 2 Sizes available in the range
- Option of key, electronic or biometric locking on the main door
- Door opening angle: 180°
- · Rear facing/through wall deposit available to order
- Standard RAL 7035 (light grey)















Any lock alterations must conform to EN1300 Class B.

















Model	External (HxWxD)	Internal (HxWxD)	Max Deposit Size	Weight	Volume	Shelves
Size 1	950 x 590 x 550	265 x 490 x 380	25 x 320 x 100	500kg	49L	0
Size 2	1300 x 590 x 550	615 x 480 x 390	25 x 320 x 100	634kg	115L	1

Add 20mm to external depth for handle *Add 25mm to external width for hinges

Grade 2 and Grade 3

- Other RAL colours available upon request
- Body multi-walled body (50 mm thick)
- Door: multi-walled door construction (106 mm thick)
- · We recommend where possible to secure this model to a concrete floor
- · Designed to be secured to a suitable wall or floor



can deposit without accessing



SYNGUARD ACCESS TO THE FUTURE

Open Access Management Olatform

Synguard stands for the automation and digitalisation of your entire access management.

We make integrations in one open and flexible management platform. We ensure that security, efficiency and user experience always take centre stage with the use of the latest technologies.



OUR SOLUTION

Our expertise is access management software and the accompanying intelligent hardware.

With powerful api's and secure protocols, we integrate all other peripherals and other software solutions from world players, each focuses on its own domain/product.

Unlock your full potential for all stakeholders:

With an open access management platform you can make integrations with third party applications.









Always with you Burton Security and Synguard working together in partnership.

Experts integrating physical security and access management.


Synguard develops access management software and associated intelligent hardware from our headquarters in belgium.

Our goal? Developing a secure open access management platform together with our customers, that meets 100% their needs and expectations.

With leadership and proximity to our certified partners and end-users, we provide an excellent and reliable service. from start to finish, from complex migrations up to final delivery. Hence our baseline: "Always with you".

Burton Security is a certified Synguard solution partner.







§



IF IT MATTERS TO YOU, SECURE IT WITH US...







