





THE SURE DEFENCE







· #.

1





Physical Security Solutions

Product Guide

ISSUE 2 | 2024



BURTONSAFES.CO.UK +44 (0) 1484 663388

BURTON SAFES	4	Garage & Door Security Garage Guard	97 98
Our comprehensive renge	5	Hasp Guard	100
Our comprehensive range	5 6	Shutter Guard	101
Warranty & Lock Standards	7	Force Guard	101
Safe Standards Test and Trade Organisations	8	Disc Padlock	101
Awards	9	DISC I dulock	101
Product Overview	11	BURTONSAFES.DESIGN	103
1 Toduct Overview		BUN I UNGAFES. DESIGN	
Home Safes	13	Ares	106
Companion Fingerprint Safe	14	Brixia	111
Jewellery Accessories	16	Lusso	116
Primo Home	18	Amario Lux	120
Torino Eurokey	18	Krystal Diplay Safes	126
Torino S2	19		
Eurovault Aver S2	20	The Luxury Range	133
Burton Home Safe Grade S2	22	Eurovault LX The Luxury Range	134
Burton Home Safe Grade G0	24		
Burton Home Safe Grade G1	26	THE SURE DEFENCE	136
Burton Home Safe Grade G2	28 30		40-
Burton Home Safe Grade G3 Amario Grade 1 - 2 - 3 - 4	32	Embassy Modular Security Rooms	137
Amano Grade 1 - 2 - 3 - 4	32	Orthrus Strongrooms	150
High Security Safes	40	Cerberus Vaults and Doors Transporta Strongrooms	152 154
Eurovault Aver Grades 1 - 5	42	Panzer Bunkers	154
Eurovault Atlas Grades 6 - 7	48	RvE Windows and Doors	156
		Profilon Security Window Film	160
Safe Optional Extras	50	CBX Armoured Shutters	162
•			
Wall & Underfloor Safes	52		
DK Wall	54	Armoured Security Doors	167
Unica Wall	54	Janus Security Doors	168
Burton Sotto	55	Metal+ Doors	172
Oculto	55	Kronos Security Doors	174
Fire Safes	56	Panzer Blast Proof Doors BT	176
Ignis S2	58	On a south a Board and a	470
Firesec 4/60	60	Security Products Guard Bar Sets	178 178
Firesec 10/60	61	Ajax Grilles & Cages	179
Firebrand	61	Typhon Bar Sets	179
Firebrand XL	62	Talos Walling	180
Fire Resistant Filing Cabinets	62	Avertic Armour	181
		Related Security Products	183
Gun Safes & Cabinets	64		
Pioneer Gun Cabinet	66		
Warden LFS Gun Safe	67	Safe Deposit	184
Gamekeeper Gold	68	Shanghai Safe Deposit Boxes	186
Hotel & Guest Safes	70	Vienna Safe Deposit Boxes	188
Hotel Primo One and Extra Audit Tool	70 72	Vaduz Safe Deposit Box System	184
Hotel Primo	72		
Hotel Drawer	73	Batteryguard	192
Hotel Pop Up	73	Datteryguard	102
• •			
Retail Safes	74	ATM SAFE	196
Till Safe	76	ATM SAFE	190
Teller Deposit	76	ATM Room Protection	202
Cashguard	77 77	Gas Attack Protection	204
Eurovault Aver Deposit Grade 1 High Security Deposit Safe Grade 2	77 78	Safe Door Protection	208
High Security Deposit Safe Grade 2	78 78	OTC Smart CIT Lock	210
Synguard Access Control	80	ATM Hinge Protection	212
Cynguai a 7100coo Control	00	Pull Out & Cutting Protection Ram Raid Protection	218 220
Safe Locks	82	Door Pull Protection	222
Burton Duo Fingerprint Lock	84	ACW's, ACP & E-Frame	224
Kaba Axessor USB Insys flex ID	86	Dispenser & Cash Trapping Protection	226
Safe Lock Terminology	87	Bespoke Products	230
KEYGUARD	88	ATM Delivery and Installation Services	234
		-	
Key Safes and Key Management	89	SAFE & VAULT	236
Keyguard Digital XL	90	SAFE & VAULI	230
Heavy Duty Key Cabinets	92 92	Reactive Safe Engineer and Locksmith Service	236
KG Keyguard Key Safes IKMS Intelligent Key Cabinets	92 93	Delivery and Installation Services	236
Remote Key Safe	94	The Sure Defence Standards	238
	• .		

IF IT MATTERS TO YOU, SECURE IT WITH US...





Burton Safes are the trusted safe and vault supplier. With a high-quality product range of over 100 tested and certified fire and security safes we have been serving the Locksmith and business world for over 30 years.





We have a range of solutions for securing keys for the home, healthcare, garages, banks, hospitals, and business users which includes a range of Police preferred solutions, larger key storage solutions, remote critical access, and intelligent key management systems.



THE SURE DEFENCE

The Sure Defence Team provide a fully managed and personal high security service to protect your home or business. From initial sales advice, to survey, CAD drawings, supply, and installation we are one of the few UK companies providing the full design and engineering services in house.






Our award-winning ATM and Banking physical security systems and services are used by ATM manufacturers, financial institutions, independent ATM deployers and banks across the world. We offer protection systems for all known physical ATM attacks.





With our Design & Innovation engineering centre we are able to manufacture our own customised physical security products. We employ highly skilled, fully trained, and vetted safe & vault engineers to provide our customers with safe opening, repairs and installation services.



Our comprehensive range of Home Safes and Domestic Security Solutions.

Burton Safes is extremely proud of how far we have come as a business. Our founder Norman Berry started selling a few safes from his garage in Kirkburton in 1990 to churches and the Locksmith trade.

30 years later we are now the UK's leading safe and vault provider and security company providing a large selection of physical security solutions to the trade, commercial and banking customers across the UK and around the world.

Burton Safes core principle is to ensure products are tested to the highest standards. We are proud to have tested products to LPCB standards and feature in RedBookLive.

Our SURE DEFENCE team are qualified in security design and consultancy. Dedicated account and project managers ensure an unrivalled customer experience.

We have created world-class and award-winning security products and services that keep you safe now and into the future.









WARRANTY Up to 5 Years

All our safes come with a one, three or our industry leading five year warranty as standard.



Home Safes and Security Range



Professional Safes and Security Range



Premium Safes and Security Range



EN1300 - This is a standard for safe locks. The locks are subjected to various durability and manipulation tests and given one of four grades from A - D.

All safes and strongrooms certified to EN14450 and EN1143-1/2 must have a certified lock that reflects the grade of the safe

- EN14450 and EN1143-1/2 Grade 0-II must have 1 lock certified to Class A
- EN1143-1/2 Grade III must have 1 lock certified to Class B
- EN1143-1/2 Grade IV and V must have 2 locks certified to Class B
- EN1143-1/2 Grade VI to X must have 2 locks certified to Class C



Standards

Every safe and vault which is certified to EN 14450, EN 1143-I & EN 1143-2 should have a certification plate on the back of the door. This gives you important information about the product and its security rating.



EN14450 - This is a burglary attack test standard for safe cabinets. It largely covers smaller, home safes and cabinets for commercial applications. Safes are attacked using a set list of tools, and scores are given depending on the time taken to make hand holes and larger full size access holes

EN1143-1 - This is a burglary attack test standard for Safes, ATMs and strong rooms. It is the main standard used throughout Europe to assess the security level of safes and it is much more demanding than EN14450. Safes are attacked using a set list of tools, and scores are given depending on the time taken to make hand holes and larger full size access holes. There is a large range of security grades within the standard from 0-XIII. There are also optional tests to prove resistance against core drilling CD and explosives EX

EN1143-2 - This is a very similar standard to EN1143-1 but it is specifically designed for deposit safes and systems. In addition to the normal tests of EN1143-1 there are additional tests to assess the ability to fish items out of the deposit systems. If you are purchasing a certified deposit safe, make sure that it is certified to EN1143-2 and not EN1143-1

Safe Fire Standards

EN1047 - This is a very rigorous fire test for safes and data rooms. Safes and subjected to very high external temperatures inside a furnace of approximately 900 °C. Internal temperatures are closely monitored with numerous thermo-couples. There are three levels of protection given:

- P Paper documents that will lose data above 170°C
- **D** Computer media that will lose data above 70 °C and humidity above 85%
- DIS Computer media that will lose data above $50\,^{\circ}\text{C}$ and 85% humidity

This particularly tough standard also includes a drop test to simulate a safe falling through a collapsed floor, and a soak out period, where the safe must naturally cool down as it would in a real life situation

EN15659 - This is a similar standard to EN1047 but it does not include the drop test or the soak out period. It is therefore not quite as rigorous. It also only covers protection for paper, not computer data

Gun Cabinet Standards

Sold Secure - A burglary attack test covering various products including home safes, cabinets, key safes, gun safes and gun cabinets. They have three ratings of Gold, Silver and Bronze

BS7558 - This is a British standard for gun cabinets. The required threshold to pass this test is lower than EN14450 or EN1143-1

 $\mathbf{6}$

TEST AND TRADE ()rganisations

Test and Certification Bodies

ECB · S

A world renowned German certification body, certifying safes, strongrooms, ATMs and security doors. They are accredited to ISO-IEC 17065.



This is an Italian certification body.

LPCB

This is the Physical Security test and certification arm of BRE. BRE is a much larger, British testing and certification body with a global reputation.

SBSC

This is a Swedish certification body.

Secured by Design

This is a UK Police run initiative offering certification to multiple security products and also wider schemes.

Sold Secure

This is a British test and certification body, owned and run by the Master Locksmiths Association.

Leading German testing and certification facility.

Trade Organisations

The Association of Insurance Surveyors is a UK body of risk control and reduction experts, who work within the insurance market.

FSSA

This is a global trade organisation for Safe, Strongroom, ATM and Security Door manufacturers and distributors.

BRITISH SAFE AND VAULT TRADE ASSOCIATION - BSVTA

is the UK trade body for the safe industry. They promote good standards, certification and ethical practices.

Eurosafe

This is the European parent organisation of BSVTA.

Master Locksmiths Association is the main trade body in the UK for locksmiths.

This is a Police accreditation scheme for security product manufacturers and distributors.

Founded in 1997, organisation championing the appropriate care equipment in the community.





























Safe Contractor

Being part of the Safecontractor accreditation scheme checks mean we meet the necessary requirements around health and safety, equal opportunities, diversity and environmental management practices. So our clients can be confident about us and reduce risk in their supply chain.



ATMIA

ATMIA is the leading non-profit trade association representing the entire global ATM industry. ATMIA serves more than 11,000 members from over 650 companies located in 70 countries spanning the entire ATM ecosphere, including financial institutions, independent ATM deployers, equipment manufacturers, processors and a plethora of ATM service and value-added solution providers.



E.A.S.T

The European Association for Secure Transactions was formed as the European ATM Security Team in 2004 to focus on ATM security when card skimming was a rising issue in Europe. Its remit now covers both Terminal Security and Payment Security.



Awards

Awarded BEST PRODUCT at the MLA EXPO 2023! The Companion Fingerprint Safe was voted best product by the Master Locksmith Association (MLA).



IFSEC

Burton Safes are delighted to have won the IFSEC Physical Security Product of the Year 2013 award. The award was given for the Eurovault Atlas Grade 7, the UK's highest rated security safe to have passed the European EN1143-1 Grade 7 attack test.

IFSEC / FIREX


ilFSEC AND FIREX COMBINED SECURITY & FIRE SOLUTION OF THE YEAR WINNERS What a result for the GP-X, designed and manufactured by the ATM SAFE team! We won Combined Security and Fire Solution of the Year at the IFSEC Security Excellence Awards 2015.





WINNER of the prestigious 2018 ATMIA Global Industry Security Award for ATM Physical Security Excellence for our best-in-class ATM gas attack and fire protection system the GP-X.





PRODUCT OVERVIEW

Product		Rating	Certification
HOME SAFES			
Companion Fingerprint Safe Primo Home Torino Eurokey Torino S2 Eurovault Aver S2 Burton Home Safe Grade S2 Burton Home Safe Grade 0 Burton Home Safe Grade 1 Burton Home Safe Grade 2 Burton Home Safe Grade 3 Amario Grade 1 Amario Grade 2 Amario Grade 3 Amario Grade 3 Amario Grade 4	n/a n/a n/a EN14450 EN14450 EN14450 EN1143-1 & EN15659 EN1143-1 EN1143-1 EN1143-1 EN1143-1 EN1143-1 EN1143-1 EN1143-1	Recommended £3,000 Cash Rating n/a Recommended £3,000 Cash Rating S2 S2 S2 Grade 0 & LFS 30P Grade 1 Grade 2 Grade 3 Grade 1 Grade 2 Grade 3 Grade 3 Grade 3 Grade 3 Grade 3 Grade 4	n/a n/a n/a ICIM ECB • S Sold Secure ECB • S
HIGH SECURITY SAFES			
Eurovault Aver Grade 1 Eurovault Aver Grade 2 Eurovault Aver Grade 3 Eurovault Aver Grade 4 Eurovault Aver Grade 5 Eurovault Atlas Grade 6 Eurovault Atlas Grade 7	EN14450 S2 - NT FIRE 017 EN1143-1 & EN15659 EN1143-1 & EN15659 EN1143-1 & EN15659 EN1143-1 & EN15659 EN1143-1 EN1143-1	Grade S2 & LFS 60P Grade 2 & LFS 30P Grade 3 & LFS 30P Grade 4 & LFS 30P Grade 5 & LFS 30P Grade 6 Grade 7	ECB • S ECB • S ECB • S ECB • S ECB • S SBSC SBSC
WALL & FLOOR SAFES			
DK Wall Safe Unica Wall Safe Sotto Oculto	EN14450 EN14450 EN14450 n/a	S2 Grade 0 S2 Recommended £17,500 Cash Rating	ICIM ICIM ICIM n/a
FIRE SAFES		00.0150.005	500.0
Ignis S2 Firesec 4/60 Firesec 10/60 Firebrand Firebrand XL Fire Resistant Filing Cabinets	EN1143-1 & EN15659 EN1143-1 & EN15659 EN1143-1 & EN15659 EN15659 EN15659 EN15659	S2 & LFS 60P S2 & LFS 60P Grade 1 & LFS 60P LFS 60P LFS 60P LFS 60P	ECB • S ECB • S ECB • S ECB • S ECB • S ECB • S
GUN SAFES & CABINETS			
Pioneer Gun Cabinet Warden LFS Gun Safe Gamekeeper Gold	\$\$302:2020 \$\$302:2020 \$\$302:2020	Bronze Silver Gold	Sold Secure Sold Secure Sold Secure
HOTEL SAFES			
Hotel Primo One Hotel Primo Hotel Drawer Hotel Pop Up	n/a n/a n/a n/a	n/a n/a n/a n/a	n/a n/a n/a n/a
KEY SAFES & CABINETS			
Keyguard Digital XL KG Keyguard Key Safes Heavy Duty Key Cabinets IKMS Intelligent Key Cabinets Remote Key Safe	LPS1175 n/a n/a n/a n/a	Issue 8 A5 n/a n/a n/a n/a	LPCB n/a n/a n/a n/a
GARAGE SECURITY			
Garage Guard Hasp Guard Shutter Guard Force Guard	Domestic Security n/a n/a n/a	Silver n/a n/a n/a	Sold Secure n/a n/a n/a
RETAIL SAFES			
Till Safe S2 Till Safe Grade 1 Teller Deposit Cashguard Vehicle Eurovault Aver Deposit Grade 1 High Security Deposit Grade 2 High Security Deposit Grade 3	EN14550 & EN1143-1 EN1143-1 & EN15659 n/a n/a EN1143-2 EN1143-2 EN1143-2	S2 Grade 1 & LFS 30P Recommended £1,000 - £3,000 Cash Rating n/a Grade 1 Grade 2 Grade 3	ECB·S ECB·S n/a n/a ECB·S ECB·S
LUXURY & DESIGN SAFES	EN14404		F05 0
Ares S2 Lusso Brixia Amario Lux Eurovault LX Eurovault LX	EN1143-1 EN1143-1 & EN15659 EN1143-1 EN1143-1 EN1143-1 & EN15659 EN1143-1	S2 Grade 2 to Grade 3 & LFS30P Grade 1 & Grade 3 Grade 3 & Grade 4 Grade 1 to Grade 5 & LFS30P Grade 6 & Grade 7	ECB • S ECB • S ECB • S ECB • S ECB • S SBSC



Home Safes

Our Home Series are the perfect security furnishing for any residence. With products ranging from £10k jewellery rating to £350k jewellery rating there is something for every need. All safes from £40k valuables rating are certified by internationally recognised test houses and are validated in the UK by the **Association of Insurance Surveyors**, providing peace of mind when storing those treasured possessions.

Market leading value, award winning safes for customers who want guaranteed security at the most affordable price.

Tested and certified to independent British & European standards by reputable and widely recognised laboratories and certification bodies.

Our Secured by Design (SBD) accredited products meet the Police Preferred Specification, providing a recognised standard for all security products that can deter and reduce crime.

COMPANION Fingerprint Safe





Cash Rating £3,000



Jewellery Rating £30,000



- Awarded BEST PRODUCT at the MLA EXPO 2023!
- · Backlit keypad and interior carpet
- · Anti-bump, motorised locking bolts
- 3-6 digit code
- Emergency override key
- Battery level indicator with low consumption motor
- · Back and base fixing
- · Smart talking safe


Locking Options

000 000





Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	500 x 450 x 450	465 x 440 x 365	45kg	74L	1





THE IDEAL COMPANION SAFE

Want something a little special, then look at our new Companion fingerprint safe. The perfect bedside table, armchair or office safe for keeping those keys, passports, cash, and other valuables safe in one place over night. A safe that is not just a safe, but part of your everyday life at a touch of the finger...

- Access the safe using a fingerprint or PIN code
- Up to 50 fingerprints and PIN codes can be programmed
- · User programable 6 digit PIN code
- Anti-bump motorised locking bolts
- Faux leather lined door in grey
- · Faux-leather lined with diamond stiching
- · Smart talking safe
- · Comes with a fixed height shelf
- Low battery warning
- Emergency opening using a USB-C cable
- Features an internal LED, key hooks and a document holder
- Back and base fixing



JEWELLERY ACCESSORIES

StackersTM and Watch Winders

The essential way to store and secure your most precious possessions.



Stocker '

Ensure your valuables are maintained in the best condition by keeping your jewellery in the velvet lined compartments.



Watch winder

We have a range of sizes and layouts to accommodate all jewellery and trinkets.

Call the office for information on which models can fit into each safe. +44 (0) 1484 663388

Model	Layout	Sizes
Watch winder cub	1 watch	145 x 135 x 115
Stacker 1	Mini Open Stacker	70 x 180 x 125
Stacker 2	White Medium Jewellery Slider	35 x 305-475* x 260
Stacker 3	Mink Classic 3 Section Tray - Mini	60 x 250 x 180
Stacker 4	Mink Classic Necklace Layer	35 x 250 x 180
Stacker 5	Mink Classic 4 Section Jewellery Tray	35 x 250 x 180
Stacker 6	Black Classic Watch Box with clear lid - 8 watches	100 x 240x 190

^{*} Stacker 2 can be extended. 305mm is the width when closed, 475mm is the width when the lower trays are opened.



Stacker 6



Stacker 2





Size 2

Primo Home Safe



Cash Rating £1,000



Jewellery Rating £10,000



- · Backlit keypad and interior carpet
- · Anti-bump, motorised locking
- 3-6 digit code
- Emergency override key
- · Battery level indicator with low consumption motor
- · Back and base fixing

Locking Options

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	200 x 300 x 200	195 x 295 x 150	7kg	8L	-
Size 2	250 x 350 x 250	225 x 345 x 200	11kg	15L	1

Add 20mm to external depth for keypad




Torino Eurokey



Cash Rating £3,000



Jewellery Rating £30,000



- · Keys are easier to carry than traditional safe keys
- · Have one key to operate your safe, your front door and your office
- · Add your own euro-cylinder if preferred
- · Removable shelf
- · Back and base fixing

Locking Options



Single Key

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	280 x 400 x 350	260 x 390 x 295	37kg	30L	1
Size 2	350 x 470 x 350	330 x 460 x 295	44kg	45L	1



Torino S2



Cash Rating £4,000



Jewellery Rating £40,000



- · Independently attack tested and certified to EN14450 S2 by ICIM*
- Insurance approved by the AiS
- The best build quality and security level in its class
- · Smart metallic black paint finish
- Flush fitting door and keypad make this safe ideal for use in bedroom cupboards
- Electronic locking options including flush keypad, emergency override key and external battery power point in case of lock out
- · Removable shelf
- · Back and base fixing

Locking Options







Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	220 x 350 x 300	200 x 340 x 245	26kg	16L	1
Size 2	280 x 400 x 350	260 x 390 x 295	37kg	30L	1
Size 3	350 x 470 x 350	330 x 460 x 295	44kg	45L	1
Size 4	490 x 430 x 400	470 x 420 x 345	62kg	68L	1

*Size 1 not certified






Eurovault Aver S2



Cash Rating £4,000



Jewellery Rating £40,000



- Insurance approved by the AiS
- Built to a Police Preferred Specification Secured by Design

YEAR

- Ideal home, office, or change safe
- Option of key or electronic locking in all sizes
- · Electronic lock features 1 master code and 9 user codes with dual user and time delay functions
- Removable shelf in sizes 1-3, height adjustable shelving in sizes 4-6
- Single back and base fixing
- We also have an S2 Till safe featured on page 64











Single Key


Locking Options

ŏŏŏ · ··	000 000 000	Pin
----------	-------------------	-----



Add 12mm to external depth for keypad









Burton Home Safe S2



Cash Rating £4,000



Jewellery Rating £40,000



- · Easy to use digital safe lock
- Insurance approved by the AiS
- SBD Police Approved Specification
- Independently attack tested to domestic safe and certified for insurance purposes to EN14450 Grade S2 by Sold Secure
- Includes 1 removable shelf
- · Back and base fixing
- Installs to floors and walls (fixing kit included)







Locking Options

000

Electronic

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	300 x 350 x 300	220 x 270 x 190	17kg	11L	1
Size 2	300 x 445 x 400	220 x 365 x 290	28kg	23L	1
Size 3	450 x 445 x 400	365 x 365 x 290	31kg	39L	1

Add 12mm to external depth for keypad



The ideal home & office safe

Size 1



Size 2







Burton Home Safe S2

Burton Home Safe Grade 0



Cash Rating £6,000



Jewellery Rating £60,000





Fire Rating 30 minute Fire protection for paper

- Independently attack tested and certified to EN1143-1 Grade 0 and EN15659 LFS 30P
- Insurance approved by the AiS
- · Built to a Police Preferred Specification
- Secured by Design
- 30 minutes fire protection for paper
- · High security electronic PIN code lock
- Electronic lock features 1 master code and 9 user codes with dual user and time delay functions
- Fixed shelving in size 1 & 2, height adjustable shelving in size 3 & 4
- · Back and base fixing










000 000 000 Pin

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	300 x 400 x 300	215 x 320 x 165	65kg	11L	1
Size 2	300 x 450 x 400	215 x 370 x 265	87kg	21L	1
Size 3	450 x 450 x 400	365 x 370 x 260	118kg	34L	1
Size 4	655x 440 x 430	580 x 360 x 335	158kg	62L	1

Add 28mm to external depth for keypad and hinges



Securely store your valuables at home!



Burton Home Safe G0

New Size 4



Burton Home Safe Grade 1



Cash Rating £10,000



Jewellery Rating £100,000



- · Available in 3 compact sizes
- High security digital safe lock
- SBD Police Approved Specification
- Independently attack tested and certified for insurance purposes to EN1143-1 Grade 1 by ECB • S
- AiS Insurance Approved
- · Includes 1 height adjustable shelf
- · Back and base fixing
- · Installs to floors and walls (fixing kit included)







Locking Options

000 000 Pin

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	400 x 400 x 270	350 x 350 x 155	39kg	18L	1
Size 2	400 x 420 x 420	350 x 370 x 305	55kg	39L	1
Size 3	500 x 500 x 420	450 x 450 x 305	71kg	61L	1
			A -I -I 00	An automobil double four	

Add 28mm to external depth for keypad and hinges



New Burton Home Safe Grade 1



AVAILABLE IN 3 COMPACT SIZES



Burton Home Safe Grade 2




Cash Rating £17,500



Jewellery Rating £175,000





- Available in 1 compact size
- High security digital safe lock
- SBD Police Approved Specification
- Independently attack tested and certified for insurance purposes to EN1143-1 Grade 2 by ECB • S
- AiS Insurance Approved
- Back and base fixing
- · Installs to floors and walls (fixing kit included)










000

o Pir

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	350 x 440 x 350	260 x 350 x 260	124kg	24L	-

Add 32mm to external depth for hinges and lock. Add 42mm to external depth for handle.



New Burton Home Safe Grade 2














HIGH SECURITY
DIGITAL SAFE LOCK

New Burton Home Safe Grade 3





Size 1 Size 2







AVAILABLE IN 2 COMPACT SIZES











Burton Home Safe Grade 3



Cash Rating £35,000



Jewellery Rating £350,000



- Available in 2 compact sizes
- High security digital safe lock
- SBD Police Approved Specification
- Independently attack tested and certified for insurance purposes to EN1143-1 Grade 3 by ECB • S
- AiS Insurance Approved
- Includes 1 height adjustable shelf in size 1
- Includes 2 height adjustable shelf in size 2
- · Back and base fixing
- Installs to floors and walls (fixing kit included)

Locking Options

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	370 x 480 x 450	235 x 350 x 290	160kg	30L	1
Size 2	500 x 480 x 450	365 x 345 x 290	196kg	44L	2

Add 30mm to external width for hinges, Add 45mm to external depth for handle and electronic lock options













Amario Grade 1Size 1







Amario Grade 1



Cash Rating £10,000



Jewellery Rating £100,000



Ideal for when you need a compact size.

It features a high security electronic lock or if you prefer, this model is available with a high security key lock.

- · Independently tested and certified to EN1143-1 Grade 1 by ECB • S
- Approved by the Association of Insurance Surveyors AiS
- Built to a Police Preferred Specification
- Secured by Design
- Small and sleek design to fit into domestic wardrobes and cupboards
- Options of high security key or electronic lock
- · Lock features LED light for use in dark rooms
- Option of left hand hinge additional lead times and costs apply
- Dual locking available on Size 2
- · Back and base fixing
- Not available in left hand hinge.

Locking Options







Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	350 x 440 x 350	250 x 340 x 230	100kg	20L	1
Size 2	500 x 550 x 440	400 x 450 x 320	180kg	58L	2

Add 55mm to external depth for handle

Oremium quality compact safe



Amario Grade 1Size 2



Amario Grade 2



Cash Rating £17,500



Jewellery Rating £175,000





- · Independently tested and certified to EN1143-1 Grade 2 by ECB • S
- Insurance approved by the AiS
- Built to a Police Preferred Specification
- Secured by Design
- Small and sleek design to fit into domestic wardrobes and cupboards
- · Options of high security key or electronic lock
- Lock features LED light for use in dark rooms
- Option of left hand hinge additional lead times and costs apply
- Dual locking available on Size 2
- · Back and base fixing
- · Not available in left hand hinge

Amario Grade 2 Size 1







Locking Options





000	Р
ററ	

Size 1 350 x 440 x 350 250 x 340 x 250 115kg 25L 1 Size 2 500 x 450 x 450 400 x 350 x 295 190kg 39L 2	Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 2 500 x 450 x 450 400 x 350 x 295 190kg 39L 2	Size 1	350 x 440 x 350	250 x 340 x 250	115kg	25L	1
	Size 2	500 x 450 x 450	400 x 350 x 295	190kg	39L	2

Add 55mm to external depth for handle



Oremium quality compact safe



Amario Grade 2 Size 2









BURTON SAFES




Amario Grade 3



Cash Rating £35,000







- · Insurance approved by the AiS
- Built to a Police Preferred Specification
- Secured by Design
- Small and sleek design to fit into domestic wardrobes and cupboards
- · Options of high security key or electronic lock
- · Lock features LED light for use in dark rooms
- · Option of left hand hinge additional lead times and costs apply
- Dual locking available on Size 2
- Back and base fixing
- · Not available in left hand hinge





Locking Options





0	0	0	
0	О	О	

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	350 x 440 x 350	250 x 340 x 180	130kg	18L	1
Size 2	500 x 450 x 450	400 x 350 x 295	210kg	41L	2

Add 55mm to external depth for handle

Oremium quality compact safe





Amario Grade 3 Size 1





Amario Grade 3 Size 2



Oremium quality compact safe





Amario Grade 4 Size 1





Amario Grade 4







Jewellery Rating £600,000

- · Independently tested and certified to EN1143-1 Grade 4 by ECB • S
- Insurance approved by the AiS
- Built to a Police Preferred Specification - Secured by Design
- Small and sleek design to fit into domestic wardrobes and cupboards
- · Options of high security key or electronic lock
- Lock features LED light for use in dark rooms
- Back and base fixing M-16 (100 kn) anchorage, included. Ready to be fixed.
- · Not available in left hand hinge





Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	500 x 450 x 350	395 x 350 x 245	180kg	27L	2
Size 2	650 x 550x 550	545 x 450x 400	350kg	94L	2

Add 55mm to external depth for handle and electronic lock options





Amario Grade 4 Size 2



High Security Safes

From £100k jewellery rating to Europe's Highest security safe providing £2.5M jewellery rating; all of our high security products are independently tested and certified by internationally recognised test houses and validated by the Association of Insurance Surveyors.

At Burton Safes we work on some of the world's most secure sites. That experience filters into our products and the benefits reach you. Our range contains models with features such as double walled steel products with ultra-high performance concrete, certified fire protection, relocking devices, glass plates, and special drill protective elements for the lock and bolt work.

We deliver key and electronic locking solutions, including the use of the latest biometric technology.

Our locking solutions include features such as alarm and CCTV integration, dual user entry, time delays and windows, duress codes, temporary and one user time codes to name a few. We also have a wide range of optional extras to provide for every eventuality, whether that be jewellery inserts or additional shelves.

From £100k jewellery rating to Europe's Highest security safe providing £2.5M jewellery rating; all of our high security products are independently tested and certified by internationally recognised test houses and validated by the Association of Insurance Surveyors.

At Burton Safes we work on some of the world's most secure sites. That experience filters into our products and the benefits reach you. Our range contains models with features such as double walled steel products with ultra-high performance concrete, certified fire protection, relocking devices, glass plates, and special drill protective elements for the lock and bolt work.

Nide selection of sizes available



EUROVAULT AVER & ATLAS

(frade 1 to 7

Insurance approved by the AiS Built to a Police Preferred Specification - Secured by Design

Security level	Cash Rating	Jewellery Rating	Fire Protection
Grade 1	£10,000	£100,000	30 Minutes
Grade 2	£17,500	£175,000	30 Minutes
Grade 3	£35,000	£350,000	30 Minutes
Grade 4	£60,000	£600,000	30 Minutes
Grade 5	£100,000	£1.000,000	30 Minutes
Grade 6	£150,000	£1.500,000	N/A
Grade 7	£250,000	£2.500,000	N/A











Locking Options















Discuss your requirements with us!





Size 1

Size 2

Eurovault Aver Grade 1




Cash Rating £10,000



Jewellery Rating £100,000



Fire Rating 30 minute



- Independently tested and certified to EN1143-1 Grade 1 and EN15659 LFS30P by ECB • S
- · Insurance approved by the AiS
- Built to a Police Preferred Specification Secured by Design
- Suitable for storage of controlled drugs with active ingredients exceeding 500g
- · Option of left hand hinge additional lead times and costs apply
- Height adjustable shelving
- Back and base fixing
- We also have a Grade 1 Deposit Safe featured on page 65



A MIN B



Locking Options



Single Key

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	340 x 500 x 345	262 x 424 x 216	93kg	24L	1
Size 2	460 x 440 x 430	382 x 364 x 300	119kg	42L	1
Size 3	655 x 440 x 430	574 x 364 x 300	155kg	63L	1
Size 4	900 x 440 x 430	822 x 364 x 300	205kg	90L	2
Size 5	840 x 650 x 550	782 x 574 x 420	289kg	189L	2

Add 55mm to external depth for handle





Model

Size 0

Size 1

Size 2

Size 3

Size 4

Size 5 Size 6

Size 7



Single Key





External (HxWxD)

460 x 470 x 470

500 x 510 x 510

670 x 510 x 510

610 x 680 x 510

810 x 680 x 510

1010 x 680 x 510

1320 x 680 x 510

1510 x 850 x 600













1375 x 715 x 440




863kg



Internal (HxWxD)	Weight	Volume	Shelves
345 x 355 x 320	180kg	39L	1
385 x 395 x 360	211kg	55L	1
555 x 395 x 360	262kg	79L	1
495 x 565 x 360	297kg	100L	1
695 x 565 x 360	368kg	141L	2
895 x 565 x 360	439kg	182L	2
1205 x 565 x 360	552kg	244L	3

Add 55mm to external depth for handle

431L







Cash Rating £17.500



Jewellery Rating £175,000



Fire Rating 30 minute Fire protection for paper

- Independently tested and certified to EN1143-1 Grade 2 and EN15659 LFS 30P by ECB • S
- Insurance approved by the AiS
- Built to a Police Preferred Specification Secured by Design
- · Suitable for storage of controlled drugs with active ingredients exceeding 500g
- · Choose from high security key or electronic locking
- Option of dual locking not sizes 0 & 1
- · Option of left hand hinge additional lead time and costs apply
- · Cable hole for alarm connection
- · Height adjustable shelving
- Back and base fixing
- We also have a Grade 2 Deposit Safe featured on page 66

Locking Options

Any lock alterations must conform to EN1300 Class A.





3

BURTON SAE SAFES DOM:
Edie

Eurovault Aver Grade 3 Cash Rating



£35,000




Jewellery Rating £350,000



Fire Rating 30 minute Fire protection for paper



- Independently tested and certified to EN1143-1 Grade 3 and EN15659 LFS 30P by ECB • S
- · Insurance approved by the AiS
- Built to a Police Preferred Specification Secured by Design
- Suitable for storage of controlled drugs with active ingredients
- · Choose from high security key or electronic locking
- Option of dual locking not sizes 0 & 1
- Option of left hand hinge additional lead time and costs apply
- Cable hole for alarm connection
- Height adjustable shelving
- Back and base fixing
- We also have a Grade 3 Deposit Safe featured on page 62



Any lock alterations must conform to EN1300 Class B.



Single











Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 0	500 x 510 x 510	385 x 395 x 330	229kg	50L	1
Size 1	670 x 510 x 510	555 x 395 x 330	281kg	72L	1
Size 2	990 x 510 x 510	875 x 395 x 330	387kg	113L	2
Size 3	1320 x 680 x 510	1205 x 565 x 330	591kg	223L	2
Size 4	1320 x 850 x 510	1185 x 715 x 315	757kg	268L	3
Size 5	1660 x 680 x 510	1525 x 545 x 315	789kg	263L	3
Size 6	1660 x 850 x 510	1525 x 715 x 315	920kg	345L	3

Add 55mm to external depth for handle





Eurovault Aver Grade 4



Cash Rating £60,000



Jewellery Rating £600,000



Fire Rating 30 minute Fire protection for paper



- Independently tested and certified to EN1143-1 Grade 4 and EN15659 LFS 30P by ECB • S
- · Insurance approved by the AiS
- Built to a Police Preferred Specification Secured by Design
- · Dual locking as standard combination of key and/or electronic as required
- Network or one time code lock options available
- Cable hole for alarm connection
- · Option of left hand hinge additional lead time and costs apply
- · Height adjustable shelving
- · Back and base fixing

Locking Options

Any lock alterations must conform to EN1300 Class B.











Biometric (O) Dial



Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	550 x 550 x 530	435 x 435 x 335	297kg	64L	1
Size 2	670 x 550 x 530	555 x 435 x 335	348kg	81L	1
Size 3	840 x 550 x 530	725 x 435 x 335	420kg	106L	1
Size 4	1010 x 550 x 530	895 x 435 x 335	484kg	131L	2
Size 5	1510 x 680 x 560	1425 x 545 x 355	905kg	276L	3

Add 33mm to external width for hinges, Add 42mm to external depth for handle and electronic lock options



Eurovault Aver Grade 5



Cash Rating £100,000



Jewellery Rating £1,000,000





Fire Rating 30 minute Fire protection for paper

- Independently tested and certified to EN1143-1 Grade 5 and EN15659 LFS 30P by ECB • S
- Insurance approved by the AiS
- Built to a Police Preferred Specification Secured by Design
- · Dual locking as standard combination of key and/or electronic as required
- Network or one time code lock options available
- Cable hole for alarm connection
- Option of left hand hinge additional lead time and costs apply
- Height adjustable shelving
- Back and base fixing

Locking Options

Any lock alterations must conform to EN1300 Class B.
















Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	680 x 680 x 630	540 x 540 x 380	600kg	111L	1
Size 2	840 x 680 x 680	700 x 540 x 430	695kg	163L	1
Size 3	1010 x 680 x 680	870 x 540 x 430	808kg	203L	2
Size 4	1510 x 680 x 680	1370 x 540 x 430	1152kg	320L	3

Add 45mm to external width for hinges, Add 55mm to external depth for handle and electronic lock options





Eurovault Atlas Grade 6



Cash Rating £150,000



Jewellery Rating £1,500,000



- · Independently tested and certified to EN1143-1 Grade 6 by SBSC
- Insurance approved by the AiS
- Built to a Police Preferred Specification Secured by Design
- Dual locking as standard combination of key and/or electronic as required
- Option of left hand hinge additional lead time and costs apply
- · Height adjustable shelving
- Base fixing

Locking Options

Any lock alterations must conform to EN1300 Class C.

















External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
1080 x 690 x 660	900 x 500 x 400	1162kg	180L	2
1380 x 690 x 660	1200 x 500 x 400	1390kg	240L	2
1680 x 690 x 660	1500 x 500 x 400	1610kg	300L	4
	1080 x 690 x 660 1380 x 690 x 660	1080 x 690 x 660 900 x 500 x 400 1380 x 690 x 660 1200 x 500 x 400	1080 x 690 x 660 900 x 500 x 400 1162kg 1380 x 690 x 660 1200 x 500 x 400 1390kg	1080 x 690 x 660 900 x 500 x 400 1162kg 180L 1380 x 690 x 660 1200 x 500 x 400 1390kg 240L

Add 25mm to external width for hinges, Add 55mm to external depth for handle and electronic lock options







Eurovault Atlas Grade 7



Cash Rating £250,000



Jewellery Rating £2,500,000



- The highest security rated safe available in Europe
- Independently tested and certified to EN1143-1 Grade 7 by SBSC
- Insurance approved by the AiS
- · Built to a Police Preferred Specification -Secured by Design
- Dual locking as standard combination of key and/or electronic as required
- Option of left hand hinge additional lead time and costs apply
- · Height adjustable shelving
- Base fixing

Locking Options

Any lock alterations must conform to EN1300 Class C.















Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	1150 x 760 x 730	900 x 500 x 400	1650kg	180L	2
Size 2	1450 x 760 x 730	1200 x 500 x 400	1950kg	240L	2
Size 3	1750 x 760 x 730	1500 x 500 x 400	2350kg	300L	4

Add 25mm to external width for hinges, Add 55mm to external depth for handle and electronic lock options

SAFE OPTIONAL

Extras

Internal Light

- Enables you to see your belongings, even when your safe is in a dark cupboard
- · Belongings can be displayed as well as protected
- Uses magnets to attach to the safe interior, no installation required
- · Batteries included



Shelves

Additional, replacement and reinforced shelves holding up to 50kg.

We have a wide range to suit our products and your needs.



Fixing

We have a range of fixing kits available to install your safe:

- Concrete
 - Wood
- Chemical
- Adhesive
- Plinths
- Underfloor

Colour Options

Left Hand Hinge

can provide your safe with a left-hand hinge.

Where available Burton Safes

Available on nearly all of our range - we can offer a choice of paint colours on most of our safe models. Choose from our 4 most popular colours or supply your own RAL colour for the exterior of the safe.



RAL 1015

Light Ivory



RAL 1019

Grey Beige





RAL 7043 Traffic Grey B

RAL 9005 Jet Black



Safe Limpets

- · Piezo vibration detector
- Integral analyser
- · Thermal and proximity sensor
- · Magnetic interference and supply failure detection
- Connects to your building alarm system
- Prevents operation of your safe whilst the alarm is activated





Safe Deposit Options

Add deposit features to your safe!

· Internal coffers

· Preparation for air tubes

Deposit slots

Signal Blocker

The sure defence for contactless cards, keyless vehicle keys and distracted driving.

- · Police Preferred Specification
- Fits all key fobs, smart cards and phones
- Blocks all signals from cards, key fobs and phones
- · Blocks GPS tracking
- Expertly tested to a 99% success rate
- · Double stitched reinforced seams
- · Spare pouch



We can also provide door contacts and opening counters



Seismic Sensor

- Detects specific vibrations from unauthorised attempts to penetrate the safe
 - Fast reacting alarm system
- Has optimum sensitivity, detecting unauthorised access and preventing false alarms
 Suitable for policy optiments.
 - · Suitable for noisy environments





Wall & Underfloor Safes

Our range of Wall and Underfloor safes provide a concealed option to protecting cash, documents and valuables. From deterring thieves and satisfying insurance requirements, to providing protection from flood damage.

Installing a Wall or Underfloor safe can help where space is a premium or where security and peace of mind of a hidden safe is desired.

Our wall safes are ideal for operating at head level and keeping away from ground level should flooding be a risk. With a £4k cash, £40k valuables and £6k cash and £60k valuables options we should have you covered.

The Sotto underfloor safe is unique by providing an adjustable telescopic depth adjustment, stylish dust cover lid and recommended £4k cash and £40k valuables cover.

The Oculto underfloor safe is supplied with a high quality water-tight lid, steel mesh neck with a recommended £17.5k cash and £175k valuables cover.



Size 2





DK Wall Safe



Cash Rating £4,000




Jewellery Rating £40,000



- Independently tested and certified to EN14450 S2 by ICIM - not size 1 & 2
- Insurance approved by the AiS
- · Easily concealed wall safe with flush facia
- · Designed to be set in reinforced concrete
- · Option of high security key or electronic locking
- · The electronic lock includes an emergency over ride key and external battery power point in case of lock out

Locking Options



Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	210 x 270 x 150	185 x 245 x 100	10kg	5L	-
Size 2	210 x 340 x 150	185 x 315 x 100	13kg	6L	1
Size 3	270 x 390 x 200	245 x 365 x 150	20kg	13L	1
Size 4	340 x 460 x 200	315 x 435 x 150	26kg	21L	1



Size 3





Unica Wall Safe



Cash Rating £6,000




Jewellery Rating £60,000



- · Independently tested and certified to EN1143-1 Grade 0 by ICIM
- Insurance approved by the AiS
- · High security wall safe with flush facia
- · Designed to be set in reinforced concrete
- · Option of key or electronic locking
- The electronic lock includes an emergency over ride key and external battery power point in case of lock out
- · Removable shelf

Locking Options



Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	270 x 390 x 200	245 x 365 x 120	21kg	11L	1
Size 2	340 x 460 x 240	315 x 435 x 160	30kg	22L	1
Size 3	480 x 420 x 280	455 x 395 x 200	42kg	36L	1



Burton Sotto



Cash Rating £4,000



Jewellery Rating £40,000



- · Independently tested and certified to EN14450 S2 by ICIM
- · Door opening assisted by gas spring
- Unique adjustable height from 210mm to 320mm to suit your needs
- · Designed to be set into reinforced concrete in the floor of a building
- High security double bitted key lock
- Includes stylish dust cover lid





Locking Options



Key

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Sotto	210-320* x 440 x 320	115-225 x 300 x 270	26kg	20L	-

*minimum external height 210mm, maximum external height 320mm

Oculto



Cash Rating £17,500



Jewellery Rating £175,000



- Recommended cash rating of up to £17,500
- · 40mm thick stainless steel door
- External 10mm thick waterproof lid
- Designed to be set into reinforced concrete in the floor of a building
- Option of key or mechanical combination locking



Locking Options









olume/	Shelves
101	-

1	Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
1	Oculto	435 x 305 x 285	245 x 260 x 267	25kg	19L	-



Fire Safes

Burton Fire Safes are The Sure Defence against fire damage, built to a Police Preferred Specification Secured by Design and offering a combination of fire and security protection for your valuables, documents, paper, USB's and data.

The Firesec range is insurance approved by the AiS for cash and jewellery cover ratings, independently attack tested to EN standards and suitable for storage of controlled drugs with active ingredients exceeding 500g. All our fire safe models are tested and certified to EN15659 LFS 60P by world renowned German certification body ECBS.

If you require fire protection for your safe, Burton Safes recommends you should only purchase products that have been independently tested and certified to these standards.



Size 4

Ignis Home Fire S2



Cash Rating £4,000



Jewellery Rating £40,000





Fire Rating 60 minute

Fire protection for paper

- Independently tested and certified to EN14450 S2 by ECBS and NT FIRE 017 - 60P by RISE
- · Insurance approved by the AiS
- Built to a Police Preferred Specification Secured by Design
- Small and sleek design to fit into domestic wardrobes and cupboards
- Electronic lock features 1 master code and 9 user codes. It also features dual user and time delay
- Safe comes with internal lined tray, passport holder, key hooks and a light
- · Back and base fixing

Locking Options









000	
000	Р
000	-

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 0	290 x 405 x 355	190 x 305 x 207	36kg	11L	1
Size 1	305 x 430 x 430	205 x 330 x 280	43kg	18L	1
Size 2	350 x 480 x 430	250 x 380 x 280	52kg	26L	1
Size 3	480 x 430 x 430	380 x 330 x 280	58kg	35L	2


Add 25mm to external depth for handle, hinges and electronic lock

BURTON SAFES Ignis \$2

Protect against fire damage



Ignis S2 - Family Range















Firesec 4/60 Large










Cash Rating £4,000



Jewellery Rating £40,000





Fire Rating 60 minute

Fire protection for paper

- · Insurance approved by the AiS
- Built to a Police Preferred Specification Secured by Design
- 60 minute fire test at temperatures up to 900°C
- · Option of key or electronic locking
- · Suitable for storage of controlled drugs with active ingredients under 500g
- · Height adjustable shelving
- · Option of pullout shelves, hanging frame and lockable coffer in size XL - additional lead time and costs apply
- · Safe for Longer warranty does not include size XL

Locking Options







Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Large	670 x 480 x 460	510 x 330 x 300	103kg	50L	1
XL	1950 x 940 x 585	1760 x 800 x 390	545kg	549L	4

Add 20mm to external depth for handle, hinges and electronic lock on Large model and 55mm for XL model



Firesec 4/60 XL



Firesec 4/60 XL

Firesec 10/60



Cash Rating £10,000



Jewellery Rating £100,000





Fire Rating 60 minute

Fire protection for paper

- Independently attack and fire tested to EN1143-1 Grade 1 and EN15659 LFS 60P by ECB • S
- · Insurance approved by the AiS
- Built to a Police Preferred Specification Secured by Design
- 60 minute fire test at temperatures up to 900°C
- · Suitable for storage of controlled drugs with active ingredients exceeding 500g
- Height adjustable shelving and internal coffer in sizes 2 and 3
- Option of pull-out shelves and hanging frames in size 4 additional lead time and costs apply
- · Safe for Longer warranty does not include size 4

Locking Options



A DAY BY



Single















Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Size 1	490 x 480 x 445	330 x 330 x 290	101kg	31L	1
Size 2	750 x 555 x 550	*335 x 410 x 390	195kg	93L	1
Size 3	1100 x 555 x 550	*705 x 410 x 390	271kg	148L	2
Size 4	1950 x 940 x 585	1760 x 800 x 390	658kg	549L	4

Add 55mm to external depth for handle, hinges and electronic lock *Excludes internal coffer Height = 235mm



Firebrand



Cash Rating £1,000



Fire Rating 60 minute Fire protection for paper



- Independently fire tested and certified to EN15659 LFS 60P by ECB S
- 60 minute fire test at temperatures of up to 900°C
- · Batteries located externally in the event of power failure
- Removable tray in all sizes
- Removable shelf in sizes 2 and 3
- · Base fixing

Locking Options

5	Pin
Э	

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
1	295 x 430 x 365	190 x 325 x 235	34kg	15L	-
2	490 x 360 x 425	380 x 260 x 295	44kg	29L	1
3	510 x 445 x 425	410 x 340 x 290	51kg	41L	1

Add an extra 20mm to external depth for handles, hinges and any lock



Firebrand XL



Cash Rating £1,000



Fire Rating 60 minute

Fire protection for paper

- Independently fire tested and certified to EN15659 LFS 60P by ECB S
- 60 minute fire test at temperatures of up to 900°C
- Electronic PIN code locking
- Batteries located externally so you are never locked out in the event of power failure
- · Dead bolts secure the door, even if the hinges are cut off
- · Removable drawer in each size
- Removable shelf in sizes 2 and 3
- Base fixing

Locking Options

000 000 Pin

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
1	970 x 565 x 450	785 x 425 x 300	147kg	100L	2
2	1255 x 710 x 580	1035 x 545 x 420	234kg	237L	2
3	1710 x 710 x 580	1490 x 545 x 420	370kg	341L	3


Add an extra 50mm to external depth for handles, hinges and any lock

Fire Resistant Filing Cabinets





Fire Rating 60 minute Fire protection for data



- Tested at temperatures of up to 900°C
- Choose from high security key or electronic PIN code locking
- Option to control each drawer individually with a high security cam lock
- Individual drawer latch means you can choose which drawers are locked by the central control system
- Drawers are suitable for both A4 and Foolscap files, each drawer can hold up to 40kg
- Anti-tilt device, means that only one drawer at a time can be opened
- Tactile rubber handles



Locking Options



000 000 Pin

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
2	825 x 545 x 655	250 x 390 x 500	110kg	48L	2
3	1165 x 545 x 655	250 x 390 x 500	150kg	48L	3
4	1500 x 545 x 655	250 x 390 x 500	210kg	48L	4
			Add 40mm to automod	donth for bondles on	d alaatrania laak

Add 40mm to external depth for handles and electronic lock

Fire Resistant Filing Cabinets

Range options







Model 2 Model 3 Model 4





TESTED SOLD SECURE BRONZE - SILVER - GOLD



Tested and certified to Firearms cabinets SS302:2020 by Sold Secure Police Preferred Specification – Secured by Design

Gun Safes & Cabinets

The Gun Safe range is suitable for shot guns and rifles and accommodates most models with scopes and silencers fitted. Securely store your guns in high security gun cabinets that are made to the Police Preferred Specification under the Secured by Design scheme.

These models are ideal to secure a gun collection, with high density foam gun holders and base, holders for cleaning rods and ammo belts, internal lockable ammo box and optional side shelf for other valuables. Furthermore, this range has a choice of locking options: single key, mechanical combination, electronic PIN, or biometric locking system.

Our Pioneer, Warden LFS and Gamekeeper models have been tested and certified to the Sold Secure Firearms Cabinets Standard SS302:2020 Bronze, Silver and Gold respectively.

We are proud to be first to achieve all 3 British test standards certified by Sold Secure which is owned by the Master Locksmith Association.









Pioneer Gun Cabinet



Cash Rating £1,000



Jewellery Rating £10,000

- Tested and certified to Firearms Cabinets SS302:2020 Bronze by Sold Secure
- Built to a Police Preferred Specification Secured by Design
- Lockable ammunition compartment
- Double-bitted key lock
- Suitable for both shotguns and rifles
- · Foam gun holders and internal carpet
- 5 Gun and 10 gun options available
- Back and base fixing

Locking Options



Single Kev

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Guns
P 5	1450 x 340 x 280	1300* x 335 x 245	45kg	119L	5
P 10	1450 x 535 x 320	1300* x 530 x 285	75kg	218L	10

^{*}Excluding the height of ammo box









Warden LFS Gun Safe



Cash Rating £6,000



Jewellery Rating £60,000

- Independently tested to EN1143-1 Grade 0 and EN15659 by IMP
- Tested and certified to Firearms Cabinets SS302:2020 - Silver by Sold Secure
- Built to a Police Preferred Specification Secured by Design
- Up to 30 minutes fire protection for paper
- Three way locking bolts
- Suitable for shotguns or rifles and will accommodate most scopes and silencers
- Foam gun holders
- Internal lockable ammo box
- · High security key or electronic locking
- 6 Gun and 14 gun options
- · Back and base fixing

Locking Options



Single Key 000 000 000

Pin

Model	External (HxWxD)	Internal (HxWxD)	Ammo Box Internal	Weight	Guns
W 6	1650 x 460 x 450	1530 x 340 x 300	195 x 340 x 270	205kg	6
W 14	1650 x 880 x 450	1530 x 760 x 300	195 x 760 x 270	325kg	14









Cash Rating £10,000



Jewellery Rating £100,000



- Independently tested to EN1143-1 Grade 1 by ECB S
- Tested and certified to Firearms Cabinets SS302:2020 - Gold by Sold Secure
- Insurance approved by the AiS
- Built to a Police Preferred Specification Secured by Design
- Three way locking bolts
- Suitable for shotguns or rifles and will accommodate most scopes and silencers
- Foam gun holders
- Internal lockable ammo box on 9 gun model
- High security key or electronic locking
- 5 Gun and 9 gun options
- Back and base fixing
- Cleaning rod holder included













Single Key

Locking Options

o	
0	Pin
0	

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Guns
Gold 5	1400 x 450 x 440	1300 x 350 x 320	365kg	146L	5
Gold 9	1550 x 650 x 440	1450 x 550 x 320	520kg	255L	9

Add 50mm to external depth for handle and hinges. Ammo box on Gold 9 reduces internal height by 195mm







Hotel & Guest Safes

The Hotel Safe range has a simple locking system that can be used with complete ease and by multiple users. These models have display screens, back lit buttons and audible sounds to easily guide users through their operation.

The guests can choose a 3-6-digit code; few enough digits to prevent guests forgetting, whilst also being secure. In the case of a guest forgetting or, if the batteries in the lock run out: this range features an override emergency key and master code.

This range of products can also be ideal for student accommodation, Airbnb and domestic use.





Extra Audit & Emergency Opening Tool - Sold separately

Hotel Primo One Safe



Cash Rating £1,000



Jewellery Rating £10,000



A TOTAL BE

A smart compact hotel and guest safe

- · Economical unit with simple guest operation.
- Users choose their own 4 digit code to open the lock.
- · You can reset the code anytime the safe is open.
- You are provided with an emergency over-ride key for this safe - Please do not keep the keys inside the safe.
- Bleepers and LED lights to confirm actions.
- Supplied with 4 x AA batteries.
- · Back and base fixing.
- · Audit and emergency opening tool available Sold separately.

Locking Options

Primo Hotel One is a great choice for single purchases or where much larger quantities are required. The perfect low cost compact safe to keep your valuables, cash, phones, watches, tickets and passports safe from view in your hotel, Air B&B, student hall of residence or guest room.

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
1	200 x 310 x 215	195 x 305 x 120	6kg	7L	-

Add 25mm to external depth for keypad







Extra Audit & Emergency Opening Tool - Sold separately

Hotel Primo



Cash Rating £1,000





Jewellery Rating £10,000

- Guests choose their own 3-6 digit code
- · Backlit keypad and interior carpet
- Will accommodate most laptops and tablets
- · Audit trail facility
- · Features keyed alike emergency key and master code
- Battery level indicator with a low consumption motor
- USB model features an internal USB charging point
- Back and base fixing
- · Audit and emergency opening tool available Sold separately.

Locking Options

000 000 Pin

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
Hotel Primo	200 x 420 x 370	190 x 415 x 315	9kg	24L	-
Hotel Primo USB	200 x 420 x 370	190 x 415 x 315	9kg	24L	-

Add 15mm to external depth for keypad

Hotel Drawer



Cash Rating £1,000



Jewellery Rating £10.000



- · Blue backlit keypad with motorised locking
- Users choose their own 4 6 digit code
- Features keyed alike emergency key and master code
- Audit trail of last 100 openings
- · Back and base fixing

Locking Options

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
1	200 x 350 x 410	130 x 260 x 340	14kg	11L	-

Add 15mm for the keypad and handle

Hotel Pop Up



Cash Rating £1,000





Jewellery Rating £10,000

- · Blue backlit keypad with motorised locking
- · Pop up lid with internal carpet
- User chooses own 4 6 digit code
- · Will accommodate standard sized laptops
- · Features keyed alike emergency key and master code
- Audit trail of last 100 openings
- · Back and base fixing

Locking Options

000 000 Pin

Model	External (HxWxD)	Internal (HxWxD)	Weight	Volume	Shelves
1	145 x 400 x 350	75 x 395 x 345	12kg	10L	-

Add 15mm for the keypad and handle



Retail Safes

Deposit safes have become a necessity for businesses as hold up situations and internal fraud have become an increasing threat.

Some of these safes have been independently tested and certified to ENII43-2 by ECB • S.

Having a separate deposit drawer means staff can deposit cash/valuables without having access to the main safe.

Both the drawer and the safe door are fitted with separately operated high security locks. These models have optional locking including mechanical combination, electronic PIN or advanced biometric locking systems.



Till Safe



Cash Rating £4,000 or £10.000





Jewellery Rating £40,000 or £100,000

- · Independently tested and certified to EN14450 S2 or EN1143-1 Grade 1
- Insurance approved by the AiS
- · Built to a Police Preferred Specification Secured by Design
- · Grade 1 Till Safe tested and certified to EN15659 LFS30P providing 30 minutes fire protection for paper
- · Designed for storage of till drawers
- · Store a minimum of 4 drawers in each model

289kg

- 2 different security levels to suit your requirements
- High security electronic locking on S2, option of key, electronic or biometric locking on the Grade 1
- Back and base fixing

Locking Options

Model

S2 Till

G1 Till





External (HxWxD)

510 x 550 x 500

840 x 650 x 550



Internal (HxWxD

430 x 470 x 400

782 x 574 x 420

)	Weight	Volume	Shelves
0	47kg	80L	3

189L Add 55mm to external depth for handle on G1 Till

Teller Deposit Safe



Cash Rating Up to £3,000

· Choice of deposit methods and trap



- sizes to suit your requirements
- · Size 1 V Trap deposit via a front loading V Trap system
- · Size 1 Rotary deposits via a top loading rotary drum
- · Option of key, electronic or biometric locking*
- · Automatic slam locking system**
- · Back and Base fixing

*Electronic and biometric locking not available on the Mini Teller **If fitted with the Burton Duo swing lock or the Kaba Axessor

Locking Options









Model	External (HxWxD)	Internal (HxWxD)	Slot Size	Weight	Volume
Mini Teller	305 x 205 x 255	295 x 195 x 180	20 x 135 x 200	15kg	10L
Size 1 Rotary	510 x 355 x 355	330 x 345 x 275	255 x 105 x 120	40kg	31L
Size 1 V Trap	505 x 355 x 355	220 x 345 x 275	45 x 265 x 190	40kg	21L

Add 45mm to external depth for handle on sizes 1 and 2







- · Base plates attach to the vehicle and the main safe body is locked into these
- The safe has two locks, one for the base plate and one for the safe door
- · The two locks are on different keys.
 - · This allows drivers to move the safe from the base plate without having access to the contents of the safe





Single

Model	External (HxWxD)	Internal (HxWxD)	Slot Size	Weight	Volume
Mini	255 x 165 x 150	210 x 160 x 145	90 x 32	5kg	4L
Cashguard	380 x 205 x 150	350 x 200 x 120	150 x 90	15kg	8L



Eurovault Aver Deposit Grade 1



Cash Rating £10,000



- · Independently tested and certified to EN1143-2 Grade 1 by ECB • S
- Insurance approved by the AiS
- Built to a Police Preferred Specification Secured by Design
- · Drawer deposit means staff can deposit without accessing the main safe
- · Option of key, electronic or biometric locking for both main door and deposit drawer
- Time delay, time windows and duress features available with electronic lock upgrade
- · Base fixing

Locking Options

Any lock alterations must conform to EN1300 Class A

















Model	External (HxWxD)	Internal (HxWxD)	Max Deposit Size	Weight	Volume	Shelves
Size 1	670 x 650 x 550	455 x 573 x 423	100 x 500 x 120	190kg	110L	-
Size 2	1040 x 650 x 550	816 x 573 x 423	100 x 500 x 120	270kg	298L	2

Add 55mm to external depth for handle



High Security Deposit Safe Grade 2



Cash Rating £17,500



- £17,500 Cash rating or £175,000 valuables rating for jewellery
- Independently tested and certified to EN1143-2 Grade 2 by ECBS
- Approved by the Association of Insurance Surveyors AiS
- Built to a Police Preferred standard Secured by Design
- 2 Sizes available in the range
- · Option of key, electronic or biometric locking on the main door
- Door opening angle: 180°
- Rear facing/through wall deposit available to order
- Standard RAL 7035 (light grey)









Locking Options

Any lock alterations must conform to EN1300 Class A.
















Dial	

Model	External (HxWxD)	Internal (HxWxD)	Max Deposit Size	Weight	Volume	Shelves
Size 1	950 x 590 x 550	265 x 480 x 390	25 x 320 x 100	284kg	49L	0
Size 2	1300 x 590 x 550	615 x 480 x 390	25 x 320 x 100	356kg	115L	1

Add 20mm to external depth for handle *Add 25mm to external width for hinges



High Security Deposit Safe Grade 3





- £35,000
- £35,000 Cash rating or £350,000 valuables rating for jewellery
- Independently tested and certified to EN1143-2 Grade 3 by ECBS
- Approved by the Association of Insurance Surveyors AiS
- Built to a Police Preferred standard Secured by Design
- 2 Sizes available in the range
- Option of key, electronic or biometric locking on the main door
- Door opening angle: 180°
- · Rear facing/through wall deposit available to order
- Standard RAL 7035 (light grey)

Any lock alterations must conform to EN1300 Class B.



78















Locking Options







Model	External (HxWxD)	Internal (HxWxD)	Max Deposit Size	Weight	Volume	Shelves
Size 1	950 x 590 x 550	265 x 490 x 380	25 x 320 x 100	500kg	49L	0
Size 2	1300 x 590 x 550	615 x 480 x 390	25 x 320 x 100	634kg	115L	1

Add 20mm to external depth for handle *Add 25mm to external width for hinges

Grade 2 and Grade 3

- Other RAL colours available upon request
- Body multi-walled body (50 mm thick)
- Door: multi-walled door construction (106 mm thick)
- · We recommend where possible to secure this model to a concrete floor
- · Designed to be secured to a suitable wall or floor
- · Comes with pre-drilled holes in the back and base for fixing



equipment, cash and valuables.



SYNGUARD ACCESS TO THE FUTURE

Open Access Management Olatform

Synguard stands for the automation and digitalisation of your entire access management.

We make integrations in one open and flexible management platform. We ensure that security, efficiency and user experience always take centre stage with the use of the latest technologies.



OUR SOLUTION

Our expertise is access management software and the accompanying intelligent hardware.

With powerful api's and secure protocols, we integrate all other peripherals and other software solutions from world players, each focuses on its own domain/product.

Unlock your full potential for all stakeholders:

With an open access management platform you can make integrations with third party applications.









Always with you Burton Security and Synguard working together in partnership.

Experts integrating physical security and access management.


Synguard develops access management software and associated intelligent hardware from our headquarters in belgium.


Our goal? Developing a secure open access management platform together with our customers, that meets 100% their needs and expectations.

With leadership and proximity to our certified partners and end-users, we provide an excellent and reliable service. from start to finish, from complex migrations up to final delivery. Hence our baseline: "Always with you".

Burton Security is a certified Synguard solution partner.







SAFE LOCKS

Burton Safes work with all of the world's major safe lock manufacturers to bring you a wide choice in locking solutions and access control for your safes and vaults.

Below are some of the more popular models but please enquire if you have a specific need and we will find a lock to suit your needs and budgets. We have strategic partnerships with **Insys** and **Kaba**, ensuring that we can provide solutions for the most demanding of commercial environments - CvIT, banking and large retail estates.

CONTACT OUR COMMERCIAL TEAM FOR MORE INFORMATION



enquiries@burtonsecurity.com +44 (0) 1484 663388

Descriptions of the safe lock terminology can be found on page 69.























	What Burton Safes recommend	Burton Duo Light	Burton Pulse	Burton Bio	Kaba Connect	Axessor USB	Axessor IP	LaGard 701	LaGard 703	CombiLock Pro	Elostar Master	Twinlock Business	Paxos	
TYPES OF CODES	No. of User Codes No. of Manager Codes No. of Master Codes Dual User Courier Code Duress Code One Time Code	1 1	1	10 1 YES	10 1 YES YES	18 2 1 YES YES YES	36 4 1 YES YES YES	1 1 1 NO NO NO	28 1 1 YES YES	9* 1 YES YES YES	99 1 2 or 3 YES YES YES YES	99 1 2 YES YES YES YES	95 Multiple levels Multiple levels YES	
LOCK FEATURES	Time Delay Time Lock Audit Trail Biometric Option	YES	YES	YES YES YES YES	YES YES YES YES	YES YES YES via I/O box	YES YES YES via I/O box	NO NO NO	YES YES YES	YES YES YES	YES YES YES	YES YES YES YES	YES YES YES via I/O box	
MECHANICAL FEATURES	Remote Programming I/O box Redundant System Multi Lock Option					YES	YES YES			YES	YES YES YES	YES YES YES YES	YES YES YES YES	
TYPE OF LOCKING	Swing Bolt Dead Bolt Motorised Bolt	YES YES	YES YES	YES	YES	YES	YES	YES YES	YES YES	YES	YES YES	YES YES	YES	
	Lock Grade	В	В	В	В	В	В	В	В	В	В	B/C/D	B/C/D	

Kaba Connect user details are per lock.

*Optional upgrade to 50 users on request





burtonsafes.co.uk

Burton Duo Fingerprint Lock

ScanLogic Basic FPC-1808-II (VdS)


To be used with locks EL-0601, EL-0701, EL-0901

Specifications

Rated voltage: DC 9V
Working temperature: -25° ~ 60°
Humidity during use: <90%.
Code length: 6 digits

Only suitable for indoor use

Safe locks certified in accordance with EN1300 are not permitted to be opened by fingerprints only (without additional code entry).



Important

- Always carry out programming when the lock is open and safe door is open.
- Before closing the safe door, make sure that all the programming is correct.
- Check a new code at least 3 times before closing and locking the door to ensure that the code has been changed correctly.
- The system does not allow the master code, the manager code, and the user code to be set at six zeros (0-0-0-0-0) or six nines (9-9-9-9-9-9).
- To save battery power, the system switches to standby mode if no button is pressed within 10 seconds. Standby mode is indicated by two short beeps. Input process es that have not yet been completed must be repeated completely.
- Do not allow your personal code to be spied on. When entering the code, always cover the keypad as well as possible so that no one can see which numeric key you are pressing.



Locking

At Burton Safes we have a huge range of locking options.

See page 66 for full details on our recommended models.

With the original design concept of being 'Easy to use' the KABA Axessor USB delivers a huge range of functions, via a simple visual input unit. One interesting feature is the DURESS function. This facility enables the lock to be connected to an alarm system, activating a silent signal to a remote monitoring station or to the Police when the user is under 'duress' by entering a slightly different code – this can also trigger a time delay if programmed.



Kaba Axessor USB

- Duress Code
- 18 Users
- Time Delay
- Time Lock Periods
- Battery Powered
- Clear Display
- Dual / 4 Eye Function

- Audit Trail of 10,000 events
- Alarm Connection
- Wrong Try Lockout (4 false attempts)
- Tamper Function
- Holiday Periods

The KABA Axessor USB is one of the most efficient and reliable locks on the market – suitable for domestic and commercial use, contact the office for a full description and to discuss your locking needs.

Insys flex ID

A flexible locking system for security containers like gun cabinets, safes, secure cabinets or entry and access doors. Access takes place contactless via RFID card or RFID tag. Stand alone or with a state of the art software system, Elocomm, for programming, control and audit. The Flex brings full access control functionality to your secure storage needs.

- High-quality motor lock and compact RFID reader unit
- Easy, quick opening via RFID card/RFID tag
- Easy enrolment of additional users without configuration software and keypad
- Adding of up to 99 additional cards/tags possible
- Manipulation blocking and automatic locking
- Emergency power supply
- Time delay, dual code and external release/blocking (only EloStar® flexID multi)



Safe Lock Terminology

Users – Unique individual's code that can be controlled by a "Master" or "Manager".

Dual user - If Dual user mode is set in your safe it will require two different user codes to open the lock. This means two people will need to be with the safe to open it, this helps prevent internal fraud.

Courier Code - Courier codes are generally used by CViT (cash and valuables in transit) to bypass any time delay settings within the safe and sometimes the time windows.

Duress Code – A duress code is a covert distress signal. When you input the code, a silent alarm will be sent to the Police or a monitoring station in the event that you are forced to open your safe.

The Duress code can still open the lock to the safe.

One Time Code - OTC (one-time code) is a code that can be created and passed to a user to open the safe - once they have used that code it will become invalid. These are often used by CViT (cash and valuables in transit) operators.

Time Delay – A time-delay is a setting that delays the unlocking of the lock by a user-definable period. After entering your code you wait the set time before you enter your code a second time to open the safe.

Time Lock – Weekly programmable timer installed inside, which allows the user to set time intervals that control when the safe opens – i.e. you can open the safe in-between 9am and 5pm but not outside of those hours even if you know the code.

Audit Trail - This logs every event within the safe - Which user opened and closed the safe, at what time. It will never show the code, just the user number i.e. User 2 opened the safe at 2:30pm 30/08/2018.

Biometric Option – Fingerprint controlled security lock. These locks come with the option of fingerprint access, code access or both.

Swing Bolt - Once a correct code is entered, the lock is released, allowing the boltwork to move when turning the handle.

Dead Bolt - Once a correct code is entered, the user has to manually move the locking bolt, usually by turning the keypad.

Motorised Bolt - Once a correct code is entered, the lock moves the locking bolt via an electronic motor.





Key Safes and Key Management

The Key Safe range is the perfect security solution for securing and storing keys. This range includes Keyguard allowing authorised access to carers, cleaners, workmen, dependents, holiday lets, and key cabinets designed for use in showrooms, garages, universities, schools and large commercial sites.

We provide products that answer a variety of requirements: UK Police Preferred Specification under the Secured by Design scheme, and the Keyguard Digital XL is certified to LPS1175 (Issue 8) A5.

LPS1175 Issue 8 is an independent attack test certification. A tool list is selected and then time given to withstand a physical attack. Keyguard XL is the first key safe to achieve this level.

LPCB is part of the BRE Group, the world renowned certification and testing facility who test and certify products to the very latest attack methods.



High Security Solution for storing keys



LPS1175: Issue 8 Cert No: 1000m

Keyguard Digital XL



- The world's first key safe to be successfully certified to LPS1175 Issue 8
- Police Preferred Specification
- Independently tested and certified to LPS1175 Issue 8 A5
- Permanent, lightweight, weather-resistant cover provided. This doubles as a fixing template for quick and easy install
- · Bright numbers and indicators for ease of use
- Internal key hook
- Over 4,000 possible code combinations
- Code can be changed multiple times
- Allows storage for multiple keys or key cards
- · Fixings are provided
- Also certified for fixing to rendered walling
- 5 year warranty







Model	External (HxWxD)	Internal (HxWxD)	Weight
KG XL	160 x 95 x 55	70 x 50 x 20	2.6kg







LPS1175: Issue 8 Cert No: 1000m

LPCB is an independent attack test certification. A tool list is selected and then time given to withstand a physical attack. Keyguard XL is the first key safe to achieve this level. LPCB is part of the BRE Group, the world-renowned certification and testing facility in the UK, who test and certify products to the very latest attack methods.

Certified for fixing to rendered walling by multiple fixing types, available to all installers.



With Secured by Design accreditation the Digital XL meets Police Preferred Specification.

POLICE PREFERRED HIGH SECURITY KEY SAFE

New A5 LPCB attack certification





Heavy Duty Key Cabinets



- · Top quality range of key cabinets that offer a high level of security
- · Ideal for use in car showrooms, garages, universities, schools and large commercial sites
- · 8mm solid steel door and 3mm steel body
- High security, 8 lever key lock or electronic PIN code lock
- · Electronic version features a flush keypad, an emergency key and an external power point in case of lock out
- · Door secured by two solid locking bolts

Locking Options



Model	External (HxWxD)	Internal (HxWxD)	Weight	Key Hooks
CK/E 40	470 x 360 x 140	460 x 350 x 120	25kg	40
CK/E 120	470 x 360 x 140	460 x 350 x 120	27kg	120

KG38

KG Keyguard Key Safes



KG-38 KG-64 KG-100 KG-200

- Range of 4 economical key safes to store 38, 64, 100, 200 keys
- · Ideal for use in car showrooms, garages, universities, schools and large commercial sites
- · 5mm solid steel door and 2mm steel body
- Electronic PIN code, 4 6 digit user code options
- · Supplied with emergency override keys in case of lock out

Add 15mm to external depth for keypad

- · Height adjustable numbered key racks
- · Prepared for wall mounting or floor
- Built in shock and tilt allarm
- 4xAA Batteries supplied

Locking Options

Model	External (HxWxD)	Internal (HxWxD)	Weight	Key Hooks
KG38	338 x 358 x 120	334 x 354 x 59	11kg	38
KG64	364 x 344 x 135	360 x 340 x 59	12kg	64
KG100	555 x 430 x 179	551 x 425 x 118	21kg	100
KG200	555 x 430 x 179	551 x 425 x 118	24kg	200





A DEST

IKMS

IKMS Intelligent Key Management System



- 7" Full color, touch screen
- Software built inside the Android system
- Face recognition, fingerprint, PIN, and user card access to each key
- Standalone plug & play solution with advanced RFID technology
- Module replaceable key slots
- Report export by USB or Email
- · Supports English, Germany, French, Polish, Japanese, Russian
- Standalone or web version (optional)
- Cloud management and remote control (Optional)

Locking Options













Model	External (HxWxD)	Weight	Key Hooks
IKMS	380 x 570 x 180	30kg	26











The Critical Electronic Alarm Safe manufactured by Burton Safes provides remotely controlled and external key access to keys and critical data during an emergency situation. Providing Rescue forces, such as the fire brigade, ambulance and the police with access in case of an emergency.

- Open remotely via connection to the built-in electronic strike.
- High security 7 lever slam lock included for key access.
- Built in LED indicator lights up when opened remotely so that emergency services know when to open the door.
- · Stainless steel pull handle.
- Powder coated finish as standard.
- Option to order in any available RAL colour. (Subject to minimum order quantity)

Locking Options



Model	External (HxWxD)	Internal (HxWxD)	Weight	Key Hooks
RKS	190 x 250 x 120	150 x 170 x 100	6.5kg	3

Measurements including flange









Additional info:



Flange at the front of safes to conceal damage and seal when cutting out Wall apertures.




2 Fixing Holes

Complete with 3/8" fixing holes in the sides for bolting into the wall.



An optional micro-switch can be fitted to trigger a remote alarm when the door is opened.





Garage & Door Security

We are proud to offer the new Guard range of products designed and Made In Yorkshire by our own in-house engineering team. The Guard range provides a heavy duty visual and physical deterrent for protecting your home and business from burglary.

With an average garage contents value of £1,500. Security for garage's often gets overlooked.

Our new Garage Guard protects up and over garage doors. This heavy duty solution is certified to Sold Secure Silver the only product of its type to pass this attack test and holds Police Preferred Specification.

Also available in the range is internal protection for roller shutters and garage doors, internal drop bars for reinforced security and a range of hasp locks for securing gates, sheds and doors.

Perfect for helping to secure your bicycles, motorcycles, e-bike and scooters from theft.



ENHANCE YOURHOME SECURITY





Police Preferred Specification



British Engineered product

Stay One Step Ahead of Intruders with Garage Guard Secure



The Garage Guard is the only garage door defender approved to Sold Secure Silver.

This British engineered product is designed to protect up and over garage doors.

Attack tested for 5 minutes and featuring a hardened steel plate.

It provides a visual and physical deterrent.

The base plate is designed to be installed to a concrete floor. With the bar secured in place by a stainless steel disc padlock.

Approved to Sold Secure Silver

The Garage Guard is the 1st garage door defender approved to Sold Secure Silver.

More Details

- British engineered product
- Laser cut parts
- Mounting floor plate is zinc plated for a longer lasting finish
- Fully welded construction
- Powder coated black finish

Locking Information

- Stainless steel 70mm disc padlock
- Key lock two keys supplied
- Features an anti-drill plate on the cylinder



- Colour Black
- Weight 3kg
- All fixings supplied









Fixing Information

Flooring plate needs to be secured to a concrete base

Supplied with 4 x M8 diameter 50mm long bolts – suitable for concrete

Suggested tool list: Power drill, 8mm masonry drill bit and 8mm socket head with socket driver











Garage Guard

Garage Guard

Model	External (HxWxD)	Weight
Garage Guard	135 x 230 x 260	3kg



Hasp Guard



- Perfect security addition for a shed, cellar or garage door
- Constructed from 5mm thick laser cut steel
- British made by Burton Safes Engineering
- Hard wearing powder coated finish
- Available in 3 length sizes
- Can mix and match sizes
- Fixings included

*padlock sold separately

Model	External (HxWxD)	Weight
Size 1	50 x 100 x 40	1kg
Size 2	50 x 200 x 40	1kg
Size 3	50 x 300 x 40	1kg



Shutter Guard



- Suitable for garage and roller shutter doors
- British made by Burton Safes Engineering
- · Precision laser cut steel
- Surface mounted to concrete
- All fixing supplied

Model	External (HxWxD)	Weight
Shutter Guard	130 x 115	2kg



Force Guard




- Drop in security bars, suitable for shed, garage, and internal doors
- British made by Burton Safes Engineering
- Available in 3 length sizes
- Steel locking bar with capped ends
- Hard wearing powder coated finish

Model	External (HxWxD)	Weight
Size 1	50 x 810 x 25	1kg
Size 2	50 x 1010 x 25	1kg
Size 3	50 x 1210 x 25	1kg



Disc Padlock





• 70mm Disc padlock

Anti-drill plate on cylinder

• Key retained in unlocked position

Stainless steel lock body



Our most

Iconic Safes Vesign your Amario UX



SECURITY HAS NEVER LOOKED SO GOOD

Elegance and timeless styling meets modern technology

Burtonsafes.Design

Elegance and security designed for the protection of your valuables.

The .Design Range from Burton Safes offers our clients the highest level of security, engineered to the most detailed level of precision. With over 30 years' experience providing global security solutions, we have built a reputation around luxury, security, integrity and customer service.

With Over 40 Safes for you to design and perfect your own unique style Burtonsafes.design has been created to help you choose your perfect security solution and design your own perfect unique safe.


We believe jewellery is for wearing and enjoying. When you are not, we want to help you protect it with the ultimate experience.

We advise choosing the highest grade safe possible to protect your jewellery, gold, watches, cash and valuables from criminals. Each of our designer safes has been attack tested and approved to European

standards to meet insurance cover recommendations.

Our safes are also approved and registered with the AiS (Association of Insurance Surveyors) and meet the Secured by Design Police Preferred Specification for your peace of mind.

Visit **Burtonsafes.design** today and start creating your safe with elegance and security designed by you for you, for the protection of your valuables.



Burtonsafes.design FREE APP!

Burtonsafes.design has been created to help you choose your perfect security solution and design your own perfect unique safe.

We believe jewellery is for wearing and enjoying. When you are not, we want to help you protect it with the ultimate experience.

Safes created for your own personality and lifestyle

Over 40 Safes for you to design and perfect your own unique style







£4,000 Cash Rating £40,000 Jewellery Rating



Certified to EN14450 - Grade S2 by ECB • S

Italian style designer safe range with aluminium handle.

Safe Colour RAL9016 White

SIZE 1

External dimensions $280 \times 435 \times 350$ Internal dimensions $230 \times 380 \times 240$ Weight 48 KG

SIZE 2


External dimensions $635 \times 485 \times 450$ Internal dimensions $575 \times 430 \times 350$ Weight 111 KG












Choose a Module for your Valuables

Ares Size 1


0	
0	
0	
0	

4 drawers


Ares Size 2




Open space and 6 drawers



12 drawers




Open space and 4 watch winders



4 watch winders and 4 drawers

Your safe can be equipped with modules including drawers, watch winders. Hand crafted in Italy and covered with eco-leather. Available in 21 different colours.


Choose your Jewellery Trays



Plain




For necklaces




Four squares

0 0	0 0	0 0	0 0
0 0	0 0	0 0	0 0
0 0	0 0	0 0	0 0
0 0	0 0	0 0	0 0
0 0	0 0	0 0	00
0 0	0 0	0 0	0 0
0 0	0 0	0 0	0 0

For rings



Nine squares



For watches

The drawers are internally covered with precious velvet.

Customise with a choice of 17 colours.

Colour is a power which directly influences the soul



Drawer Velvet



Safe Colour



ARES



BRIXI Auro

£10,000 Cash Rating £100,000 Jewellery Rating

Certified to EN1143-1 Grade 1 (Uno) by ECB•S

AVAILABLE IN 6 SIZES

Safe Colour

RAL9016 White - RAL9004 Black

Modules

Four Drawers (Led) - Four Drawers 2 Watch Winders - Open Storage Space

Module outside faux leather

Available in 21 different colours

Jewellery Trays

Plain - Four Squares - Nine Squares For Necklaces - For Rings -For Watches

Velvet lining

Customise with a choice of 17 colours



Electronic Lock





BRIXIA

£35,000 Cash Rating £350,000 Jewellery Rating

Certified to EN1143-1 Grade 3 (Tre) by ECB•S.

AVAILABLE IN 8 SIZES

Safe Colour

RAL9016 White - RAL9004 Black

Modules

Four Drawers (Led) - Four Drawers 2 Watch Winders - Open Storage Space

Module outside faux leather

Available in 21 different colours

Jewellery Trays

Plain - Four Squares - Nine Squares For Necklaces - For Rings -For Watches

Velvet lining


Customise with a choice of 17 colours



Electronic lock

BRIXI Auro

Available in 6 sizes



External dimensions 330 x 440 x 430 Internal dimensions 250 x 360 x 295 Weight

85 KG

External dimensions 460 x 490 x 430 Internal dimensions 380 x 410 x 295 Weight 110 KG

External dimensions 630 x 490 x 430 Internal dimensions 550 x 410 x 295 Weight 125 KG

External dimensions 810 x 490 x 430 Internal dimensions 730 x 410 x 295 Weight


145 KG

External dimensions 1010 x 540 x 480 Internal dimensions 925 x 460 x 345 Weight 200 KG

External dimensions 1210 x 540 x 480 Internal dimensions 1125 x 460 x 345 Weight 220 KG

BRIXIA

Available in 8 sizes



SIZE 1 External dimension

375 x 510 x 480

260 x 410 x 300

160 KG

SIZE 2

Weight 195 KG

495 x 510 x 480 Internal dimension 380 x 410 x 300

665 x 510 x 480 550 x 410 x 300 Weight 235 KG

SIZE 3

SIZE 4

845 x 510 x 480 Internal dimensions 730 x 410 x 300 Weight 285 KG

SIZE 5

1045 x 560 x 530 1245 x 560 x 530 930 x 460 x 350 1130 x 460 x 350 Weight 380 KG

SIZE 6

SIZE 7

External dimension 1495 x 720 x 620 Internal dimensions 1360 x 600 x 430 Weight 670 KG


1745 x 720 x 620 Internal dimensions 1610 x 600 x 430

Weight 730 KG

SIZE 8


Modules






Four Drawer (Led)

Four Drawer







Open Storage Space


Your safe can be equipped with modules including drawers, watch winders. Hand crafted in Italy and covered with eco-leather. Available in 21 different colours.







Choose your Jewellery Trays





Four squares





For necklaces

Nine squares

0 0	0 0	0 0	0 0
0 0	0 0	0 0	0 0
0 0	0 0	0 0	0 0
0 0	0 0	0 0	0 0
0 0	0 0	0.0	0 0




For rings

The drawers are internally covered with precious velvet. Customise with a choice of 17 colours.

Colour is a power which directly influences the soul

Module Outside Faux Leather





Drawer Velvet



22 Dark Brown

Safe Colour









SIZE 1

External dimensions 500 x 510 x 510 Internal dimensions 385 x 395 x 360 Weight 230 KG 2 Layouts

SIZE 2

External dimensions 670 x 510 x 510 Internal dimensions 555 x 395 x 360 Weight 285 KG 3 Layouts

Lusso

GRADE 2

£17,500 Cash Rating £175,000 Jewellery Rating Certified to EN1143-1 Grade 2 by ECB•S.

AVAILABLE IN 2 SIZES

GRADE 3

£35,000 Cash Rating £350,000 Jewellery Rating Certified to EN1143-1 Grade 3 by ECB•S.

AVAILABLE IN 2 SIZES

Safe Colour

Choose your safe body finish from a choice of 4 colours.

Suede lining

The drawers are internally covered with precious velvet.

Customise with a choice of 4 colours.

Wood Finish

The modules are externally covered with wood finish.

Customise with a choice of 4 colours.

Choose your Jewellery Trays

4 Squares - Necklace - Plain - Ring rolls

Modules Safe Size 1

Open Space and 2 Drawers / 4 Drawers

Modules Safe Size 2


Open Space and 3 Drawers / 5 Drawers / 2 Watch Winders and 3 Drawers


Electronic Lock

Lusso Grade 3 available in 2 sizes

Lusso Grade 2

available in 2 sizes





SIZE 1


External dimensions 500 x 510 x 510 Internal dimensions 385 x 395 x 360 Weight 250 KG 2 Layouts

SIZE 2

External dimensions 670 x 510 x 510 Internal dimensions 555 x 395 x 360 Weight 310 KG 3 Layouts

Interior Options


Layout option for size 1



Open Space and 2 Drawers

ers

Layout option for size 2



Open Space and 3 Drawers

5 Drawers

2 Watch Winders and 3 Drawers

The modules are externally covered with wood finish.

Customise with a choice of 4 colours.





Suede Lining












Wood Finish









Safe Colour














Choose your Jewellery Trays




4 Squares



Necklace






Ring rolls

The drawers are internally covered with precious velvet.

Customise with a choice of 4 colours.







Our most Iconic Safes

GRADE 4

Certified to EN1143-1

Grade 4 by ECB • S.

£60,000 Cash Rating

£600,000 Jewellery Rating

Amario Lux Grade 3 Available in 5 different sizes

GRADE 3

Certified to EN1143-1 Grade 3 by ECB • S.

£35,000 Cash Rating £350,000 Jewellery Rating



AVAILABLE IN 5 SIZES

Safe Colour

10 colours available

Interior Finish

Customise with a choice of 14 luxury finishes

Interior Modules

Low Drawer - High Drawer - Glass Shelf

Jewellery Trays

Jewellery tray - Open tray (low and high trays)

Drawer Suede


Watch winders - Power Panel USB Power - Space

Light Grey


Detailing

Silver Chrome or Gold Chrome


The perfect combination of quality, functionality and security



Amario Lux Grade 4 Available in 5 different sizes





Modules








Power Panel













High Drawer

Low Drawer








Glass Shelf




Fully customizable from the inside to the outside

Available Jewellery Trays

High drawer






Jewellery tray

Open tray

Low drawer





Jewellery tray

Open tray

The drawers are internally covered with a precious light grey Suede

Customise each part your way!

DETAILED GOLD FINISH






Hinge Covers

Handle

Our safes are subject to various painting process stages, to obtain the high glossy finish

external finish.





DETAILED SILVER FINISH





Locking Bolts

Lock

Drawer Suede





Interior Finish




























Safe Colour



















Detailing









Krystal Display Safes













Careful attention to detail ensures a harmonious balance between beauty and security, all styled in a way that will enhance any room.

Each Krystal Display Safe is customisable with a choice of body paint finishes, internal colours, locking, handles and optional extras, making it easy to complement your existing décor.

Suitable for the storage of:

Jewellery Antiques Watches
Gun collections

Ammunition Objects of beauty

Body: double-walled body, multi-walled body G1

Door: multi-walled door construction

Locking: 4-way locking bolt system - incl. overlaping profile on the hinge side

Standard option

Lock: high security key lock class I VdS with two keys (65 mm)

Boltwork handle: handle, protruding 35 mm

Hinges: internal

Door opening angle: 90°

Mounting holes: 1 holes in the floor and 2 on the backwall S2,

2 holes in the floor and 2 on the backwall G0 / G1

S2














Our Krystal range meets Police Preferred Standards for storing guns and firearms, is insurance approved for cash and valuables, and with it's incredible glass display being resistant to bullets, axes, sledgehammers, grinders, drilling, and torch attacks offers the peace of mind you need to securely display all of your treasured items.






G1





















		X Y		X			•		_
Article	A B E	Outer dimensions (mm)	Inner dimensions (mm)	Door light (mm)	Dimensions of the display window (mm)	Weight (kg)	Anchoring number	Number of shelves fixed / movable	Gun holders - amount and colours
	Basic equipment	Height Width Depth	Height Width Depth	Height Width	Height Width	(kg)	number	lixed / Illovable	amount and colours
KRYSTAL DISPLAY SAFE S2									
KRYSTAL DISPLAY SAFE S2 - SHELVES	A	1700 x 677 x 413	1647 x 594 x 322	1582 x 508	1182 x 395	181	1/2	2 4	
THITOTAL BIOLEAT GALL GZ. GILLEVEG		1700 X 077 X 410	1047 % 304 % 022	1002 X 300	1102 X 000	101	172	<i>L</i> 7	_
KRYSTAL DISPLAY SAFE S2 - 10 GUNS	В	1700 x 677 x 413	1647 x 594 x 322	1582 x 508	1182 x 395	181	1/2	2 -	10
KRYSTAL DISPLAY SAFE GO - SIZE 1				•					
KRYSTAL DISPLAY SAFE G0 - SHELVES SIZE 1	Α	1802 x 840 x 450	1656 x 730 x 315	1632 x 645	1380 x 540	270	2/2	2 4+1	-
VENOTAL DIODLAY CAFE CO. 12 CUNC CITE 1	_					0.7.0			
KRYSTAL DISPLAY SAFE G0 - 13 GUNS SIZE 1	В	1802 x 840 x 450	1656 x 730 x 315	1632 x 645	1380 x 540	270	2/2	2 4	13
KRYSTAL DISPLAY SAFE G0 - 7 GUNS & SHELVES SIZE	1 E	1802 x 840 x 450	1656 x 730 x 315	1632 x 645	1380 x 540	270	2/2	2 4+1	7
	_		1000 X 700 X 010	1002 X 010	1000 X 010		L, L		
KRYSTAL DISPLAY SAFE GO - SIZE 2									
RRTSTAL DISPLAT SAFE GU - SIZE E									
KRYSTAL DISPLAY SAFE G0 - SHELVES SIZE 2	Α	1802 x 840 x 512	1656 x 730 x 378	1632 x 645	1380 x 540/340	313	2/2	2 1	-
KRYSTAL DISPLAY SAFE G0 - 13 GUNS SIZE 2	В	1802 x 840 x 512	1656 x 730 x 378	1632 x 645	1380 x 540/340	313	2/2	2 4+1	13
KRYSTAL DISPLAY SAFE G0 - 7 GUNS & SHELVES SIZE	2 E	1802 x 840 x 512	1656 x 730 x 378	1632 x 645	1380 x 540/340	313	2/2	2 4+1	7
KRYSTAL DISPLAY SAFE G1									
KRYSTAL DISPLAY SAFE G1 - SHELVES	Α	1802 x 840 x 500	1660 x 730 x 357	1623 x 637	1380 x 540	332	2/2	4+1	-
KRYSTAL DISPLAY SAFE G1 - 13 GUNS	В	1802 x 840 x 500	1660 x 730 x 357	1623 x 637	1380 x 540	332	2/2	1	13
VENOTAL DIODLAY CAFE CA. 7 OLINO & OLIFINES	_	1000 040 500	1000 v 700 057	1000 007	1000 % 540	0.00	0.40	4.4	7
KRYSTAL DISPLAY SAFE G1 - 7 GUNS & SHELVES	E	1802 x 840 x 500	1660 x 730 x 357	1623 x 637	1380 x 540	332	2/2	4+1	7


KRYSTAL DISPLAY SAFE S2 - OPTIONS



KRYSTAL DISPLAY SAFE GO / G1 - OPTIONS















131

REMARKS:

- * one fixed metal shelf at the bottom of the safe
- ** back wall not sublimated
- *** the carpet is located on the back wall, side walls and at the bottom

REMARKS CONCERNING THE SAFE ANCHORING TO THE BACK WALL:

The whole back wall is lined with the carpet - in order to anchor the safe to the wall, the carpet has to be notched or debonded

The highest and most luxurious level of security 132

THE LUXURY RANGE

The Luxury Range from Burton Safes offers our clients the highest level of security, engineered to the most detailed level of precision. With over 30 years experience providing global security solutions, we have built a reputation around luxury, security, integrity and customer service.

Burton Safes is a leading supplier of luxurious security solutions, customised in Yorkshire, UK and delivered Worldwide. Our dedicated team of security experts work with our clients every step of the way, from design, planning and implementation.

We understand that each project is different which is why we build a security solution bespoke to each client. This could be a custom designed safe or even an internal security door, to aesthetically match other doors within the property.

Our Head Office and customising facility in Holmfirth, in the heart of Yorkshire, UK, is also the home of our Eurovault LX luxury safe. Our Eurovault LX offers a complete bespoke solution to create your perfect safe. Our team of expert craftsmen and women strive for perfection to create every unique Eurovault LX masterpiece.

The finest solid wood, hand crafted jewellery drawers finished in luxurious suede or leather offering the highest standards of British craftsmanship. Jewellery drawer layouts to suit all type of valuable possessions, including the option of integrated watch winder modules to show off the finest time pieces. Our expert team have designed and created bespoke luxury safes that have been delivered worldwide.



AS BESPOKE AS YOUR INDIVIDUAL NEEDS



We offer a unique experience with over 30 safe sizes available. They are handcrafted in Yorkshire, UK. Our bespoke safes are finished to the highest standard. Our team of expert craftsmen and women provide luxurious, bespoke solutions. We can meet almost any requirement. Including handmade jewellery drawers and hand crafted upholstering. We use only the finest suede and leather.



We understand that each project is different. Which is why we build a security solution bespoke to each client. From matching colour swatches from your favourite car. To hand-stitching your family crest into the interior. We can ensure your safe is the only one of it's kind in the world.

The Eurovault LX range is available in a variety of sizes with security grades ranging from EN1143-1 Grade 1 up to Grade 7. Other options in the range are glass fronted display cabinets and gun safes.

- Jewellery and valuables cover from £100,000 to £2,500,000
- Over 30 safe sizes available
- We can offer luxury security doors and panic rooms installed to meet you and your home's security needs
- Full design, consultancy and installation provided by the Burton
 Safes Luxury Team











When you place an order you will be assigned a project manager. They will oversee the process from design to build, to the final installation. With over 30 years experience of providing security solutions globally we have built a reputation of integrity and customer satisfaction and helped keep homes and families safe for decades.

AN EXCLUSIVE RANGE OF EXQUISITE SAFES USING THE FINEST MATERIALS. ALL HAND FINISHED USING THE BEST BRITISH CRAFTSMANSHIP TO GIVE THE SAFE YOUR PERSONAL TOUCH.



The Luxury Range | from Burton Safes

www.luxurysafe.co.uk | enquiries@burtonsecurity.com | +44 (0) 1484 663388



PROTECT YOUR FAMILY AND VALUED POSSESSIONS

WITH AN EMBASSY SAFE / PANIC ROOM.

With over 30 years' experience providing high security physical protection products, Burton Security can provide the best solutions to protect your family and most valuable possessions. Working with you allows us to design the highest level of bespoke safe rooms and vaults for your family to take lifesaving shelter during a robbery, burglary, home invasion or terrorist attack.


EMBASSY MODULAR STEEL SECURITY Walling

PR EMBASSY

A safe room, or panic room as they are often called, provides a safe hiding place for your loved ones until your security team or the emergency services can be contacted.

Coordinating directly with your interior designer and architect ensures that we identify the protection level required to create safe rooms that are attack resistant, bullet proof, functional, safe and aesthetically pleasing.

We have a choice of security rooms and walling levels to protect against physical attack tools and ballistic weapons, such as pistols, handguns, and rifles. Additionally, our range of luxury armoured and sliding doors can be hidden from view, something that can be specified during the design process.











PRIVATE RESIDENCES, LUXURY APARTMENTS, YACHTS AND OFFICES



An Embassy safe / panic room or a vault can be built as a stand-alone room or we can discreetly convert existing areas of the home, such as bedrooms, walk in wardrobes, guest rooms, ensuites, living rooms, offices, and garages to keep your family and valuables safe from intruders.

Our designs include adjoining rooms to create a central places of safety for the family with hidden armoured doors, manual or powered sliding doors, access control and window protection such as shutters, bar sets and bulletproof glass for the highest level of protection.

Embassy panic rooms are ideal for high-net-worth individuals, dignitaries, and celebrities wanting to avoid life and death situations and protect the family in setting such as private residencies, home offices, holiday homes, luxury apartments, and super yachts.

For larger ground floor installations designed to protect collections, art, classic cars, jewellery, precious metals, cash, and important documents we also have a range of strongrooms and vaults made from heavier steel and composite constructions.

High Security Doors

Armoured security doors at the property boundaries can provide an additional layer of protection and time critical safety so you can reach your panic room in safety!

Embassy Design

Enables architects and specifiers to embed secure design from the outset, creating the perfect balance of security and luxurious interior design.





Embassy modular security steel walling and rooms installed for maximum protection worldwide.

EMBASSIES, HOTELS AND SCHOOLS

In a world where the threat of terrorist attacks has become more common on Government embassies, hotels, retail areas, and sadly in schools too, the protection of personnel within safe areas of retreat has become more important to our way of living and is rightly now the everyday duty of care for many.

Our Embassy modular steel security walling is ideal for designing bespoke rooms or converting existing rooms to offer a high level of physical attack protection, ballistic resistant walling protection combined with bulletproof door sets creating the safe room required.

In these environments a well drilled emergency plan incorporating a designated, professionally designed safe room can save lives and help reduce the risk of robbery and hostage situations.

Working with your architects and designers each Embassy walling or safe room installation can be decorated discreetly to match its natural surroundings and create a hidden room or become part of a luxurious experience for clients, guests, visitors, pupils or staff.

Physical Security

Provides time delay. Delay equals safety and time to notify the Police authorities!









High Security Armoured Doors

We provide a large range of security door sets including traditionally hinged, luxury, and bespoke sliding door models!

Escape Rooms

An Embassy safe room is an ideal place of retreat and safety if under attack during a robbery, aggravated burglary or assault!

ARTS & LEISURE

It has been estimated by U.S. News that more than 50,000 pieces of artwork are stolen globally each year, and that 40% of these crimes are committed in the UK. In addition to the billions of pounds worth of loss attributed to these thefts, storage vault fires have accounted for many millions more.

The risk to art, film and musical history has almost never been greater as general concerns surrounding worldwide security matters continue to grow, and as the threats from terrorism and armed robbery also remain high.

Our bespoke Embassy modular steel security walling, strongrooms, portable security rooms and vault systems are ideal for designing both fixed and temporary solutions to these threats. Suitable too for the conversion of existing rooms within buildings, vehicles, and yachts, Embassy offers a high level of physical attack protection, fire protection and ballistic

Whatever your requirements, choose Embassy security rooms and doors to create the ultimate protection again burglary, robbery, fire and armed assault









Jewels and **Precious Metals**

Regalia Crowns **Boats** Rings Ships Diamonds. Marinas Maritime Sapphires,

Emeralds, Rubies, Pearls,

Opel's

Gold, Silver, Platinum and Palladium Collections Watches

Music & Film

Music Studios Master Recordings Multitrack Tapes Sound Laboratories Memorabilia Film Reels Music and Film Collections Instrument and History

Collectors

The Seven Seas

Luxury Yachts Superyachts

Art & Literature

Galleries Art History Science

Museums


Plant, animal, fossil, rock and mineral

Architectural

Design, fashion and textiles

Libraries Maritime Transport Modern Art **Auction Houses** Religious Artifacts Exhibitions **Private Collections**

Vaults



ARCHITECTS, DESIGNERS & CONTRUCTION

Embassy modular steel security walling and our high security luxurious safes are ideal for designing bespoke rooms or converting existing rooms, offering a high level of physical attack protection, ballistic resistant walling protection combined with bulletproof door sets creating the safe room required.

We carefully listen to our clients so we can fully understand their security needs, concerns and lifestyle. With a collaborative approach with our clients, their designers and architects we work to exceed expectations in all that we deliver with that personal touch which makes us unique in our approach.

Following on from your preliminary discussion to assess your security needs, now your attention can turn to the finer details to ensure your chosen safe room compliments your lifestyle. Working with your designers we can combine innovative high security solutions with architecture and interior design to create wonderful living spaces to fit in with your lifestyle, bringing everything together to create a beautiful home.

Embassy is manufactured in the United Kingdom through design, innovation and investment in British engineering.

We look forward to discussing your luxury bespoke requirements with our professional team as

Ultimate Orivacy

We offer peace of mind that vour security project will be discreetly designed, managed and installed by our expert Uk

Our team will ensure that everything is taken care of, from design to install we give you complete transparency

Trusted

Product quality, trust, honesty, reliability and professionalism provided as standard throughout the

xpertise

We have a wealth of expertise in-house that sets our services apart in the world of personal and valuables protection in a luxury setting

part of our fully comprehensive consultation. Offering our customers not only unique, bespoke safe and panic rooms but a complete range of products for your home and business that will protect your most valuable possessions.

Working with your professionals drawn from architecture, interior design, construction and project management fields we can provide an exclusive range of exquisite safes using the finest materials. All hand finished using the best British craftsmanship to give



RETAIL AND COMMERCIAL



From the world's most advanced safe deposit centres in Hong Kong, to securing cash, bullion and valuables in banks and retailers across Europe and the Middle East; the team at Burton Security have the experience to advise, design, and deliver physical security solutions to protect you, your staff and your assets.

Embassy modular steel security walling, vaults and high security doors are ideal for designing bespoke rooms or converting existing rooms to offer a high level of physical attack protection, ballistic resistance, and controlled access or fire escape.

Our security solutions and safes can be found in most high street stores, superstores, banks, safe deposit centres, and protecting high street ATM's.

Unfortunately, the current cost of living crisis has seen a huge increase in theft from supermarkets. Working with heads of security we have designed anti-theft solutions to protect the stored cash within self-checkout machines, safely prevent snatch theft shoplifting via fire escapes, supply trolleys to aid the safe transit of cash through busy stores, and the ever-important service and daily management of all types of onsite security assets.


With a burgeoning reputation for providing turnkey solutions Burton Security are the perfect partner for anyone considering investing in the security of safe deposit centres, sanctuary rooms for high-net-worth individuals, cash handling areas, retail stores, bookmakers, banks, and home security too.

Jewellers & High Street Stores

An Embassy safe room is an ideal place of retreat and safety if under attack during an aggravated burglary!



ARMORIES, FIRING RANGES & GUN COLLECTIONS



MILITARY

Armouries Shooting Ranges Gun Clubs Gun Collections Antiques

BALLISTIC RATINGS

Tested and certified Bullet-resistant performance features FB1 – FB7 can be combined with burglary resistance performance levels 1 – 8.

TECH TALK

1001.01 is a technical document that specifies the performance requirements that equipment should meet to satisfy the needs of certification and procurement bodies as well as the individual user.

We have a large range of bespoke and off the shelf solutions developed for storing guns, protecting personnel in armouries, at shooting ranges, and which provide physical security protection when threatened with a firearm.


Our modular layered approach to designing and manufacturing Embassy walling means we can apply levels of materials that are fully tested and certified to BR1 to BR7, EN1522 FSG, and EN1523 FSG standards for ballistic resistant protection.

Personnel protection for the inside of gun rooms, safe room or areas used for firing weapons can be lined with our coatings developed and fully tested at Precision Ballistics Laboratories to test procedure 1001.01 for Anti-Spall and Anti-Ricochet properties.

Embassy modular steel security walling is ideal for designing a layered approach for building secure rooms and portable rooms that can include physical security, ballistic protection and anti-ricochet protection.



For smaller or additional secure gun storage and gun collection displays we have a full range of Sold Secure tested, police preferred gun safes and high security luxury glass display safes.





SECURITY EMBASSY MODULAR STEEL SECURITY WALLING PRODUCT RANGE


Embassy Code	Security Walling Details	Security Level	Certified Security	Certified Ballistic	Attack Threat Protection	Panel Thickness mm	Weight p/m2
E1	Single layer steel fabrication wall panel	1	*	-	Low technology level of attack using small, very easily concealed tools.	50mm	22 kg
E2	Single layer steel fabrication wall panel with additional steel bracing	2	*	-	More determined attack using easily concealed tools of a greater mechanical advantage.	50mm	26 kg
E3	Single layer steel fabrication wall panel with higher level additional steel bracing	3	*	-	Deliberate forced entry using a wide selection of commonly available, relatively easily concealed tools.	50mm	51 kg
E4	Multi layered steel fabrication wall panel with higher level additional steel bracing	4	*	-	Experienced attempts at forced entry and threat to life.	50mm	80 kg
E4 EB4	Multi layered steel fabrication wall panel with higher level additional steel bracing and ultra hardened ballistic steel	4 + 4B	*	FB4	Experienced attempts at forced entry and threat to life, Including the use of ballistic weapons.	53mm	82 kg
E 5	Heavy duty multi layered steel fabrication wall panel with higher level additional steel bracing	5	*	-	Experienced attempts at forced entry using tools of a greater battery power.	54mm	88 kg
E 6	Heavier duty multi layered steel and composite panel fabrication wall panel with higher level hardened additional steel bracing	6	*	-	Professional attempts at forced entry into higher value storage areas and threat to life.	54mm	100 kg
E6 EB6	Heavier duty multi layered steel and composite panel fabrication wall panel with higher level hardened additional steel bracing and ultra hardened thicker ballistic steel	6 + 6B	*	FB6	Professional attempts at forced entry into higher value storage areas and threat to life, Including the use of ballistic weapons.	56mm	121 kg
06	High security strongroom modular walling manufactured of steel construction with anti-cut brace bars and a re-enforced concrete composite suitable for heavy duty vault doors. Certified by LPCB and ECB.S	6V	LPS1175 F10 (SR6) and G5 EN1143-1Grade 2	-	Professional attempts at forced entry into higher value storage areas and threat to life.	27mm	90 kg
C 7	Higher level of thicker vault walling manufactured of heavy steel construction with anti-cut brace bars, barrier materials and dense re-enforced concrete composite suitable for heavy duty vault doors	7	EN1143-1Grade 4	-	Enhanced professional attempts of access to high value assets.	70mm	210 kg
С8	Higher level of thicker vault walling including EX protoction against explosives, manufactured of heavy steel construction with anti-cut brace bars, barrier materials and dense re-enforced concrete composite suitable for heavy duty vault doors. Certified by ECB.S	8	EN1143-1Grade 6	-	Extreme methods of access to very high value assets using portable tools.	70mm	225 kg
Optional Wall Linings							
EB4	Advanced hardened steel protection plates with guaranteed ballistic properties	4B	-	FB4	Attckers with Rifles, automatic pistols and hand guns	3mm	25 kg
EB6	Advanced hardened steel protection plates with higher levels of guaranteed ballistic properties	6B	-	FB6	Attackers Rifles, automatic pistols, hand guns, assault rifles and rifles FMJ (full metal jacket)	6mm	52 kg
EAR	Anti-Ricochet and anti-Spall Ballistic lining and panelling	AR		PBL1001.01	Attackers and misfiring of weapons -Tested in accordance with PBL1001.0 Standard test method against the following threats 62g Fed Tac Bon, 5.56x45mm SS109, 9mm 124grn TMJ, .38spc 158grn JSP and 7.62 150grn Steel FMJ	30mm	4.5 kg
RWA45	Rockwool high quality, high density resin bonded slabs	Insulation	EN 13162 Euroclass A1	-	Thermal, acoustic and fire resistant insulation	25-100mm	1 kg

^{*} Non certified

^{**}Manufactured in the EU and certified in the UK to LPS 1175 Issue 8 F10 SR6 and G5 by LPCB - Built to a Police Preferred Specification - Secured By Design














EXAMPLE EMBASSY MODULAR ROOM







② Corner Panel



 ${\tiny \scriptsize \textcircled{3}\ \ } \mathsf{Door}\ \mathsf{Frame}$



④ Top Edge Panel



Modular Fixing








EMBASSY DOOR SET

Normally hinged bespoke security door set




A choice of manual and powered sliding doors protected by Embassy walling

EMBASSY MODULAR STEEL SECURITY WALLING












OUR PRODUCT RANGE

Modular Security Panel levels























146

SECTORS WE SERVE



Critical National infrastructure PR EMBASSY Data Centres Nuclear & Utilities

Retail

Warehousing Kiosk

Utilities Electricity

Battery Energy Storage System

Hazardous Waste

Transport Marine **Airports** Rail

Healthcare Medical Laboratories **Pharmaceuticals**

High Security Banking Cash Handling Safe Deposit Centres Prisons Residential **Armouries**

Military Gun Storage

Education Schools Communal

Architecture Construction

Arts and Museums



ATM Rooms and Banking



Pharmaceutical Laboratories Healthcare




Safe Deposit Centres Cash Handling



Data Centres



Critical National infrastructure Nuclear



Military Gun Storage



DESIGN & INNOVATION

THE SURE DEFENCE TEAM

We are proud to manufacture our Embassy modular steel security walling and safe room products here in the UK. Our growth is through design, innovation and investment in British engineering.

Each project is managed and designed in house meaning we can offer a full turnkey security solution starting with a dedicated security team of experts who will discuss your requirements and start putting your concept plans into a working design.

Our design team will then create CAD drawings to match your space and the security protection level required, followed with a quotation which will be prepared for you to review.

Once the security design project has been agreed you will be introduced to a dedicated project manager who will oversee the whole production and installation process, starting with the all-important on-site survey.

Your bespoke Embassy walling or room will then go into production at our own fabrication workshops, ready for our skilled and fully vetted safe & vault installation engineers to install on site.

Police Preferred Specification

Burton Security - On Every Street

Award-winning Security Team

Proud to feature 100's of Secured by Design (SBD) official police security products that work to improve the security of buildings and their immediate surroundings to provide safe places to live, work, shop and visit.

We have served the Banking, ATM, Safe Deposit, Vault and Large Retail Stores for over 30 Years!

We have won numerous security industry award for fire and physical security designs.







Locking Options



Dual Locking 000 000 Pi 000







Protecting People And Valuables













A free-standing high security solution of modular construction, Orthrus delivers optimum price/performance ratio. It is certified to the very latest LPS standard – LPS1175: Issue 8 and has achieved security rating F10 (SR6) G5. Each room is built to order according to the individual size and security requirements of the client.

The flexibility of design and build allow this to be the perfect solution in the commercial world for high value items or indeed military/government use for sensitive materials or meeting spaces.

- · Free-standing high security safe room
- Modular construction to create bespoke rooms built to your specification
- Orthrus rooms Independently tested and certified to LPS1175 (Issue 8) F10 (SR6) G5
- Built to a Police Preferred Specification -Secured by Design
- · Ideal solution for creating a secure space within an existing structure
- Ideal for commercial, military and government use
- Exceeds requirements of the UK Environment Agency for the storage of radioactive source material/equipment
- Panel widths range from 150mm to 1500mm
- Rooms can be 5 or 6 sided
- Design, consultancy service and installation provided by Burton Safes
- The door and locking system can be connected to client's own alarm system and access control system
- A 2nd or 3rd lock can be added to your vault door if required
- Lock features 4 manager codes, 36 user codes, time delay and time windows, dual user functions and audit trails
- Optional emergency door, access hatch, pass through door is available

SIDE VIEW


Vault panel information


Model	Min-Max Length*	Min-Max Width	Thickness	Weight p/m2
Orthrus	1950 - 3950 (wall) 2900 (ceiling)	150 - 1500	27	105kg

Vault door information

Model	Clear Opening Height	Clear Opening Width	Thickness	Weight p/m2			
Standard Size	1960	910	160	900			
Certified Range	1810 - 3950	510 - 1950	160	900			
Emergency Door (in wall panels)	510	1068	160	450			

*without additional steel supports





- Independently tested and certified to EN1143-1 Grades 1 13
- Grades 6 13 have been tested and certified to EX, providing additional protection against explosives
- Grades 8 13 have been tested and certified to CD, providing special protection against core drills
- Insurance approved by the AiS
- Built to a Police Preferred Specification Secured by Design
- · Designed to suit your size and security requirements
- Panels can be provided in lengths of up to 3600mm and can be fitted with cable and ventilation holes if required
- Mounting plates for seismic detectors can be added to your vault
- · Steel cladding for the exterior is available on request
- · Burton Safes offer a full consultation, design and building service. Upon completion the room is inspected and registered with VDS
- All Cerberus doors come with 2 locks as standard and a third can be ordered on request. The locks are located on the outside only



- · Cerberus doors can be supplied with key, mechanical combination or electronic locks
- · Electronic locks can offer redundant systems, dual user, time delay, time lock, duress alarms, audit trails, one time codes, remote programming and tiered access rights
- All doors can only open outwards and can open 180°
- An emergency door can be integrated into the main vault door or installed as a separate door*
- A day gate can be fitted to the main vault door on request and comes with a single key lock and a second key or electric strike
- Exit handles and hydraulic closers can be added on request

Locking Options

*Integrated door in door only available on Grades 1-3









BANKING • SAFE DEPOSIT • CASH CENTRES • SECURE STORAGE



Our Vaults are unrivalled in its success, due to the modular nature of its design, and the scalable levels of security.



Vault Model (Grade (EN1143-1)	Wall Thickness	Weight p/m2	Standard Door Aperture	Weight of Standard Door
Cerberus 1	1	27	100kg	1960 x 910	790kg
Cerberus 2 / Orthru	s 2	27	105kg	1960 x 910	795kg
Cerberus 3	3	70	210kg	1960 x 910	823kg
Cerberus 4	4	70	210kg	1960 x 910	900kg
Cerberus 5	5	70	210kg	1960 x 910	900kg
Cerberus 6	6	70	225kg	1960 x 910	900kg
Cerberus 8	8	125	390kg	1960 x 910	1410kg
Cerberus 10	10	195	600kg	1960 x 910	2000kg
Cerberus 12	12	250	900kg	1960 x 910	2805kg
Cerberus 13	13	415	1215kg	1960 x 920	4300kg

TRANSPORTA Strongrooms













Model	External (HxWxD)	Internal (HxWxD)	Weight	Cash Rating
SC10	2440 x 2440 x 2980	2110 x 2110 x 2560	2040kg	£4,000
SC20	2440 x 2440 x 6170	2110 x 2110 x 5660	3800kg	£4,000
SC800	2140 x 1125 x 1490	1750 x 850 x 1250	1500kg	£35,000
SC3000	2430 x 2440 x 2990	2180 x 2165 x 2560	4000kg	£35,000
SC6000	2940 x 2560 x 6320	2240 x 2200 x 5660	9000kg	£35,000



- Transportable high security container
- · From the outside it looks like an ordinary container
- Ideal for the transportation of cash, weapons, explosives or sensitive confidential data
- Ideal for battery energy storage systems (BESS)
- Option to fit out the inside with internal walling, power, lighting and air conditioning
- · Optional weapon racking and ammunition storage
- · Optional anti ricochet
- · Optional ballistic walling
- · Optional GPS tracking can be added
- Optional side personnel door
- · Double door access to maximise the opening space
- · Ideal for events and exhibitions
- Ready made solution for fast deployment in an existing building
- SC10 and SC20 tested and certified to SS3492 by SSF/SBSC
- SC800, SC3000 and SC6000 tested and certified to EN1143-1 Grade 3 by SSF/SBSC





Anti ricochet matting



Underground Bunkers can provide the perfect safe room solution for protecting your loved ones and possessions.

We can create bunkers for installation that will protect you and your family from outside dangers.
Customisable secure rooms with various access options for your needs that can be kitted out to your

Using a high security steel walling system and security doors we can create your survival bunker room for peace of mind that your family are protected.

Blast proof options

Air filtration system

Highly efficient design

Maximum blast protection


High-quality steel and reinforced concrete

Additional emergency doorz

Underground Bunkers







EMBASSY RVE WINDOWS & DOORS

Certified safety – breathtakingly beautiful

We plan, produce and install PfB-certified security windows made of wood and wood-aluminium. The well-thought-out security concept sensibly coordinates fittings, glass, frames and the conditions on site. It offers secure, mechanical protection against burglary, bombardment and fire

The Embassy RvE windows are custom-made to fit each property and fit perfectly into any architectural style: from historical, listed buildings to contemporary, modern buildings.

THE RIGHT SOLUTION FOR EVERY ARCHITECTURE

Whether for listed buildings or for modern architecture: RvE windows are always made to measure and are functionally and aesthetically convincing.

There are hardly any limits to the shapes and formats. In collaboration with architects and builders, we develop solutions that fit perfectly into the property and meet all customer requirements.



SECURITY WINDOW TYPES FROM RVE

Made to measure

Burglary protection

Resistance classes RC2 to RC4 according to DIN EN 1627

Bullet resistance

Bullet resistance FB1 to FB7 according to DIN EN 1522

Fire protection

Resistance classes F30/T30 to F90/T90

Flood protection

Protection against heavy rain and flooding is becoming increasingly important worldwide. RvE therefore also builds security windows and doors that prevent unwanted water ingress.

Custom-made flood barriers then seal all building openings (windows, doors, light wells, garages, etc.). The RvE flood protection system is also suitable for listed buildings that require protection from flooding.



Craftsmanship at its best! Exceptional windows + doors by RvE



Good quality wood is a superb material. RvE creates something unique with it. For our windows and doors are special in every respect. Each object is manufactured made to measure: with perfection down to the last detail. As specialists for security windows and doors, we offer you effective protection with the highest quality craftsmanship. Whether for listed buildings or modern architecture: Challenge us. We create your individual solution -

functional and aesthetically convincing.



 Window with roller shutter box 2.5m width, infinite when coupled, up to resistance class RC3

· Round/Oval windows also with curved glass up to resistance class RC3

· Retrofit solutions up to resistance class RC3

Lattice window

up to resistance class RC3 Window with security button

instead of lockable olive

· Windows with shutters Crank or motor operated

Composite windows

· Folding and sliding systems up to resistance class RC2

Modern windows

· Historical windows

 Monument protection window up to resistance class RC3

Box window

up to resistance class RC3

 Vertical sliding window up to resistance class RC3

 Integral window up to 4.5 m high - also as a floor-to-ceiling French window

 Post and beam facades up to resistance class RC3

· Lift and slide doors up to 13m wide and 3.40 m high up to resistance class RC4 with bullet resistance FB4 barrier-free with a flat threshold

 Special solutions/special formats e.g. tilt and turn vertical sliding windows up to resistance class RC3

XXL formats

more on request

EMBASSY RVE DOORS

Certified safety in its most beautiful form

In our factory we manufacture for you:

Doors and portals of all shapes, sizes and styles

From historical to modern for inside and outside

With the most innovative technology and perfect craftsmanship

We specialize in the planning, manufacturing and assembly of security doors in resistance classes RC2 to RC4.

They are certified and, upon request, equipped with bullet-resistant glass and fire protection.

The RvE security doors combine high mechanical security, thermal insulation and sound insulation.

Barrier-free French doors with a flat threshold are possible up to the RC3 security standard.

Do you need a special solution? We would be happy to make you tailor-made suggestions for your building project.

Burglary protection

Resistance classes RC2 to RC4 according to DIN EN 1627

DIN EN 1627 defines different resistance classes (RC = "resistance class") with regard to burglary resistance, while DIN EN numbers 1628-1630 describe the test procedures. They have replaced the pre-standard DIN V ENV 1627, which defined the resistance classes with the abbreviation "WK".

DIN EN 1627 specifies in resistance classes RC1 to RC6 how long a window must withstand an attempted break-in. They apply throughout Europe. RC1 windows & doors offer the least resistance, RC6 windows & doors offer the greatest resistance. The class shows you how long an element offers you protection in the event of a break-in.

Everything is checked, from the wall finish, glazing and locking points to professional installation.

low/no burglary protection, therefore not available from RvE

RC2 RvE elements in RC2 offer increased burglary protection:

They have been proven to withstand a break-in attempt by an occasional perpetrator using simple tools such as screwdrivers, pliers and/or wedges for at least 3 minutes.

RvE elements in RC3 offer a high level of burglary protection:

They have been proven to withstand experienced perpetrators using tools such as large crowbars or cow feet for at least 5 minutes.

RvE elements in RC4 offer a very high level of burglary protection:

They have been proven to withstand experienced perpetrators using

tools such as impact or sawing tools (axe, chisel, hammer, chisel, drill) for at least 10 minutes.

Upon request


Bullet resistance

Bullet resistance FB1 to FB7 according to DIN EN 1522

To protect life and limb from firearms, we recommend equipping your windows and doors with bullet resistance in addition to the high resistance class (RC). The frame, glazing and fittings thus become the best possible security barrier without unnecessary weak points

The glass must be of NS quality (non-shattering). Glass splinters that result from firearms can be just as deadly as the

Throughout Europe, the fire classes FB1 to FB7 are defined according to DIN EN 1522. These classes indicate resistance to attacks with firearms of different calibres. The fire test in German testing laboratories determines whether a window or door as a whole can withstand fire from a specific type of weapon.







Profilon develops innovative blast resistant and impact resistant films that were developed in house; they are suitable for installing to building facades.

Architectural films protect against explosive attacks, break-ins, vandalism and sabotage, displaying resistance levels that correspond with German and European standards. Special security films are also available, are quick and straightforward to retrofit and are designed to effectively prevent glass from falling, for instance due to nickel sulphide inclusions in toughened glass facades.







PROFILON® P4A

Our most highly resistant security film



The security film PROFILON P4A is the film in our PROFILON series with the highest resistant protection.

It is also one of the most resistant security films in the world verified with certificate. It thus offers proven very high protection against burglary, vandalism and attacks with explosive incendiary devices.

Characteristics at a glance:

- Extremely high-resistance security film that provides optimum protection against break-ins, vandalism and incendiary attacks
- Displays blast resistant properties
- Resistance class P4A according to DIN EN 356 A
- \blacksquare Tested by the German VdS and confirmed in the mode of action
- Suitable for use in RC-2 security windows /alternative to glass replacement
- Recommended by insurance companies
- Optimised transparency
- For all types of glazing | for retrofit solution and new constructions
- Guaranteed made in Germany
- Can be combined with sun protection | alarm | eavesdropping

Areas of application:

Protecting adimistration and office buildings, entrance areas, industrial plants, server rooms / IT centres, galleries and museums, financial sector buildings

Anti-burglary Resistant Security Films

Unlike anti-shatter films PROFILON is tested for security protection. Choose a safety film that meets your security requirements.

Burglary protection films at a glance:

- · Burglar resistant properties
- Throw-through resistance
- Resistance class P2A to P4A according to DIN EN 356 tested and certified on thin 4mm float glass
- RC2 certified tested on 06.08.2020 bonded to 4 mm float glass
- UV protection



Bomb Blast Security Window Films

Choose a bomb blast window safety film that meets your security requirements. PROFILON® ER1 retroactively imparts bomb blast-resistant properties to single and insulating glass.

Bomb blast protection films at a glance:

- · Pressure wave protection
- · Retrofittable blast protection
- Splinter binding
- Blast resistant
- · Explosive inhibitor

Targeted Shielding as well as Transmission of Radiation

Choose a safety film that meets your security requirements. Tell us your requirements and we will find the right film solution to shield radiation in the desired frequency or wavelength ranges.

Privacy shielding protection films at a glance:

- Protection against eavesdropping
- Targeted reflection of EMI
- · Adjusted shielding areas
- Data security
- Radiation block
- Retrofittable





Securing Vehicle Windows Film

Choose a car safety security film that meets your security requirements. Car safety films reduce the risk of injury and damage.


Vehicle protection films at a glance:

- Burglary protection
- Occupant protection
- Bullet resistant properties
- Tested by the MPA
- Resistance classes P2A to P4A in accordance with DIN EN 356
- Tested and certified on thin 4 mm float glass

EMBASSY CBX ARMOURED PROTECT YOUR HOME PROTECT YOUR BUSINESS & BURTON PR EMBASSY **SECURITY EMBASSY MODULAR STEEL SECURITY WALLING** THE SURE DEFENCE

EMBASSY CBX ARMOURED SHUTTERS

Our wide range of Embassy CBX armoured shutters prevents any gap in your building or business security. You choose the security level you need and the threats you wish to control intrusion, theft, blast, weapons etc. We cover all protection levels and guarantee an elegant and unsurmountable final product.



We have a range of security shutters that offers the maximum protection against bullets, thefts, hurricanes, blasts, fires and Molotov cocktails. Without a doubt, we can provide the safest, most powerful and unsurmountable door for any location requiring maximum security, such as embassies, panic rooms or military installations.

Protect your home

Whether the main entrance, a panic room or even a bunker; our Embassy CBX series guarantees the protection against theft attempts and unauthorised access.













Protect your business

The Embassy CBX system is the perfect way to protect shops, industrial warehouses or premises with special requirements. It guarantees a high protection against professional theft attempts. Perfect for offices, jewellery shops, banks, armouries or IT servers

EMB

Securbaix i manufactur aluminium most dema legislation including E The SECUR effective wa additional s constructio functional a its integrat interior wal finishings a customizat model.

The SECURB class 3 prote attempts, thus security again intrusions. The constructions security is refunctional and E-Key Memor range of finist customization specific need

EMBASS' SECURBA

A burglary-reshutter with insulation.

The SECURE guarantees a protection (R European state and is design kind of constadditional seand/or acoust

EMBASS'


Burglar-proc security shu

The SECURE maximum bu is certified to compliance to 1627:2011. It and function performance Appropriate to museums an

EMBASS' BL VISIO


The only sec allows you to

The SECURE high-security a class 4 (Ro theft attempt It perfectly c security with transparency



DIAMOND BL X-TREME BLAST

We manufacture with top quality materials to offer our clients the best guarantee.



1 ENGINES

We provide high-capacity and high-quality engines, of up to 5,000 Nm of power, ready for any type of international voltage.

3 ANTI-WEAR / ANTI-FATIGUE SHIELDED BEARINGS

Exclusive system with shielded bearings of 10 Tn, making the shutter work properly and always guiding it without fatigues or distortions.

5 BULLETPROOF AND BURGLAR-PROOF SYSTEM

Our exclusive profiles support projectiles of 7.62 x 51 mm, FB6-NS (AK 47 - Kalashnikov), and burglary attempts of RC6 class (maximum burglary/terrorist resistance on international level).

2 SYSTEM OF EXCLUSIVE STAINLESS STEEL CAPS

They do not break or rust, avoiding the profiles of the shutter to pop out laterally, causing expensive failures (exclusive of CBX).

4 ANTI MOLOTOV COCKTAIL FINISHING

This exclusive **CBX** system repels Molotov cocktails through a special treatment applied to the shutter that repels fire and prevents the Molotov cocktail from adhering.

6 REINFORCED PROFILES

CBX manufactures all its shutters in an extruded aluminium alloy of high-resistance that allows sizes of up to 7,000 (width) x 5,500 (height) mm, and 5 Tn of weight.



ARMOURED SECURITY DOORS

Elegance and security designed for the protection of your family and valuables.

TO BE DEFINED AS "PERFECT" A DOOR NOWADAYS MUST BE SAFE. MUST BE ABLE TO UPDATE THE MOST ADVANCED TECHNOLOGICAL LOCKING SYSTEMS.

IT MUST BE FUNCTIONAL, I.E. CAPABLE OF IMPROVING ITS SECURITY, INSULATING AND ACOUSTIC PERFORMANCE.

FINALLY, IT MUST BE ELEGANT AND CUSTOMISABLE TO RESPOND TO ANY TECHNICAL-AESTHETIC CHOICE.

All our armoured doors have been tested and certified in the laboratory to ensure maximum protection and security from break-in attempts. The ability to resist is measured through the stress with static and dynamic loads, and the simulation of burglary attempts implemented with different types of both manual and electric tools.

In some situations, in addition to protection from burglary attempts, fire protection is required. To meet these needs, we offer two models with fire resistance certification of 30 minutes (Fire 30') or 60 minutes (Fire 60').

Janus Door



KRONOS



JANUS

JANUS SECURITY DOORS










- High security door for homes, offices, banks and prestigious or listed buildings
- Independently attack tested to EN1627 RC3 RC4
- · Custom made to suit your property
- A range of fittings and door furniture available
- · High environmental performance Industry leading energy efficiency
- Superb thermal and sound insulation
- External models offer high levels of air tightness, water resistance and wind resistance
- · Choice of key or electronic locking
- · Special subframe to aide installation, increase security and can give additional thermal insulation on request
- · Security glazing available on request
- · Bullet resistance available on request
- · Emergency and panic hardware available on request

Locking Options






M Biometric














Door Model	Janus 3	Janus 4	Janus Fire	Janus 3ex	Janus 4ex	Janus Gold	Janus Platinum
Location	Internal	Internal	Internal	External	External	External	External
Security Grade	EN1627 RC3	EN1627 RC4t	EN1627 RC3	EN1627 RC3	EN1627 RC4	EN1627 RC4	EN1627 RC3
Accoustic Insulation	-43dB Rw	-44.8db Rw	-43dB Rw	-44.8dB Rw	-44.8dB Rw	-46dB Rw	-46dB Rw
Thermal Insulation	1.3W/m2K	1.2W/m2K	1.6W/m2K	0.54W/m2K	1.2W/m2K	0.6W/m2K	0.54W/m2K
Air Tightness	N/A	N/A	N/A	Class 4	Class 4	Class 4	Class 4
Water Tightness	N/A	N/A	N/A	Class 6A	Class 3A	Class 9A	Class 9 A
Wind Resistance	N/A	N/A	N/A	Class C4	Class C4	Class 5	Class 5









The Heinen heavy duty, high security steel doorsets offer an unrivaled combination of performances. Options include burglary, fire, smoke, bullet & blast resistance, alongside high acoustic & thermal performance as well as options for emergency & panic escape.

The Metal+ steel doors have always remained faithful to their primary objective: to provide protection while guaranteeing stability and robustness that enable heavy-duty use of the door.

Components of the Metal+ door


- Internal tubular steel framework
- Screwed on metal sheets in galvanised or stainless steel
- Adjustable screwed on hinges for precision fitting

The winning combination for a minimal total cost

- Robustness and extreme mechanical resistance
- Verv low cost of use : simple to replace components + low maintenance
- Combining high performance features
- 10 or 15 years warranty defined by the installation method



Components of the Metal+ Door



Metal+ Doors have the following basic performance features

- Frame (steel sheet 15/10 or 20/10) covering the thickness of the reveal for an attractive finish (with optional thermal break).
- Double lip seal.
- Insulation around the edges of the door (with intumescent material for fire doors).
- Tubular steel structure (60 x 60 x 2 mm).
- Door skin comprising 15/10 galvanised steel sheet screwed into the tubular structure and individually replaceable.
- Self-lubricating hinges, adjustable and replaceable, screwed into the tubular door structure.
- Hyper-strong synthetic material (for optimum protection of the insulation or intumescent material incorporated into the door leaf).



Combining bespoke performance features

Heinen doors can combine performance features on a bespoke basis. Depending on your needs, one or more performance features are added to the basic, robust METAL+ door.

EN 1634-1 EI1 30, 60, 120 EI2 30, 60, 120, 180, 240 EW 30, 60, 120, 180, 240 HCM 120/CN240 (N3)

(Only in static calculations)

EN 10077-1 & EN 10077-2

Up to 1,5 W/m2K

EN 1627-1630 RC2, RC3, RC4, RC5

FN 1026 & FN 12207

L1, L2, L3, L4

NF P20-551 & NF P20-311 Niv.5 cat.B / Niv.5 cat.B+

Acoustic performance EN 717-1: Rw (C: Ctr) dB (A) FN 1522-1523 FB4, FB5, FB6, FB7 36 (-1;-2) to 55 (-2;-7)

Anti-panic EN 179 & EN 1125

(emergency exit devices)

Smoke tightness EN 1634-3

Watertightness FN 1027 & FN 12208

E0 to E9 + E750

Sa, Sm (200 °C) Wind resistance FN 12211 & FN 12210



KRONOS

SECURITY DOORS





- High security steel doors
- Independently tested and certified to LPS1175 SR2 SR4
- Optional 240 minutes fire rating*
- Optional flood protection
- Insurance approved by the AiS
- Built to a Police Preferred Specification Secured by Design
- Suitable for use in any high security environment including; banks, utility sector, retail outlets, jewellers, government, defence buildings and airports
- Custom made to fit your property size and operational requirements
- Inward or outward opening door leaves
- Single or double door sets
- Variety of locking options and optional fittings
- Available in almost any RAL colour**
- 10 year anti-rust warranty





Biometric

*max 60 minutes with vision panels **some colours are at an additional cost













Variant	Min Height	Max Height	Min Width	Max Width
SR2				
Single inward opening	1000	2930	600	1430
Double inward opening	1000	2930	900	2600
Single outward opening (with removable over panels)	1000	3930	740	1430
Double outward opening (with removable over panels)	1200	3930	900	2600
Single outward opening	1000	2930	600	1430
Double outward opening	1000	2930	900	2600
Single outward opening (with fixed side and over panels)	1000	3930	740	4180
Double outward opening (with fixed side and over panels)	1200	3930	900	5200
SR3				
Single outward opening	1000	2930	600	1430
Double outward opening	1000	2930	900	2600
Single inward opening	1000	2430	600	1430
Double inward opening	1000	2430	900	2600
Single outward opening (with fixed side and over panels)	1200	4125	600	1430
Double outward opening (with removable over panels)	1200	4125	900	2600
SR4				
Single outward opening	1000	2930	600	1430
Double outward opening	1000	2930	900	2600
Single inward opening	1000	2430	600	1430







PANZER BLAST PROOF DOORS BT













Our mission is the protection of persons and facilities. For this purpose we develop and manufacture blast doors and blast equipment in different versions. The commitment to design and technical precision was instrumental for our company success.

Panzer Blast Proof Doors BT built in highly efficient design by means mixture of high-quality steel and reinforced concrete.

The BT1, BT2 and BT3 are swing doors with lateral hinges to allow opening from in-and outside.

The doors are tested in the laboratories under real conditions and Simulated calculation by LS-Dyna and certified that they resists a shockwave from up to 9 bar/130 psi till a explosion pressure (reflected pressure) up to 28 bar/406 psi.

The doors can be equipped with an additional emergency door which is operated from both sides.

APPLICATIONS

Tunneling protect

Petrochemical industry

Power plants

VIP shelters

Civilian shelters

Military shelters

Industrial shelters



We have a range of High Security Steel fixed bar sets designed to keep intruders out of a building, whilst not compromising on natural daylight. Our **Typhon bar set** range are tested and certified by LPCB to LPS 1175 levels SR2, SR3 and SR4.

The **Embassy Guard bar sets** are available in 5 different levels 0 to 4 and are designed and manufactured in-house to your specific requirements. Reveal or face fixed options are available and are suitable for internal or external installation.

EG-0

12mm Diameter Steel Bars

- 5mm Thick Flat Frame (Not A Complete Frame, Side Fixing Only)
- 5mm Thick Flat Cross Braces
- Reveal Fixed

EG-1

- 16mm Diameter Steel Bars
- 5mm Thick Flat Frame
- 5mm Thick Flat Cross Braces

Reveal Fixed

EG-2

• 20mm Diameter Steel Bars

- 5mm Thick Angle Frame
- 5mm Thick Flat Cross Braces
- · Reveal Or Face Fixed

EG-3

- 25mm Diameter Steel Bars
- 5mm Thick Angle Frame
- 5mm Thick Flat Cross Braces
- Reveal Or Face Fixed

EG-4

- 32mm Diameter Steel tubular Bars
- 5mm Thick Angle Frame
- 5mm Thick Flat Cross Braces

· Reveal Or Face Fixed

Powder coated in a selection of colours and finishes.




Ajax Grilles & Cages

- · High security retractable grilles and cages
- Suitable for domestic and commercial properties
- · Custom made to suit your individual needs
- Available in almost any RAL colour*
- Blast tested using 100kg charge at 20m behind glass backed with anti-shatter film
- Allows line of sight for guarding and CCTV
- Neatly folds away out of sight when not in use
- · No hot works required during installation
- * some colours at additional costs







Typhon Bar Sets

- · High security fixed bar sets
- Independently tested and certified to LPS1175 SR2 - SR4
- Built to a Police Preferred Specification -Secured by Design
- Suitable for internal or external installation
- · Custom made to suit your individual needs
- Available in almost any RAL colour*
- Reveal or face fixing options available
- · Suitable for mounting to brickwork, concrete or steel
- Minimum 500mm x 500mm
- · Allows line of sight for guarding and CCTV

* some colours at additional costs





Talos Walling










- · Built to a Police Preferred Specification
- Secured by Design
- · Create a secure room separate from or within an existing property
- · Can be used in residential or commercial properties for panic rooms and secure enclosures
- Models with independent testing to LPS1175 SR2 SR5
- · Special lightweight systems allow use in upstairs locations
- · Different systems available to suit different risks and budgets
- · Optional ballistic protection certified to EN1522/23 FB2 - FB6
- Optional fire protection up to 4 hours
- · Can be used for storage of source materials as required by the Environment Agency






Panel Model	Panel Thickness	Weight p/m2	Max Ceiling Span*	Fire Rating Integrity / Insulation
SR2	100	40kg	5500	144min / 30min
SR3	100	45kg	5500	144min / 30min
SR4	100	60kg	5500	240min / 90min
SR5	100	95kg	3500	84min / 84min
FB6	146	135kg	Project specific	240min / 90min
				*Without supports






- · Designed to withstand attacks from drills, chainsaws, reciprocating saws, concrete cutters and grinders
- · Increase the security of armoured vehicles, security walls, security doors, safe rooms, safes, roller shutter and many more security solutions
- · Can be used in domestic or commercial properties
- Panels can be cut to any size or shape to meet your requirements
- Space saving solutions as panels are only 5-10mm thick
- · Minimal weight increase with panels at just 1 - 1.5kg/pm2
- · Easy to apply, and install
- · Can be installed as part of manufacture or as a retro fit solution
- 4 different security levels to suit your security needs



Avertic Armour

Avertic Armour is a highly advanced, state of the art security panel providing ultra-light and effective protection against a range of power tools. It's unique properties allow it to be used across many security solutions such as cash-in-transit vehicles, panic room construction, military out buildings, secure room dividers, roller shutters and many more.



Example of vehicle panel construction

Example of secure room wall construction

The Avertic Armour Panel is available in 4 different security levels:

Anti-Drill

Contains 8 layers of protective material and provides 18V drill protection

Power

Contains 6 layers of protective material and 2 layers of the anti-cut material. It can provide protection against a concrete cutter, chainsaw and 800w grinder

Power +

Contains 4 layers of protective material and 4 layers of the anti-cut material. This product protects against a 1100W grinder, reciprocating saw, concrete cutter and chainsaws

Extreme

The most secure level of this product, contains 2 layers of protective material and 6 layers of the anti-cut material. This level protects against a 2300W grinder, reciprocating saw, concrete cutter and chainsaws

Tailored versions are available to suit security requirements



IF IT MATTERS TO YOU, SECURE IT WITH US...

Ultimate Privacy

We offer peace of mind that your security project will be discreetly designed, managed and installed by our expert UK team.

Our team will ensure that everything is taken care of, from design to install we give you complete transparency and privacy.

Trusted

Product quality, trust, honesty, reliability and professionalism provided as standard throughout the whole journey.

Expertise

We have a wealth of security expertise in-house that sets our services apart in the world of personal and valuables protection.

Certified

With over 30 years' experience supplying the security industry with Police Preferred Specification, Insurance Approved, LPCB and ECB-S tested and certified security products.

THE SURE DEFENCE TEAM

RELATED SECURITY







Security Windows



Access Control



Ballistic Window Film



Bar Sets and Grilles



Ballistic Glazing



Certified Security Shutters



Security Window Counters



Key Management Systems



Windows Grilles



Cash Trollies



Interlock Systems




SAFE DEPOSIT

From the world's most advanced safe deposit centres in Hong Kong, to securing cash, bullion and valuables in banks and retailers across Europe and the Middle East; the team at Burton Security have the experience to advise, design and deliver physical security solutions to protect you and your assets.



The High Security team have over 85 years' worth of security industry experience and are qualified in security design and consultancy.


Dedicated account and project managers ensure an unrivalled customer experience.



Burton Security core principle is to ensure products are tested to the highest standards. We are proud to have tested products to LPCB standards and feature in RedBookLive.







Burton Security delivers
The Sure Defence









- · A range of low cost safe deposit boxes
- Ideal for use in banks, safe deposit centres or hotels
- Stainless steel facia
- · Dual key locking as standard
- 6 different door sizes
- 3 standard depths 610/510/410
- Optional pull out shelves
- Metal inner box as standard with all sizes*
- Full design and consultancy provided by Burton Safes
- except SSDBB60

Locking Options



Box Size	Internal dimensions
SSDBB 60	42 x 120 x 540/440/340
SSDBB 42	65 x 120 x 540/440/340
SSDBB 24	115 x 120 x 540/440/340
SSDBB 21	65 x 250 x 540/440/340
SSDBB 12	115 x 250 x 540/440/340
SSDBB 6	250 x 250 x 540/440/340





The Shanghai Deposit Boxes are available in different sizes and dimensions to accommodate varying room sizes and storage needs. Our team can work with you to determine the ideal size

Shanghai Safe Deposit Boxes





2060 1900 1900 2 VSDB 28 VSDB 20 VSDB 18 VSDB 16 VSDB 08 VSDB 04 VSDB 004W

Locking Options



Single Key






Biometric

- A range of high quality safe deposit boxes with high security locks and advanced software options
- · Ideal for use in banks and safe deposit centres
- 6mm steel door
- · Stainless steel facia
- Choice of dual key or key and electronic locking system
- Electronic system offers increased security through permanent monitoring of the door status.
 Unauthorised entry and tampering will trigger alarms
- Electronic system offers the option of a 'self service system'.
 Reducing running costs for banks and safe deposit centres
- Vienna Safe Service 6.0 offers the most advanced safe deposit management system on the market

 control multiple centres, control day gates and interlocks, monitor box status, record client accesses, set up billing functions and run invoicing
- Key locking systems offer a choice of security levels and lock types to suit different budgets
- · Plastic inner cassettes as standard with most box sizes
- · Also available in different colour options below the stainless steel facia

Box Size	Internal dimensions
1	48.5 x 265 x 413
2	98.5 x 265 x 413
3	148.5 x 265 x 413
4	198.5 x 265 x 413
5	248.5 x 265 x 413
9	448.5 x 265 x 413
10	498.5 x 265 x 413
9 W	448.5 x 575 x 413
10 W	498.5 x 575 x 413





Industry leading self-service software system option available





Vaduz Safe Deposit Box System

- 24/7 Self service safe deposit system
- · Solid steel lockers
- Lockers come in 4 sizes;
 50-230mm (H) x 240mm (W) x 360mm (D)
- Vaults certified to EN1143-1
- Dispense lockers through the wall at ground floor level or via a tower dispense system
- Space saving two lockers can be stacked one behind the other
- Planning, design, installation and maintenance provided by Burton Safes
- Software for administration and control of safe deposit system
- Spare parts guarantee for 10 years



Locking Options


000


Pir




Biometric

Box Size	Dimensions
1	50 x 240 x 360
2	110 x 240 x 360
3	170 x 240 x 360
4	230 x 240 x 360








State-of-the-art safe deposit system increasingly used by banks to reduce running costs and offer customers increased access to their deposit boxes. No staff are required for operation of the system and the vault always remains secure. Full design and consultancy is provided by Burton Safes, contact us for more information.

Viewing desk

Example of Vaduz vault and safe

deposit box construction





Batteryguard battery safes

The first tested battery safes tested according to concept VDMA 24994, precursor to European standard

Batteryguard battery safes have been tested during the development of the VDMA 24994 paper, the document that will soon lead to the European lithium-ion standard. During the test, a battery in the safe went into thermal runaway. Result: despite the battery fire and explosions, the safe doors remained closed. Thus, the Batteryguard lithium-ion safes are the first battery safes on the market that have been proven to be safe


Fire and burglary resistant safe construction

The Batteryguard lithium-ion battery safes have a fire-resistant safe construction with robust locking. This is important because:

- + The double walls with fire-resistant concrete and insulating materials keep the fire compartmentalized.
- + Thanks to the sealed seams of the safe, toxic smoke gases remain inside the safe.
- + The solid door lock and robust locking mechanism ensure that the safe doors remain closed if the battery goes into thermal runaway. The battery then becomes extremely hot and, in the worst case, explodes.

Not just a cabinet but a safe! Unlike ordinary (chemical) cabinets, where the doors can spring open due to the pressure of the explosion, the doors of the Batteryguard remain firmly closed. This is because Batteryguard is not a cabinet, but a safe!





Batteryguard models



CE









Standard options model **M**

- + Compact entry-level model, ideal for small business use
- 2 charging points
- + Fire-resistant safe construction, keeps battery fire inside the safe
- Equipped with CE marking, complies with applicable European guidelines
- + Flue for smoke extraction
- With door-open warning system

Standard options model **L**

- Medium-sizes model, ideal for small business use
- + 8 or 10 charging points
- Fire-resistant safe construction, keeps battery fire inside the safe
- + Equipped with CE marking, complies with applicable European guidelines
- Meets EN 14470-1 type 90
- Connection for venting toxic smoke gases
- Safe alerts if door remains open



Standard options model XL

- + Professional model, first tested battery safe (MPA Dresden, Kiwa Group)
- 16 or 20 charging points
- Tested according to concept VDMA 24994, precursor to European standard
- + Fire and burglary resistant safe construction according to ECB-S, keeps battery fire and smoke gases inside the safe
- + Equipped with CE marking, complies with applicable European directives
- ★ Meets EN 14470-1 type 90
- + Prepared for mechanical smoke gas extraction
- + Prepared for connection to alarm system
- + With smoke detector and door-open warning system
- + With controlled charging system: all batteries on the charger at the same time, without modification to the fuse box.
- + EN 1300 certified security key lock on the door
- 230 volt connection, easy to connect
- + Safe is movable thanks to transport base

Extra options model XL

- + Automatic extinguishing system with cooling effect
- 400 volt power supply connection
- Lockable locker compartments
- Modular construction
- Self-closing doors
- + Electronic code lock on the door

Contact us +44(0)1484663388

Article number	Model	External dimensions HxWxD	Internal dimensions HxWxD	Number of power points	Weight	Shelves	Volume
BATG0010	Batteryguard M	509x444x876 mm	221x341x601 mm	2	75 kg	-	45 liter
BATG0001	Batteryguard L 125/08 230V	1255x711x580 mm	1034x546x418 mm	8	305 kg	2	236 liter
BATG0002	Batteryguard L 160/10 230V	1708x711x580 mm	1487x546x418 mm	10	410 kg	3	339 liter

Article number	Model	External dimensions HxWxD	Internal dimensions HxWxD	Number of power points	Weight	Shelves	Volume
BATG0003	Batteryguard XL 195/16 230V	2050 x940x585 mm	1400x800x390 mm	16	610 kg	4	553 liter
BATG0004	Batteryguard XL 195/20 230V	2050x1250x585 mm	1400x1110x390 mm	20	710 kg	4	773 liter





ATM SAFE HAS OVER 30 YEARS EXPERIENCE WORKING WITHIN THE ATM SECURITY, BANKING, ELECTRONIC SECURITY AND CASH HANDLING SECTORS. WE PROVIDE EXCEPTIONAL QUALITY, CUSTOMISABLE ASSET PROTECTION TO BANKING ORGANISATIONS WHO NEED A RELIABLE PARTNER THAT GOES THE EXTRA MILE.



GAS ATTACK PROTECTION

GP-X



DRILL & CUTTING PROTECTION

Halo Armour Plus Locks ACW

ACP

LACP

DACP E-Frame



RAM RAID & PULL OUT PROTECTION

Halo Armour Strongarm HD anchor Strongarm plinth Sub Terra anchoring



SAFE DOOR PROTECTION

Plus locks Internal relocking systems DACP ACP LACP

LACP E-Frame



DOOR PULL PROTECTION

ADPS
Anti hook plates
Anti door pull guards



DISPENSER AND ANTI-FISHING PROTECTION

ATM Blocker DACP Anti hook plates



ATM ROOM PROTECTION

Embassy ATM rooms and Kronos security doors



ATM REMOVAL PROTECTION

ATM Safe ESP GPS tracking and Alarm monitoring



ATM MONITORING & CONTROL PROTECTION

ATM Pincam, ATFS power control, Sentinel safe locks, Cencon locks



CUSTOMER SPECIFIC DESIGNS

Custom ATM Security Solutions



ATM SERVICES

Product and services pricing ATM list ATM recoveries

Asset recovery
Safe repairs and upgrades
Installations, removals and moves
Safe lock supply and installations
Servicing

& BURTON SECURITY

We are the UK's leading Safe and Vault security company, providing a large selection of physical security solutions.



Our group supplies retail, commercial, banks and financial organisations across the UK and around the world.

BURTON SAFES





THE SURE DEFENCE

After years dedicated to ATM crime and safe engineering Adam Greenaway and Anthony Shaun Walker decided it was time to create a company that could serve the industry much better, so in 2014 we founded the Safe & Vault Company with the major focus on the ATM SAFE brand, products and services.

ATM crime has always been a huge problem in the UK and with our experience, knowledge and dedication we soon struck up partnerships with the **Gunnebo Group** and **Burton Safes** to service the banking industry in the **UK** and across **Europe**.

Our reputation for designing the best quality physical security products and providing a 7 day week support service, meant we were soon successful and proud to win a contract to protect the Cardtronics ATM estate (the largest in the world and now owned by ATM manufacturer NCR) against physical crime and gas attacks.

With Gunnebo exiting the UK banking sector it left us with an opportunity to restructure and grow the company, so in 2019 we merged with Burton Safes and created the **Trusted Security Group**.

With the merger we are pleased to introduce **Tony Lever** to the ATM team as our Sales Director. With his vast experience in the security industry we feel the team is now complete. Tony is already very active in the industry and representing us on the ATMIA Board and organisations such as **E.A.S.T** and The **UK Cash Supply Alliance.**

By the end of 2022 we will have moved all our operations to one much larger headquarters in Brockholes, near Huddersfield and now trade as Burton Security Limited to cover all our brands ATM SAFE, Burton Safes and Safe & Vault engineering as we continue to develop, design, innovate and grow...

We use the latest technological advancements and high quality materials to produce state of the art solutions for the atmindustry.

Internationally Recognised

Award winning solution

WINNER of the prestigious 2018 ATMIA Global Industry Security Award for ATM Physical Security Excellence.



Live testing sessions have been witnessed by Banks, the MOD and fire and security experts in the UK, Greece and Chile!

Joining ATMIA in 2015 was a priority for ATM Safe and we look forward to another busy year protecting the ATM industry.



"As CEO of the worldwide ATM Industry Association, I would like to congratulate Safe & Vault's ATM Safe for successfully bringing the innovative Gas Protection X (GP-X) product to market. It takes years of investment and dedication to go from R&D, to prototype and then to make an impact in an competitive market.

The judges were very impressed with how GP-X directly combats the growing global threat of ATM gas attacks, protecting ATMs, cash, property and, most importantly of all, the cardholders using ATMs.

Brilliant!"

Mike Lee









ATM attacks in the UK

2018 was a record year for ATM attacks in the UK

2014 - 2020 Attacks

Between 2014 and 2018, the frequency of ATM attacks in the UK rose by an average of 22% each year*. 2018 saw a record number of ATM attacks, with more than 800 taking place across the UK.

Although the overall number of attacks does seem to be on a downward trend in 2019** - figures are still at a historically high level, with cash losses set to exceed £5m for the 5th consecutive year.

Positive figures, including a 22% decrease in drag outs, 47% decrease in cutting and 67% decrease in ram raid attacks have been offset by a doubling in the number of gas attacks, and the emergence of attacks using explosives.

A Covid World

On the 31st of January 2020 the COVID-19 pandemic arrived in the United Kingdom. This has had a massive effect on cash usage, retail business and the ATM banking industry.

Police reports indicate that ATM crime dropped off significantly during the major outbreaks, but since late 2021 the ATM attacks have started to rise again!

www.burtonsecurity.com

THE IMPACT - COMMUNITY

Despite the rise of electronic payments, 28% of all payments in the UK are made in cash. 98% of people in the UK still use cash, and more than 73% use it frequently. It is still the primary payment method for more than 2.2 million people in the UK, and just 5% say they rarely use cash.

WHEN ATMS ARE ATTACKED, OUT OF ACTION OR REMOVED, THE IMPACT IS FELT ACROSS THE LOCAL COMMUNITY:

THE POOR AND ELDERLY

Lower income households and older generations are the most affected. More than 78% of households in the two lowest income groups rely on cash. 26% of this group never use cards. In the over 65s group, 80% are reliant on cash.

RURAL IMPACT

In 2013, 31% of ATM attacks occurred in rural areas. In 2018, this figure was 32%, with around 25% taking place in communities without a branch of any bank*. ATM attacks in rural areas have a disproportionate impact on the communities.

ATMs support retailers and cash businesses in their local areas – and after an ATM attack, access to cash can be severely impacted. This impact is compounded in the many rural communities where there is only a single cash point and no bank.

ACCESS TO CASH

It can take up to 4.5 months for cash machines to be replaced following an attack – and in many cases, operators and host sites may decide that the risk of attack is too great to warrant replacement.

Residents then have to travel into neighbouring communities to spend money there, which has a significant, lasting impact on local retail and cash businesses.

THE IMPACT - SAFETY

The worrying increase in gas and explosive attacks also poses significant safety risks, in terms of:

THREAT TO LIFE

Using gas to break into an ATM is extremely dangerous. The resulting explosion can cause fire and is a real threat to life to anyone in the vicinity. In many cases, independent shops may be located in mixed use buildings with flats above them.

Gas attacks can also endanger the lives of on-site security personnel, emergency services and even the criminals themselves.

STRUCTURAL DAMAGE

The explosion caused by a gas attack can cause disastrous structural damage – both to the structure housing the ATM, and to nearby buildings. This can cause expensive and sometimes irreparable damage to the structures, and to those inside at the time/after the attack.

COLLATERAL DAMAGE

Explosive attacks often cause significant collateral damage and disruption to car parks and roads. Services are often disrupted for weeks after the event while risk assessments, investigations and repairs are conducted.

PSYCHOLOGICAL TRAUMA

Explosions can have a significant psychological impact, on individuals and the community at large. This doesn't just have an impact on those directly affected by the attack. Nearby residents and family members close to victims can be left with long term psychological damage.

WIDER THEF

ATM theft is often tied to organised crime gangs. Cash stolen in ATMs is often used to finance further crime, such as drug dealing and illegal firearms – having an impact on the safety of the community at large.

In terms of ram raids and getaways, vehicles are usually stolen – this can lead to a local increase in vehicle thefts for getaway vehicles.

THE IMPACT - ECONOMICS

In reality, these figures do not tell the complete picture – and the overall economic cost to the ATM operator, shop and local economy can be significantly higher, in terms of:

- Machine replacement
- Cash restocking
- Property damage
- Structural repairs
- Insurance claims
- Higher insurance premiums

BUSINESS IMPACT

In serious cases, a gas attack or ram raid using a JCB digger can cause host businesses to relocate premises or cease trading, as customers are forced to go elsewhere. This can leave a permanent impact on the local community.



ABOUT THE AUTHORS

ATM Safe is part of Burton Security Limited. One of the UK's leading ATM security specialists – We have been trusted by major high street banks, ATM manufacturers, ATM security managers, police forces, alarm companies and ATM cash machine companies across the UK and around the world for more than 30 years.

A multi-award winning, specialist engineering business, ATM Safe produces a range of security products that have saved the ATM and Banking industries millions of pounds.

ATM SAFE

ATM Safe at a glance

£50m +

CASH SAVED

15,000

ATM SECURITY SYSTEM INSTALLED

UK Engineered

DESIGNED AND MANUFACTURED IN THE UK

30 +

YEARS OF EXPERIENCE

ATM Rooms

- ATM Rooms & Enclosures
 Designed to our Clients Specification
- High Security Doors
- Access Control Options
- Embassy Walling Design
- Fire and Ballistic Protection Available
- Built in ATM Anchoring Options
- Low Voltage Lighting
- Delivered and Installed by our Expert Engineering Team
- Market Leading 2 Year Warranty



ATM Room Services

- ATM Room Design and Manufacture
- Retro Fit Room Walling Panels
- Secure Roof Linings / Steel Linings
- Supply and Installation Services



ATM Room Protection

Embassy Security Rooms

THE SURE DEFENCE TEAM

From the world's most advanced safe deposit centres in Hong Kong, to securing cash, bullion and valuables in banks and retailers across Europe and the Middle East; the team at Burton Security have the experience to advise, design and deliver physical security solutions to protect you and your assets.

The High Security team have over 85 years' worth of security industry experience and are qualified in security design and consultancy. Dedicated account and project managers ensure an unrivalled customer experience.

Burton Security's core principle is to ensure products are tested to the highest standards. We are proud to have tested products to LPCB standards and feature in RedBookLive.

Why choose Embassy Security Rooms and THE SURE DEFENCE team?

- Award-winning Security Team
- Industry Leading Design and Manufacturing
- Most Competitive Pricing
- Fastest Lead Times in the Industry
- ISO 9001 Certified Company by LPCB

- · Dedicated Sales Manager
- Experienced Survey Team
- In-house CAD Design Team
- Dedicated Project Manager
- · Dedicated Installation Manager

Expert in Security

Our High Security rooms and walling systems built to SR1 – SR6 standards, combined with a choice of armoured high security doors provide the perfect solution for building secure rooms to protect ATM's, valuables, critical data or create custom designed safe rooms to protect your assets.

With over 30 years experience designing physical security solutions for banks, cash in transit companies, ATM deployers, safe deposit centres and the largest retail companies, we are one of the few UK security companies that can offer the full Turnkey service in-house with our own R&D CAD design and manufacturing team, surveyors, dedicated project managers and fully trained installation engineers.

Need a higher graded vault room for cash and valuables storage? We have that covered with our popular Orthrus strongroom certified to the very latest LPS standard – LPS1175: Issue 8 and has achieved security rating F10/G5.

Our Cerberus Vaults and Doors are available independently tested and certified to EN1143-1 Grades 1 - 13.


- ATM Room Design and Manufacture
- Retro Fit Room Walling Panels
- Secure Roof Linings / Steel Linings
- Supply and Installation Servicing
- Safe Engineering and Openings
- ATM Room and Door Repairs
- Anchoring Systems
- Bollards
- Sentinel Smart Locks
- Cencon Locks supply, drill opens and Installations
- Key Management Systems
- · Biometrics Locks
- Key Locks
- · Security Doors
- Ballistic Doors
- · Blast Proof Doors
- Barron Bars
- · Window Grilles and cages
- Bar Sets
- Gates
- Vision Panels
- Ballistic Glazing
- Security Shutters.
- High Security Safes
- · Bespoke Safes



Benefits of GP-X

- Fastest Gas Detection Available
- Instant Alarm Activation
- Explosion Protection
- Fire Protection
- Indefinite Gas Attack Protection
- MOD Tested
- Approved by UK Banks
- Approved by ATM Manufacturers
- Proven under Attack
- Award winning ATM Safe System
- Quick Return on Investment





GP-X ATM system

Although gas raids on ATM's have taken place for over a decade, it wasn't until 2013 that such a burglary took place on British soil. Since then and following a global pattern, there have been more than 300 incidents reported.



Gas Attack Protection

GP-X

The GP-X ATM Gas Protection system has been developed as the very best solution to make your ATM-SAFE against explosions, fire and cash loss.

With our advanced gas detection and explosion control system, combined with UL approved fire protection systems the GP-X has proven itself to be the answer to the real life gas attacks.

Keep your ATM SAFE with the GP-X

GP-X has been proven to deliver unparalleled protection against the ATM gas attacks. Winner of IFSEC and FIREX combined fire and security product of the year 2015 and WINNER of the prestigious 2018 ATMIA Global Industry Security Award for ATM Physical Security Excellence.

Ask our team for your FREE GP-X trial

Using the right combination of inexpensive, easily available and legal explosive gases makes it relatively easy for thieves to explode the ATM and gain access to the at times, hundreds of thousands of pounds held inside.

No wonder then that high street banks and independent ATM companies were starting to be very concerned!

This sudden influx of crime caught the security industry by surprise with none of the traditional security methods proving to be effective.

However, fast off the mark, ATM Safe working with the UK's leading security and fire related companies combined their experience and resources to develop and test an effective gas explosion safe system.

Known as the GP-X ATM gas attack protection system it's the most advanced and fastest detection and prevention solution available.

Any potential explosion within an ATM is rapidly detected and prevented within seconds ensuring that a bank's ATM estate is kept safe against such gas attacks.

Low Cost Maximum Protection Fast Return On Investment

As UK experts designing physical security systems we work with Police forces, Scenes of crime officers and the Metropolitan Police Bomb Squad, helping with their investigations, understanding and training.

We have worked with Cardtronics and tested the GP-X system at a UK MOD testing grounds successfully. The GP-X has successfully saved the ATM estate millions of pounds in saved cash losses.

In combination with other Police operations we have successfully saved Barclays Bank from attacks and helped lead to the arrest of a gang targeting bank branch ATM's.

The GP-X has successfully stopped explosion and cash loss for HSBC Bank.

Lloyds Banking Group have deployed systems and seen a reduction in gas attacks.

Our GP-X was field tested by the Greek authorities and approved for the Banks to deploy in ATM's across Greece. We also conducted some development testing in Chile.

In support of our clients and the Police we have attended Crown Court as an expert witness in the gas attack field, which helped the Police put away a gang of 5 criminals who had stolen £1.2 million for combined prison sentences totalling 71 years!



Our GP-X Customers

Deployed by Cardtronics, NCR, HSBC Bank, Lloyds Banking Group, Barclays Bank, Permanent TSB across the UK, Ireland, Greece, Belgium and Denmark

Low Cost
Maximum Protection
Fast Return On Investment





It was apparent to us early on during the design, development and testing of our gas attack protection system that the current products marketed from Europe were fire suppression systems that were not capable of protecting against a real life ATM gas attack.

We also saw companies bring fire solutions to the UK table that were marketed and sold on theory and not actual testing. And other products that just tried to protect against a single blast.

This really worried us because it wasn't the cash loss that was the main concern, but the risk to life and the potential for fires to spread across buildings after the explosion.

This theory was eventually proven when a UK bank branch literally went up in flames.

We tested the fire suppression systems and proved they had no place as an explosive protection, but we saw the potential in them once we had taken control of the explosion, we could use the very best suppression system on the market as a secondary system to put out flames and smouldering rubber after an attack.

Once we had designed the system to control the explosion during exhaustive field explosive and fire testing, we then worked on perfecting flame detectors to deploy Stat-X only if a fire is detected within the safe.

All main components are fitted with magnets for speed of installation.

Alarm connections were soon added for instant Police notification and a safe control system so the GPX was set and un-set just by opening and closing the safe door in normal operation, meaning no staff interaction was required.

A series of unique gas sensors and control methods have been designed into the system that we would be happy to discuss with our clients.

The GPX will continue to protect once activated until it is reset during normal banking hours, when safe and the risk has lowered.

Before being put into practice, the GP-X system was successfully tested in front of Global banks and security companies and only after receiving total approval was the system then installed in ATM's across the country... It wasn't long before GP-X was called into action for real!





Pluslocks

Organised Criminal Gang Attacks

Most physical ATM crime is carried out by organised criminal gangs. They usually choose the ATM make and model that they have worked out how to open the safe door guickly and steal the cassettes full of cash. Historically they will steal an ATM and then do their research first and perfect the opening method.

One example of this was a gang who hit Wincor 1500 internal ATM's at motorway services and with a powered grinder cut below the Cencon lock and opened the safe stealing the cash within 3 minutes. They didn't care that the services was staffed

How To Protect and Disrupt The Criminal

The fast response to these attacks was for ATM SAFE to quickly produce a batch of Cencon ACP protection and install them at a high rate of knots across the country. A higher level of protection was then scheduled in to install our Live Pluslock re-locker to all the ATM so the grinder attack was no longer affective.

The visual ACP bought the ATM companies time and in combination with the Pluslocks the gang stopped attacking the ATM's saving our clients 100's of thousands of pounds per week.







ATM Safe Pluslocks

Also known as Re-lockers or ADK kit.

Re-locker mechanisms built into high security vault doors and safes have been used for centuries, they are intended to keep the door locked in a burglary attempt.

Most UL ATM's and lower level Cen L safes rely on the Cencon lock only for locking protection. The safe door can be easily compromised by drilling or cutting because it is generally a mild steel construction and has no internal re-locking

We have designed a number of Pluslocks that can be installed to relock the safe door under various attacks. These attacks are usually drilling, grinding or using an oxy torch on the safe door to gain access.

At the heart of our re-locker system is our Live Pluslock which adds an additional live locking position within the safe that is operated when closing the Cencon lock.

We have installed 1000's of Pluslocks saving the industry millions of pounds over the years.

Every additional Pluslock installed, adds a higher level of protection







The live lock provides an instant mechanically driven hidden secondary lock position operated by using the Cencon lock.

Great protection against the horizontal grinder, oxy and drill attacks below the safe lock.

The Dead locks provides an extra locking position fired and fired when under attack providing additional protection to the live lock.

The Dead VCD's fire under attack and provide protection vertically to the top and bottom of the safe door (especially required when they try to cut the bolt strap out and cut down the door).



OTC Smart CIT Lock

Sentinel

Sentinel - Custodia

The Custodia is a smart ready high security safe lock and key pad providing one-time code CIT function via QR code. The Sentinel keypad is an elegant and flat design with the option of an inclined keypad variant with battery compartment. All Sentinel locks are VdS and ECB-S approved with the class B lock also having A2P Certified protection against burglary. The perfect upgrade for all ATM estates.

Sentinel - Oculus

The Oculus has all the features of the Sentinel Custodia but takes the lock options to new levels by communicating with our PC software for configuration and administration of the lock system or via the TwinIP extension unit for integrating the lock system into the customer network for full monitoring of the ATM safe lock.

Sentinel – Imperium

The Imperium has all the available features of the Custodia and the Oculus with the additional control via our total lock control PC software to provide full access control and management of entry doors, security doors, access control, key access and the ATM safe locks.

The options are endless – Please ask us for our expert consultation









Case Study

Burton Security were invited to participate in a tender process for the implementation of a new ATM electronic safe locking solution. After successfully exceeding the tender requirements, we were awarded the opportunity to undertake this rollout across the client's UK network of ATM's.

The project included the supply, installation and project management of circa 1,400 ATM Safe locks across a network of 650+ branches. Working closely with the client we designed a bespoke installation process and timetable suitable for the wide variety of ATM models and operational needs of the business. Throughout the project planning several client specific functionality requests were explored, developed, tested and implemented to ensure client satisfaction beyond the original scope.

After the planning period was completed the physical installations began. Using our network of skilled and qualified safe engineers we successfully installed to each ATM, in both a live branch and factory environment.

Throughout the entire project, regular reviews were undertaken, and actions applied to ensure an efficient and cost-effective rollout. As a result of the detailed pre planning work and an efficient installation process, the project was successfully completed within the client's requested timeframe of 26 weeks, allowing them to reap the benefits of the developed solution as early as possible;




- Freed up branch colleague time, removing involvement in the ATM replenishment process
- Improved security and efficiencies in the management of staff access to the Locks
- Removal of mastercodes management and responsibility - passed to Burton Safes
- Enabling efficient estate wide changes with the use of configuration cards
- Implementation of One Time Code (OTC) functionality without the need for additional infrastructure or IT Involvement including:
- Auto generation of secure OTC for CIT Access
- Real Time lock status monitoring as part of the OTC functionality













HYDRAULIC RESCUE TOOL

(Jaws of life) Protection

Criminal organisations

Criminals break into the bank or store while it is closed, usually in the early hours of the morning.

They cut the safe door hinges with a grinder and then crowbar and use the Hydraulic Rescue Tools (Jaws of life) to prise open the ATM safe door, leaving the cassettes exposed for them to steal and make a getaway.

The attack usually only last 2-5 minutes with Cen L to Cen 3 ATM's being the focus of target.

This attack MO is a global problem for Banks and ATM deployers.

To add attack time delay protection ATM SAFE have developed and manufacture a range of deployable retrofit visual / physical security systems to help protect against the Hydraulic Rescue Tool (Jaws of life) attacks.

All steel solutions can be powder coated to the RAL of your preference.

ATM HINGE CUT PROTECTION SYSTEM

A 3-piece system comprises of a heavy duty 2-part solid steel 24mm safe door plate with 5mm steel internal bracing mounting plate.
All fixings are hidden within the safe door, so it cannot be compromised. The internal bracing plate also helps support the safe door from delaminating.

The safe door outer plate includes 2 overhang lugs that protect the hinges from being cut from the font of the ATM.

Protection to cutting the hinges from the left-hand side of the ATM is provided by the 3mm side armour steel panel, fabricated with built in pockets to allow the front armour lugs to sit within it when opening the safe door and servicing the ATM.

Installation time approx 3 hrs





ATM HINGE DOG BOLT UPGRADE PLATES

A 2-piece upgrade kit made from plasma cut 3mm and folded solid steel for improving the safe door hinge dog bolts, by extending them into the ATM pockets by an additional 7mm.

This protection kit has been developed as an easy to install retro fit solution that will make it much more difficult to place the Hydraulic Rescue Tools (Jaws of life) into the gap and making it so much more difficult to prise the door away at the hinge side of the ATM.


Installation time approx 1 hr

A single piece 3mm steel folded and fabricated armour panel with welded in rebar and filled with our own anti cut composite mixture.

The panel protects the hinges being cut from the side and the front cuts by the panel protruding forward of the hinges.

Visual and physical protection for your ATM.

Installation time approx 1.5 hrs














Protection for the leading edge of the ATM Safe door. This visual / physical solution has been developed to restrict access to the leading edge of the safe door using the Hydraulic Rescue Tools (Jaws of life). A single piece 3mm steel folded and fabricated armour panel with enclosed fixings not only protects



access to this side, but also acts as a crumple zone to make the attack more difficult for the criminals.

This panel can be composite filled and installed to any ATM Model.

Installation time approx 1.5 hrs





The HALO is designed to add complete protection and attack time delay for all internal ATM's

The HALO system is the crown jewels' when it comes to protecting internal lobby ATM's. During the design and production of the system we looked at ATM crime data, met with ATM security managers and also large retailers John Lewis, The Co-operative Group, Tesco, Asda, Morrisons and Aldi to name a few.

We inspected attacked ATM's, liaised with the Police and analysed the current trend of ATM attack MO's. The crime was varied with different organised gangs targeting different ATM's and stores with their own perfect way of breaching the safe to take the cassettes or by removing the ATM completely from the store.

Our aim was to design out crime by introducing protection into the HALO protection system to cover the lasso rope and chain attack, hydraulic lifters, crow barring, grinder cutting, oxy cutting, drilling, removing the ATM from the store, accessing the back of ATM and cutting an opening in the back to access cassettes and so on.

In addition to the HALO's unique ATM fixing footprint, back protection and side body armour the safe door can be protected with our Pluslocks and door armour protection can also be applied to the ATM safe door.

HALO – Case Study

Criminals drive a vehicle into the shop front to gain entry into the store. They then bring a large long wheelbase van and hook a chain to the van and to the internal ATM.

Our client had installed the ATM within our HALO system for maximum protection. The ATM was installed close to the shop door front.

The criminals made several attempts to pull the ATM out, driving off and trying to pull the ATM out over and over again. The strength of the HALO system was lifting the vehicle and throwing it to one side on each attempt until eventually the large chain snapped.

The criminals left unsuccessful and probably thinking what have we just encountered here!

CCTV Video footage is available.





The Technology

The HALO is specifically designed for each internal ATM model and can be used with all popular makes of ATM from NCR, Triton, Hyosung and Diebold-Nixdorf for example.

The system is constructed from 12mm laser cut solid steel for the floor and back panels with folded steel construction on the sides filled with our own anti- cut composite fill and matrix system to create weight and protection against side and back cutting attacks.

The sides offer an additional 70mm of armour protection to the ATM and protects against drilling, grinding and oxy torch attacks.

The system is bolted and welded together for structural integrity with all ATM fixings concealed within the system. This means you need safe access to reach any floor and back fixings, so it cannot be compromised.

The weight of the HALO adds another 300+kg to the weight of the ATM and when the situation arise that the ATM cannot be bolted to a floor, this could be a good solution to the problem.

The solid steel back panel not only adds cutting protection, but has been designed with our unique to ATM SAFE wingspan that includes 2 widespread additional anchoring positions for the ATM and slip angles to make it very difficult to get good purchase when a chain is put around the ATM. If the ATM with HALO is installed up to the wall it will be impossible to put a chain or lasso around the ATM safe.

Should a vehicle ram the HALO from the side it would very likely climb the HALO and tip over the vehicle. The HALO wingspan also makes the system very difficult to fit inside a vehicle.

The HALO system itself is bolted to the ground via its 12mm solid steel base using 4 x M24 studs and resins perfected and used in our Strongarm anchoring systems.

Connecting the ATM inside the HALO had been designed to easily slide inside the HALO and then is connected from the inside of the safe with 2 x M16 bolts and washers in the floor, an M16 bolt on each safe side and 3 x M16 bolts into the rear.



& Ram Raid Protection

Strongarm HD

Criminal organisations

Organised criminals have continued to target ATM's by either pulling stand alone (lobby) ATM's out of the ground that are light weight, easy to move and located within retail stores, The usual MO's are by jacking them out, barring them out or attaching a strong rope or chain around the ATM, attaching the rope or chain to a vehicle and using the force of the vehicle to pull the ATM out of the ground and into the street so they can load it in another vehicle and drive off with the ATM filled with cash.

For the larger and usually much heavier TTW ATM's the criminals will generally steal a JCB lifter or telescopic handler to knock the ATM over and lift them out of the Bank or store location.

Strongarm systems

Our mission was to provide a cost effective solutions with the maximum anchoring protection to help banks and ATM companies keep your ATM safe against the current spate of pull out and ram raid attacks. You can then protect the cash within the machines and reduce the threat of any future attacks - reducing substantial damage to buildings and potential loss of revenue.

ATM SAFE has developed a number of solutions for the various ATM models and installation scenarios. The Strongarm HD is an Anchoring chain system with security shield bolted to the ATM and the ground. Perfect for internal ATM's and can be installed on TTW ATM's.

To protect the systems integrity a low cost innovative Strongarm HD shield is also available where required. The security shield fixings are secured from within the safe offering additional anti-tamper protection and integrity to the system, as well as providing H&S anti trip cover.

For the TTW ATM installations we recommend the Strongarm HD plinth that provides extra layers of protection combining the anchoring chain with the plinth design to reduce floor impact forces.

Our Subterra has been designed for external ATM installations where ATM bolting and anchoring is very poor. This system is designed to be concreted into the floor and has been used to protect a number of ATM's in Germany.

Strongarm Anchor

Solution for all ATM's

Innovative fabricated internal locking system housed within an impact resistant mounting block, installed with low centre of gravity fixings.

Strongarm chain link

Tested to and fully certificated 40 tonnes British load chain.

Floor fixing

Easy to install with 2 industry grade concrete floor mounting studs and specific floor bolting resins.

ATM fixing

New especially designed single bolt mounting specification boss with tested chain link flexible mounting coupling.

Strongarm Shield

Available with Strongarm security shield protection cover. Provides a low cost protection shield, providing an extra level of security and H&S to the system.

Compact design

Designed not to impose on critical ATM advertising and branding space, while still imposing a physical presence and protection. Can be painted to any RAL or graphic design can be added.



Strongarm Plinth

Solution for TTW ATM's

The STRONGARM Anchor Plinth is a heavy duty easy level adjustable plinth designed for ease of installation and adjustment.

Security

Includes a built in Strongarm HD Anchor within so it can mount to the underside of the ATM reducing space required for the ATM in the banking hall or store.

Floor fixing

The floor fixings used are 4 x M24 studs 210mm long 8.8 grade with M24 x 45mm washers and M24 nylock nuts.

ATM fixing

Each plinth will be made to exactly measure the ATM footprint. Designed, developed, tested and manufactured by ATM SAFE.

Construction

Laser cut, folded and re-enforced bottom plate with anchor chain welded into position. The chain loops through the steel supporting cross section plate and attached to the steel top plate. The ATM is bolted to the top plate and the anchor is bolted to the bottom of the ATM.

Testing

Our testing replicated the attack MO. For the attack we used a 4.5-ton Wacker Neuson TH522 Telehandler. The Strongarm anchor has passed previous testing using a 7.5-ton 4wd JCB, which was verified in Feb 2015 by Dr, J. L. Hill of DYNAMIQ Engineering.



Strongarm Subterra

The Subterra Strongarm anchoring system has been tested with our clients in attendance. We employed a professional rescue team to try and lift the ATM out of the ground.

Armed with Hooligan bars and hydraulic rescue tools (jaws of life) the team proceeded to attack the ATM and failed to lift the ATM. When attempting to lift the ATM with two hydraulic tools the Subterra continued to protect against crowbarring and jaws of life hydraulic tools.









Door Pull Protection

ADPS

Criminal organisations

The criminals break into the store while it is closed, usually in the early hours of the morning. They crow bar open the outer safe cabinet door and proceed to smash the dispenser chute off to give them a larger access hole for a hook.

They then force a large lifting hook into the ATM opening which is attached to a heavy duty chain and couple the other end to a vehicle. The vehicle drives away at speed and pulls the safe door from the ATM leaving the cassettes exposed for them to steal and make a getaway. The criminals have targeted the Wincor 1500 lobby ATM and the external NCR P77 POD ATM.

This attack MO is a global problem for ATM deployers.

Wincor 1500 Solution

The ADPS for the Wincor 1500 ATM is installed behind the safe door as a fixed device with a locking drop in component within the ATM hood.

- Heavy duty steel fabricated internal boss system with built in vertical re-locker
- External drop in locking bolts assembly locked in place using the ATM keys
- Protects the key area were the hook is installed by reducing the forces to the safe door bolt works
- Operated by unlocking the ADPS system top mounting plate by accessing the ATM hood
- The ADPS is unlocked using the same ATM key

NCR P77 Solution

A multi-layered approach to these attacks was designed for the NCR P77 POD ATM.

The system includes:

- Two hinged locking anti door pull guards
- Two heavy duty hinged plates bolted to the safe body from inside the safe
- Integral welded in locking system on a keyed alike system
- CIT and Engineers can unlock and lock the system
- · Internal anti hook plates
- Internal safe door bolt strap brace
- The front outer dispenser was fitted with an DACP (Dispenser Anti Cut Plate) to reduce and protect the cash opening from hooking.

ADPS Product Testing

For the attack test sessions we coupled up a heavy duty hook and chain to replicate the criminals attack MO.

During the attack session the ADPS system pulled the back axle from the test vehicle.







ACW's, ACP & E-Frame

ACW's

The ACW's have been designed to add an additional 60+ kg of weight each to the ATM. This helps especially in locations the ATM's cannot be bolted down or have poor fixings.

With 4 ACW's installed it will increase the ATM weight by over 240kg. Each ACW is fabricated by our ATM SAFE team and filled with our composite which also provides great protection against grinder/drill and Oxy attacks to the safe body.

ACW+

We now have a larger version of the standard ACW available to protect against the recent MO of using crow bars or hydraulic jacking on the leading edge of the safe door to break it open and steal the cassettes.

All ACW's are fabricated from steel by our team, filled with our composite materials with all fixings concealed by bolting the protection from the inside of the safe.





CENCON ACP

The Cencon ACP has been designed as a fast deploy deterrent (no safe access required) and protection against the cutting and drill attacks below the Cencon lock.

Hand built and filled with our own attack resistant chemical composite mix and Steel Diamond Mesh by our ATM SAFE engineers.

CENCON L-ACP

The L-ACP can be used to protect more of the safe door and for larger ATM's.

We recommend adding a Pluslock inside the safe door, the ultimate relocking system for ATM's in critical attack areas.

Image shown with L-ACP and DACP

E-FRAME

The E-FRAME upgrade protects against many of the recent attacks by adding a 60mm steel and composite armoured barrier in key locations of the safe door.

This helps protect against full door cuts, Oxy attack And grinder attacks below the Cencon lock, as well as protecting the safe door and lock, it is also designed to protect re-locker locations.

Hand built and filled with our own attack resistant chemical composite mix and Steel Diamond Mesh by our ATM SAFE engineers.







Dispenser Upgrade

Dual skin dispenser upgrade developed for the NCR 5877 POD ATM to stop easy access and crow bar attacks into the purge and top cassettes. Welded onto the safe door in the workshop. Our engineers upgrade this on a door rotation system to reduce ATM down time.

We usually install Pluslocks at the same time for ultimate safe door protection.

Specifically designed and installed on the NCR 5877 (P77) POD ATM's.

We can design bespoke solutions as requested



DACP, Dispenser & ATM Blocker

DACP – Dispenser Anti cut plate

The DACP is a steel fabrication welded and filled with our own attack resistant chemical composite mix, steel filings and re-bar that is bolted from the inside of the ATM to make a secure tamper proof fixing.

The DACP is a useful long life replacement for the standard plastic cover, while also safe guarding against Oxy, drill and grinder attacks to the dispenser area of the safe door.

A common attack on these ATM's was to pry the outer plastic cover off, remove the dispenser door plate and now with the larger opening crow bar and smash down into the cassettes to steal the cash. This is another upgrade that has successfully protected and saved millions of pounds over the years.

The DACP is also a great off the shelf long life replacement for the plastic dispenser cover for the NCR 5877 or P77 POD as it's widely known.



ATM Blocker

We were approached by a US ATM deployer to design a cost effective solution that could be deployed quickly to protect ATM's from cash trapping and transaction reversal fraud attacks.

This was completed within a matter of weeks and the ATM estate was successfully protected.

Our design and innovation team are at our clients disposal to develop new solutions to protect against current and emerging threats.







ATM SAFE PRODUCT NAME

ATM	LIVE RELOCKER	DEAD RELOCKER	VCD	DVCD	66 SERIES MK2 LIVE DEAD KIT	66 SERIES MK2 BOTTOM VCD KIT	ACP	E-FRAME	DISPENSER EXTERNAL 1500	DISPENSER INTERNAL 1500	DACP	ACW'S	STRONGARM WITH SHIELD	STRONGARM PLINTH	STD ATM PLINTH	HALO	GPX	1500 ADPK	P77 ADPK INC DACP	SUB TERRA
DIEBOLD 562 OPTIVA	NO	NO	NO	NO	NO	NO	NO	YES	NO	NO	NO	YES	YES	YES	YES	NO	YES	NO	NO	YES
HYOSUNG 1600	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	YES	YES	NO	NO	YES	YES	NO	NO	YES
HYOSUNG 1800	YES	YES	YES	YES	NO	NO	NO	NO	NO	NO	NO	YES	YES	NO	NO	YES	YES	NO	NO	YES
NCR 5305 MCD UL	YES	YES	YES	YES	NO	NO	YES	YES	NO	NO	NO	YES	YES	NO	NO	YES	YES	NO	NO	YES
NCR EP 55 DAY SAFE	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	YES	YES	NO	NO	YES	YES	NO	NO	YES
NCR 5684 UL	YES	YES	YES	YES	NO	NO	YES	YES	NO	NO	NO	YES	YES	YES	YES	YES	YES	NO	NO	YES
NCR 5870 UL	YES	YES	YES	YES	NO	NO	YES	YES	NO	NO	NO	YES	YES	NO	NO	YES	YES	NO	NO	YES
NCR 5874	YES	YES	YES	YES	NO	NO	NO	NO	NO	NO	NO	YES	YES	NO	NO	NO	YES	NO	NO	YES
NCR 5877 REAR LOADER	YES	YES	YES	YES	NO	NO	YES	YES	NO	NO	NO	YES	YES	YES	YES	NO	YES	NO	NO	YES
NCR 5884 U	YES	YES	YES	YES	NO	NO	YES	YES	NO	NO	NO	YES	YES	YES	YES	NO	YES	NO	NO	YES
NCR 5884 JOHN TANN	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	YES	YES	YES	YES	NO	YES	NO	NO	YES
NCR 5885 UL	YES	YES	YES	YES	NO	NO	YES	YES	NO	NO	NO	YES	YES	YES	YES	NO	YES	NO	NO	YES
NCR 5886 UL	YES	YES	YES	YES	NO	NO	YES	YES	NO	NO	NO	YES	YES	YES	YES	NO	YES	NO	NO	YES
NCR 5887 UL	YES	YES	YES	YES	NO	NO	YES	YES	NO	NO	NO	YES	YES	YES	YES	NO	YES	NO	NO	YES
NCR 5887 CEN 1/L	YES	YES	YES	NO	NO	NO	YES	YES	NO	NO	NO	YES	YES	YES	YES	NO	YES	NO	NO	YES
NCR 5887 CEN 3	NO	NO	NO	NO	NO	NO	YES	YES	NO	NO	NO	YES	YES	YES	YES	NO	YES	NO	NO	YES
NCR 6614 CEN 1/L	NO	NO	NO	NO	YES	YES	YES	YES	NO	NO	NO	YES	YES	NO	NO	YES	YES	NO	NO	YES
NCR 6614 UL	YES	YES	YES	YES	NO	NO	YES	YES	NO	NO	NO	YES	YES	NO	NO	YES	YES	NO	NO	YES
NCR 6622E CEN 1/L	NO	NO	NO	NO	YES	YES	YES	YES	NO	NO	NO	YES	YES	NO	NO	YES	YES	NO	NO	YES
NCR 6622E REAR LOADER	NO	NO	NO	NO	YES	YES	YES	YES	NO	NO	NO	YES	YES	YES	YES	NO	YES	NO	NO	YES
NCR 6625 CEN 3/4	NO	NO	NO	NO	YES	YES	YES	YES	NO	NO	NO	YES	YES	YES	YES	YES	YES	NO	NO	YES
NCR 6625 CEN 1/L	NO	NO	NO	NO	YES	YES	YES	YES	NO	NO	NO	YES	YES	YES	YES	YES	YES	NO	NO	YES
NCR 6626 CEN 1/L	NO	NO	NO	NO	YES	YES	YES	YES	NO	NO	NO	YES	YES	YES	YES	YES	YES	NO	NO	YES
NCR 6626 CEN 3/4	NO	NO	NO	NO	YES	YES	YES	YES	NO	NO	NO	YES	YES	YES	YES	YES	YES	NO	NO	YES
NCR 6627 CEN 1/L	NO	NO	NO	NO	YES	YES	YES	YES	NO	NO	NO	YES	YES	YES	YES	YES	YES	NO	NO	YES
NCR 6627 CEN 3/4	NO	NO	NO	NO	YES	YES	YES	YES	NO	NO	NO	YES	YES	YES	YES	YES	YES	NO	NO	YES
NCR 6628 CEN 1/L	NO	NO	NO	NO	YES	YES	YES	YES	NO	NO	NO	YES	YES	NO	NO	NO	YES	NO	NO	YES
NCR 6634 CEN 1/L	NO	NO	NO	NO	YES	YES	YES	YES	NO	NO	NO	YES	YES	YES	YES	YES	YES	NO	NO	YES
NCR P71 POD	YES	YES	YES	YES	NO	NO	NO	NO	NO	NO	NO	YES	YES	NO	NO	NO	YES	NO	NO	YES
NCR P77 INT	YES	YES	YES	YES	NO	NO	NO	NO	NO	NO	YES	YES	YES	NO	NO	YES	YES	NO	YES	YES
NCR P77 EXT POD	YES	YES	YES	YES	NO	NO	NO	NO	NO	NO	YES	YES	YES	NO	NO	YES	YES	NO	YES	YES
WN 280 CEN 1/L	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	YES	YES	NO	NO	YES	YES	NO	NO	YES
WN 285 CEN 1/L	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	YES	YES	YES	YES	NO	YES	NO	NO	YES
WN 285 CEN 3/4	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	YES	YES	YES	YES	NO	YES	NO	NO	YES
WN 1500 UL	YES	YES	YES	YES	NO	NO	NO	NO	YES	YES	NO	YES	YES	NO	NO	YES	YES	YES	NO	YES
WINCOR 1550 UL	YES	YES	YES	YES	NO	NO	YES	YES	NO	NO	NO	YES	YES	NO	NO	YES	YES	NO	NO	YES
WN 1500 UL EXT POD	YES	YES	YES	YES	NO	NO	NO	NO	YES	YES	NO	YES	YES	NO	NO	YES	YES	YES	NO	YES
WN 2050 UL	YES	YES	YES	YES	NO	NO	YES	YES	NO	NO	NO	YES	YES	YES	YES	NO	YES	NO	NO	YES
WN 2050 CEN 3/4	NO	NO	NO	NO	NO	NO	YES	YES	NO	NO	NO	YES	YES	YES	YES	NO	YES	NO	NO	YES
WN 2150 UL	YES	YES	YES	YES	NO	NO	YES	YES	NO	NO	NO	YES	YES	YES	YES	YES	YES	NO	NO	YES
WN 2150 CEN 3/4	NO	NO	NO	NO	NO	NO	YES	YES	NO	NO	NO	YES	YES	YES	YES	YES	YES	NO	NO	YES
TRITON TIDEL	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	YES	YES	NO	NO	NO	YES	NO	NO	YES
TRITON 1800	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	YES	YES	NO	NO	NO	YES	NO	NO	YES



Bespoke Products

From a simple drawing on a napkin we can recreate your vision in a unique way using auto-cad to design your concept to using the latest 3D printing and rendering techniques.

All designs are manufactured to the highest quality and tested thoroughly before launch.

We offer complete project management and engineer training for all our national and international partners, this can be done in house or at our head office in the UK.



- ATM Pincam
- ATFS power control
- ESP GPS tracking and alarm system
- Custom ATM Security Solutions













Memberships

Investing in the right people is important for all aspects of our business, all our staff are DBS checked and vetted, holding the correct certifications. Giving our customers the peace of mind knowing that all aspects of their projects are taken care of.

Using the latest field based technology all our work is monitored so we can keep our customers informed throughout the whole journey. We are a fully approvedMaster Locksmiths Association member.

We are proud to be an accredited **Real Living Wage Employer**





DELIVERY AND INSTALLATION SERVICES

ATM RECOVERIES

We offer a 7 day emergency recovery service for our clients in the UK when an ATM has suffered an attack. Our specialist engineers can open safe doors, remove the ATM to our secure storage and make site safe to the public.

SAFE REPAIRS AND UPGRADES

We can repair most ATM's after an physical attack in our workshops. Damaged safe doors and safe bodies can be welded and repaired by our fabrication team, while also being upgraded with ATM SAFE security products, Smaller damage can be repaired and protected on site after criminal activity.

ASSET RECOVERY

As part of our recovery team we often meet CIT teams, the Police and open safes so the assets can be recovered urgently and removed from further risk of theft.

INSTALLATIONS, REMOVALS AND MOVES

ATM SAFE have been providing Installation, Moves & Changes (IMAC services) to ATM companies and the financial sector for many years. Our dedicated project managers ensure we offer the highest level of customer attention and service.







Memberships



















SERVICING

Our dedicated ATM service desk ensures all works are professionally carried out by using our own security engineers for all service works, lock fits and security product installations.

enquiries@burtonsecurity.com

As an approved distributor of Kaba, LA Gard and INSYS safe locks we can deliver an exceptional

design, supply and installation service using our

own qualified field safe engineering team.

SAFE LOCK SUPPLY AND

INSTALLATIONS



www.burtonsecurity.com +44 (0) 1484 663388

Your Assets in Safe hands

THE SURE DEFENCE

Physical Security Solutions

From the world's most advanced safe deposit centres in Hong Kong, to securing cash, bullion and valuables in banks, ATM's and retailers across Europe and the Middle East; the team at Burton Security have the experience to advise, design and deliver physical security solutions to protect you and your assets.

The High Security team have over 85 years' worth of security industry experience and are qualified in security design and consultancy. Dedicated account and project managers ensure an unrivalled customer experience.

Burton Security core principle is to ensure products are tested to the highest standards. Our ATM SAFE systems have a proven track record when meeting those standards.

We are proud to have tested products to LPCB standards and feature in RedBookLive.



Burton Security delivers The Sure Defence














Reactive Safe Engineer and Locksmith Service

Burton Security believe in offering exceptional service

Our business is built on delivering it!

Every customer has individual service needs; the internal service team design and deliver bespoke service packages to suit your individual requirements for both safe and locksmith engineering, all of which is supported by a dedicated Account Manager.

The service team is available 24/7 - 365 days a year. Skilled and experienced engineers are located across the UK and ROI, delivering market leading response and first time fix rates - providing you with reduced downtime and cost reductions.



Burton Security service agreements cover all types of safe and lock, some of the features include;

- Supply and installation of physical security products
- Emergency reactive response
- Emergency safe and door opening
- Lock upgrades and re-programming
- Preventative maintenance
- Safe removal and disposal
- · Cover for all brands of locks and safe

- Dedicated Account Manager
- A single point of contact for all issues
- Free access to our in house technical help desk
- Average response times of under 3 hours
- Average time on site of less than 1 hour
- Average first time fix rate of 97%
- European cover also available

DELIVERY AND INSTALLATION SERVICES

Weekday Deliveries

Next Day*
Next Day by Noon*
Next Day by 10:30am (less than 70kg)*
Evening 6pm-9pm

Delivery and Position (Weekdays)

Next Day* AM/PM Slot 2 Hour Window

Weekday Installations

Express (2-3 days) Pre-9am AM/PM Slot Evening

Weekend Installations

Saturday Sunday Our standard delivery is a 2-3 day service and we have a range of delivery and installation options to upgrade your order and suit your needs.

Weekend Deliveries

Saturday
Saturday by Noon (less than 30kg)
Saturday by 10:30am (less than 30kg)
Sunday (less than 30kg)
Sunday by Noon (less than 30kg)

Highlands & Islands Deliveries

Republic of Ireland Deliveries

*order by 2pm the preceding day

Installation Special Services

Highlands and Islands Unmarked Vehicle Service 1st Floor/Basement via Stairs* 2nd Floor/Basement via Stairs* Hiab, Crane or Specialist Vehicle*

*Site Survey Dependent

BESPOKE SECURITY SOLUTIONS



Contact our commercial team

+44 (0) 1484 663388 enquiries@burtonsecurity.com

Although Burton Security offers an extensive range of tested and certified safes, vaults and physical security products, our R&D and engineering



side of the business have the capability to provide made to measure bespoke security solutions to meet the most demanding of projects. All strongrooms certified to EN1143 must have a certified lock that reflects the grade of the solution

- Strongrooms certified to EN1143-1 Grade XI and XII must have 3 locks certified to Class C or 2 locks certified to Class D
- Strongrooms certified to EN1143-1 Grade XIII must have 2 locks certified to Class D

The standards below can be found in our Sure Defence ranges:

LPS1175 - This is an independent standard published by BRE. It can be applied to products used to form all layers of physical security, including the perimeter (e.g. fences and gates), building fabric (e.g. doors, windows, shutters and walling), enclosures and cabinets. Issue 8 defines eight levels of threat (A to H) and six levels of delay (1, 3, 5, 10, 15 and 20 minutes).

EN1627 - This is a European burglary attack test standard for security doors. There are 6 security levels from RC1 - RC6

EN1063 - This is a bullet resistance test for glass. There are 7 levels from BR1 - BR7

EN1522 - This is a bullet resistance test for doors and systems. There are 7 levels from FB1 - FB7. All parts of the door are tested, including door furniture, frames and joints













LPCB EXPLAINED

LPCB certification is recognised by insurers, consultants, architects and risk managers across the globe.



Products that are tested to LPCB standards can reduce liability for our customers because of the demonstrated due diligence that having a product certified provides.

Products are rigorously assessed in order to achieve certification. Testing and evaluation makes up an early part of the process, followed by auditing the factory production to ensure high standards are maintained.

Once the product is successfully certified, it is then listed on RedBookLive. It is here that our products are seen by specifiers to verify the status of our tested products.

Once a product has been certified, continuous audits are carried out to ensure that certification is maintained.

Certification **Product** Standard Rating PANIC ROOMS AND WALLING **Embassy Panic Rooms** Talos LPS1175 Issue 6 SR2, SR3 and SR4 LPCB Avertic SECURITY WINDOWS AND DOORS

RvE Windows & Doors	EN1627	RC2 to RC4	-
CBX Armoured Shutters	EN1627	RC3, RC4, FB4 and FB6	-
Janus	EN1627	RC3 and RC4	Istituto Giordano
Metal +	EN1627	RC2 to RC5 - FB4 to FB7	-
Kronos	LPS1175 I	SR2, SR3 and SR4	LPCB
Panzer	German Army Test Laboratory	WTD 52	FEM

GRILLS AND BAR SETS

Embassy Guard	-	-	-
Ajax	-	-	-
Typhon	LPS1175 Issue 7	SR2, SR3 and SR4	LPCB

VAULTS AND STRONG ROOMS

Transporta - SC10 & SC20	SS 3492	SS 3492	SSF/SBSC
Transporta - SC800, SC3000 & SC6000	EN1143-1	Grade 3	SSF/SBSC
Orthrus	LPS1175 Issue 8	F10 (SR6) G5	LPCB
Cerberus	EN1143-1	Grade 1 to Grade 13	ECB • S

